

Date of last issue: -	Version 1.0	Print Date 22.03.2022
Revision Date: 22.03.2022		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : SikaCeram[®] CleanGrout

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited
		Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

National Chemical Emergency Centre (NCEC) 24 Hour Emergency Telephone Number +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single ex-	H335: May cause respiratory irritation.
posure, Category 3, Respiratory system	

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	L	
Signal word	:	Danger	•
Hazard statements	:	H315 H317 H318 H335	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.



Date of last issue: - Revision Date: 22.03.2022	V	ersion 1.0	Print Date 22.03.2022
Precautionary statements :	P101	If medical advice is needed, ha	ve product
i rooddionary olatomonic	P102	container or label at hand. Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-v ea.	rentilated ar-
	P280	Wear protective gloves/ eye pro protection.	otection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	n accordance

Hazardous components which must be listed on the label:

Cement, portland, chemicals 2-octyl-2H-isothiazole-3-one (OIT)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1. Please use treated articles responsibly.



Date of last issue: -Revision Date: 22.03.2022 Version 1.0

Print Date 22.03.2022

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
Chemical name	EC-No.	Classification	
			(% w/w)
	Registration number		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		Skin Sens. 1; H317	
		STOT SE 3; H335	
Titanium dioxide (> 10 µm)	13463-67-7		< 1
	236-675-5		
	01-2119489379-17-		
	XXXX		



SikaCeram[®] CleanGrout

e of last issue: - sion Date: 22.03.2022	Version 1.	Print Date 22.03.2022	
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0002 - < 0,0015
		M-Factor (Acute aquatic toxicity): 100100 M-Factor (Chronic aquatic toxicity): 100100	
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 125 mg/kg 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l 0,27 mg/l Acute dermal toxicity: 311 mg/kg 311 mg/kg	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7 238-878-4		>= 25 - < 40
calcium carbonate	471-34-1 207-439-9 01-2119486795-18- XXXX		>= 25 - < 40
Limestone Contains: Quartz (SiO2) <5µm >= 0,1 %	1317-65-3 215-279-6		>= 5 - < 10

For explanation of abbreviations see section 16.



Date of last issue: - Revision Date: 22.03.2022	Version 1.0	Print Date 22.03.2022

SECTION 4: First aid measures

4.1 Description of first aid measur	es
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled :	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact :	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms	Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	irritant effects sensitising effects
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.
4.3 Indication of any immediate me	edical attention and special treatment needed
Treatment	Treat symptomatically.



Date of last issue: - Revision Date: 22.03.2022		Version 1.0	Print Date 22.03.20
SECTION 5: Firefighting mea	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chemi extinction.	
5.2 Special hazards arising fron	n the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	own
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained brea	athing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental relea	se r	neasures	
		e equipment and emergency procedures	
6.1 Personal precautions, prote	CUIV		
6.1 Personal precautions, prote Personal precautions		Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.	
Personal precautions		Avoid breathing dust.	
Personal precautions	:	Avoid breathing dust.	sewer system.
Personal precautions 6.2 Environmental precautions Environmental precautions	:	Avoid breathing dust. Deny access to unprotected persons. Do not flush into surface water or sanitary s	sewer system.
Personal precautions 6.2 Environmental precautions Environmental precautions	:	Avoid breathing dust. Deny access to unprotected persons. Do not flush into surface water or sanitary s	ng dust.
Personal precautions 6.2 Environmental precautions Environmental precautions 6.3 Methods and material for co	: : ontai :	Avoid breathing dust. Deny access to unprotected persons. Do not flush into surface water or sanitary s nment and cleaning up Pick up and arrange disposal without creati	ng dust.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing.
		For personal protection see section 8.



_

Date of last issue: - Revision Date: 22.03.2022		Version 1.0	Print Date 22.03.2022
		Persons with a history of skin sensitisation p ma, allergies, chronic or recurrent respiratory not be employed in any process in which this used. Smoking, eating and drinking should be prof plication area. Follow standard hygiene measures when ha products	y disease should s mixture is being nibited in the ap-
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate ex at places where dust is formed.	haust ventilation
Hygiene measures	:	Handle in accordance with good industrial hy practice. When using do not eat or drink. Wh smoke. Wash hands before breaks and at th	en using do not
7.2 Conditions for safe storage,	inc	uding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and we place. Store in accordance with local regulat	
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as di	irected.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data She use.	et prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Cement, portland, chemicals	65997-15-1	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40
calcium carbonate	471-34-1	TWÁ (inhalable dust)	10 mg/m3	GB EH40
	dust and inhal will be collected the methods of pling and grav aerosols., The health include in air equal to dust or 4 mg.r any dust will b	nation: For the purpo lable dust are those ed when sampling is described in MDHS1 vimetric analysis or r e COSHH definition s dust of any kind w or greater than 10 r m-3 8-hour TWA of r be subject to COSHI evels. Some dusts h	fractions of airbor undertaken in ac 4/4 General meth espirable, thoracio of a substance ha hen present at a o ng.m-3 8-hour TW espirable dust. Th H if people are exp	ne dust which cordance with ods for sam- c and inhalable zardous to concentration /A of inhalable nis means that posed to dust



Date of last issue: - Revision Date: 22.03.2022	Version 1.0 Print I		Print Da	ite 22.03.2022
	WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body re- sponse that it elicits, depend on the nature and size of the particle HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller defini- tions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long- term exposure limit should be used.			ide range of rticular particle he body re- of the particle. purposes pproximates to and mouth sition in the he fraction that Fuller defini- 4/4., Where gned WEL, all no specific
	terin exposure	TWA (Respirable dust)	4 mg/m3	GB EH40
Limestone	1317-65-3	TWA (inhalable dust)	10 mg/m3	GB EH40
	dust and inhala will be collecte the methods de pling and gravi aerosols., The health includes in air equal to o dust or 4 mg.m any dust will be above these le WELs and exp limits., Most ind sizes. The beh after entry into sponse that it e HSE distinguis termed 'inhalat the fraction of a during breathin respiratory trac penetrates to the tions and explation the relevant lim short-term exp term exposure	ation: For the purpo able dust are those d when sampling is escribed in MDHS1 metric analysis or r COSHH definition of a dust of any kind w or greater than 10 m a 3 8-hour TWA of r e subject to COSHH vels. Some dusts h osure to these mus dustrial dusts conta aviour, deposition a the human respirate elicits, depend on th hes two size fractio oble' and 'respirable'. airborne material th ag and is therefore a ct. Respirable dust a he gas exchange re components that ha nits should be comp osure limit is listed, limit should be use TWA (Respirable dust)	fractions of airbor undertaken in ac- 4/4 General meth espirable, thoracid of a substance ha hen present at a c ng.m-3 8-hour TW espirable dust. Th i f people are exp ave been assigne t comply with the in particles of a w and fate of any pa for system, and t he nature and size ns for limit-setting , Inhalable dust a at enters the nose available for depo- approximates to the gion of the lung. I e given in MDHS14 ve their own assigned blied with., Where a figure three tim d. 4 mg/m3	ne dust which cordance with ods for sam- c and inhalable zardous to concentration /A of inhalable nis means that posed to dust d specific appropriate ide range of rticular particle he body re- of the particle. I purposes pproximates to and mouth sition in the ne fraction that Fuller defini- 4/4., Where gned WEL, all no specific es the long- GB EH40
Titanium dioxide (> 10 μm)	13463-67-7	TWÁ (inhalable	10 mg/m3	GB EH40
		dust) TWA (Respirable	4 mg/m3	GB EH40



Date of last issue: - Revision Date: 22.03.2022	Version 1.0			Print Date 22.03.2022
		dust)		
*The above mentioned values are in accordance with the legislation in effect at the date of the re- lease of this safety data sheet.				

general dust value

Form of exposure	Value type	Control parameters	Basis	
Inhalable	TWA	10 mg/m3	GB EH40	
Respirable fraction	TWA	4 mg/m3	GB EH40	

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure
	limits then respiration protection measures must be used.
Environmental exposure contr	ols

General advice

: Do not flush into surface water or sanitary sewer system.



SikaCeram[®] CleanGrout

Date of last issue: -Revision Date: 22.03.2022 Version 1.0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	:	solid powder various characteristic
Melting point/freezing point	:	Not applicable
Initial boiling point and boiling range	:	Not applicable
Flammability (solid, gas)	:	No data available
Upper/lower flammability or Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 10 (20 °C) Concentration: 50 %
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	ca. 1,3 kg/l (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available



Date of last issue: - Revision Date: 22.03.2022	Version 1.0	Print Date 22.03.2022
9.2 Other information		
No data available		
SECTION 10: Stability and	eactivity	
10.1 Reactivity	un under conditions of normal use	
-	wn under conditions of normal use.	
10.2 Chemical stability		
The product is chemically		
10.3 Possibility of hazardous		
Hazardous reactions	: No hazards to be specially mentioned	l.
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	n products	
No decomposition if stored	-	

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

2-octyl-2H-isothiazole-3-one (OIT):

Acute oral toxicity	: Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity	: Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008



Date of last issue: - Revision Date: 22.03.2022	Version 1.0	Print Date 22.03.202
	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate accor No. 1272/2008	rding to Regulation (EC)
Acute dermal toxicity	: Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate accor No. 1272/2008	rding to Regulation (EC)
	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate acco No. 1272/2008	rding to Regulation (EC)
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye ir Causes serious eye damage	tation	
Respiratory or skin sensiti	ation	
Skin sensitisation May cause an allergic skin re	action.	
Respiratory sensitisation Not classified based on avai		
Germ cell mutagenicity Not classified based on avai	ble information.	
Carcinogenicity Not classified based on avai	ble information.	
Reproductive toxicity Not classified based on avai	ble information.	
STOT - single exposure May cause respiratory irritati	n.	
STOT - repeated exposure Not classified based on avai	ble information.	
Aspiration toxicity Not classified based on avai	ble information.	
11.2 Information on other haza	ls	
Endocrine disrupting prop	rties	
Product:		
Assessment	: The substance/mixture does not cont ered to have endocrine disrupting pro REACH Article 57(f) or Commission I	operties according to



Date of last issue: - Revision Date: 22.03.2022	Version 1.0	Print Date 22.03.2022
	(EU) 2017/2100 or Commission Regula levels of 0.1% or higher.	tion (EU) 2018/605 at
SECTION 12: Ecological inform	ation	
12.1 Toxicity		
Components:		
2-octyl-2H-isothiazole-3-one (OIT):	
M-Factor (Acute aquatic tox-	100	
	100	
M-Factor (Chronic aquatic toxicity)	100	
toxiony j	100	
12.2 Persistence and degradability No data available	,	
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB ass	essment	
Product:		
Assessment	This substance/mixture contains no con to be either persistent, bioaccumulative very persistent and very bioaccumulativ 0.1% or higher	and toxic (PBT), or
12.6 Endocrine disrupting propert	es	
Product:		
Assessment	The substance/mixture does not contain ered to have endocrine disrupting prope REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regula levels of 0.1% or higher.	erties according to legated regulation
12.7 Other adverse effects		
Product:		

Product:

Additional ecological infor- : There is no data available for this product.



Date of last issue: - Revision Date: 22.03.2022	Version 1.0	Print Date 22.03.2022

mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good



Date of last issue: -	Version 1.0	Print Date 22.03.2022
Revision Date: 22.03.2022		

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)			Not applicable	
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors			Not applicable	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		:	None of the components are listed (=> 0.1 %).	
REACH - List of substances subject to authorisation (Annex XIV)		:	Not applicable	
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer		:	Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		:	Not applicable	
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals			Not applicable	
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.			
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compounds	
	Directive 2010/75/EU	of 2	4 November 2010 on industrial	



Date of last issue: -	Version 1.0	Print Date 22.03.2022
Revision Date: 22.03.2022		

emissions (integrated pollution prevention and control) Not applicable

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environmental regulation/legislation specific for the substance or mixture: Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH)
 May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

Other regulations:

This product contains cement. Wet cement or mortar may cause alkali burns if in direct and/or prolonged contact with the skin. Wear protective clothing at all times when working with cement based products.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.		
H311	:	Toxic in contact with skin.		
H314	:	Causes severe skin burns and eye damage.		
H315	:	Causes skin irritation.		
H317	:	May cause an allergic skin reaction.		
H318	:	Causes serious eye damage.		
H330	:	Fatal if inhaled.		
H335	:	May cause respiratory irritation.		
H400	:	Very toxic to aquatic life.		
H410	:	Very toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
Acute Tox.	:	Acute toxicity		
Aquatic Acute	:	Short-term (acute) aquatic hazard		
Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Eye Dam.	:	Serious eye damage		
Skin Corr.	:	Skin corrosion		
Skin Irrit.	:	Skin irritation		
Skin Sens.	:	Skin sensitisation		
STOT SE	:	Specific target organ toxicity - single exposure		
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits		
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)		
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road		



Date of last issue: - Revision Date: 22.03.2022		Version 1.0	Print Date 22.03.2022			
CAS	: Chomical	Abstracts Sorvice				
DNEL		Chemical Abstracts Service Derived no-effect level				
EC50		nal effective concentration				
GHS		Globally Harmonized System				
IATA		International Air Transport Association				
IMDG		International Maritime Code for Dangerous Goods				
LD50		Median lethal dosis (the amount of a material, given all at				
		ch causes the death of 50% (
	test anima	ls)				
LC50		: Median lethal concentration (concentrations of the chemical in				
		air that kills 50% of the test animals during the observation				
	period)					
MARPOL		International Convention for the Prevention of Pollution from				
0.51		'3 as modified by the Protoco	l of 1978			
OEL		Occupational Exposure Limit				
PBT		Persistent, bioaccumulative and toxic				
PNEC		Predicted no effect concentration				
REACH		Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg-				
		Evaluation, Authorisation and				
		CH), establishing a Europear				
SVHC		es of Very High Concern	i enemicais / geney			
vPvB		Very persistent and very bioaccumulative				
	,					
Further information						
Classification of the mi	xture:	Classification	procedure:			
Skin Irrit. 2	H315	Calculation me	ethod			
Eye Dam. 1	H318	Calculation me	ethod			
Skin Sens. 1	H317	Calculation me	ethod			
STOT SE 3	H335	Calculation me	ethod			

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN