

INDICE: **Lance**
INDEX: Lances

CATEGORIA: **Lancia**
CATEGORY: Lance

ARTICOLO: **L 50+MV114 HP**
PRODUCT NAME:

PRESSIONE NOMINALE/RATED PRESSURE 500 bar 50 MPa 7250 psi
PRESSIONE AMMISSIBILE/PERMISSIBLE PRESSURE 550 bar 55 MPa 8000 psi
PORTATA NOMINALE/RATED FLOW 40 l/min 10,6 USGpm
TEMPERATURA NOMINALE/RATED TEMPERATURE 160 °C 320 °F
MATERIALE TUBO/PIPE MATERIAL Acciaio Inox/Stainless Steel

CODICE CODE	ENTRATA INLET	USCITA OUTLET	LUNGHEZZA LENGTH mm in	LUNG. TUBO PIPE LENGTH mm in	PESO WEIGHT g oz	
4030100008	G 1/4 M	1/4 NPT F	1248 49,1	1200 47,2	1330 46,9	1



G 1/4 M

INDICE: **Lance**
INDEX: Lances

CATEGORIA: **Lancia**
CATEGORY: Lance

ARTICOLO: **L 50+MV114 HP**
PRODUCT NAME:

PRESSIONE NOMINALE/RATED PRESSURE 500 bar 50 MPa 7250 psi
PRESSIONE AMMISSIBILE/PERMISSIBLE PRESSURE 550 bar 55 MPa 8000 psi
PORTATA NOMINALE/RATED FLOW 40 l/min 10,6 USGpm
TEMPERATURA NOMINALE/RATED TEMPERATURE 160 °C 320 °F
MATERIALE TUBO/PIPE MATERIAL Acciaio Inox/Stainless Steel

CODICE CODE	ENTRATA INLET	USCITA OUTLET	LUNGHEZZA LENGTH mm in	LUNG. TUBO PIPE LENGTH mm in	PESO WEIGHT g oz	
4030100009	ARF 070	1/4 NPT F	1276 50,2	1200 47,2	1425 50,2	1



ARF 070

DA ABBINARE ALLA PISTOLA 4017000060, P. 32
TO BE MATCHED WITH 4017000060, P. 32.

INDICE: **Lance**
INDEX: Lances

CATEGORIA: **Lancia**
CATEGORY: Lance

ARTICOLO: **L 50+MV114 HP**
PRODUCT NAME:

PRESSIONE NOMINALE/RATED PRESSURE 360 bar 36 MPa 5220 psi
PRESSIONE AMMISSIBILE/PERMISSIBLE PRESSURE 400 bar 40 MPa 5800 psi
PORTATA NOMINALE/RATED FLOW 40 l/min 10,6 USGpm
TEMPERATURA NOMINALE/RATED TEMPERATURE 160 °C 320 °F
MATERIALE TUBO/PIPE MATERIAL Acciaio Inox/Stainless Steel

CODICE CODE	ENTRATA INLET	USCITA OUTLET	LUNGHEZZA LENGTH mm in	LUNG. TUBO PIPE LENGTH mm in	PESO WEIGHT g oz	
4030100010	ARF 040	1/4 NPT F	1276 50,2	1200 47,2	1425 50,2	1




ARF 040

DA ABBINARE ALLA PISTOLA 4017000062, P. 18
TO BE MATCHED WITH 4017000062, P. 18

INDICE: **Lance**
INDEX: Lances

CATEGORIA: **Lancia**
CATEGORY: Lance

ARTICOLO: **L 200**
PRODUCT NAME:



KIT PORTAUGELLO
NOZZLE HOLDER KIT

PRESSIONE NOMINALE/RATED PRESSURE 500 bar 50 MPa 7250 psi
PRESSIONE AMMISSIBILE/PERMISSIBLE PRESSURE 560 bar 56 MPa 8100 psi
PORTATA NOMINALE/RATED FLOW 200 l/min 53 USGpm
TEMPERATURA NOMINALE/RATED TEMPERATURE 40 °C 104 °F
MATERIALE TUBO/PIPE MATERIAL Acciaio Inox/Stainless Steel

CODICE CODE	ENTRATA INLET	USCITA OUTLET	LUNGHEZZA LENGTH mm in	LUNG. TUBO PIPE LENGTH mm in	PESO WEIGHT g oz	pz / pcs
4030500007	G 1/2 M	1/4 NPT F	420 16,5	400 15,75	790 28	1
4030500008	G 1/2 M	1/4 NPT F	820 32,3	800 31,5	1325 47,0	1
4030500009	G 1/2 M	1/4 NPT F	1220 48,0	1200 47,25	1900 67	1


(A)	4059500021	G 1/2 F	G 1/4 M	KIT PORTA UGELLO - L 200 / NOZZLE HOLDER KIT - L 200	1
-----	------------	---------	---------	--	---

INDICE: **Lance**
INDEX: Lances

CATEGORIA: **Lancia**
CATEGORY: Lance

ARTICOLO: **L 200 HE**
PRODUCT NAME:

ADATTA PER IDROESCAVAZIONE
SUITABLE FOR HYDRO HESCAVATION



KIT RACC. LANCIA L200 HE
L200 HE COUPLING KIT

PRESSIONE NOMINALE/RATED PRESSURE 500 bar 50 MPa 7250 psi
PRESSIONE AMMISSIBILE/PERMISSIBLE PRESSURE 560 bar 56 MPa 8100 psi
PORTATA NOMINALE/RATED FLOW 200 l/min 53 USGpm
TEMPERATURA NOMINALE/RATED TEMPERATURE 40 °C 104 °F
MATERIALE TUBO/PIPE MATERIAL Acciaio Inox/Stainless Steel

CODICE CODE	ENTRATA INLET	USCITA OUTLET	LUNGHEZZA LENGTH mm in	LUNG. TUBO PIPE LENGTH mm in	PESO WEIGHT g oz	pz / pcs
4030500038	G 1/2 M	1/2 NPT M	1223 48,2	1200 47,2	1900 67,0	1
4030500039	G 1/2 M	1/2 NPT M	1523 60,0	1500 59,1	2280 80,4	1
4030500040	G 1/2 M	1/2 NPT M	1823 71,8	1800 70,9	2680 94,5	1

(B)	4039900243	G 1/2 F	G 3/8 M	KIT RACC. LANCIA L200 HE / L200 HE COUPLING KIT	1
-----	------------	---------	---------	---	---



MANOPOLA A RICHIESTA
HANDLE ON DEMAND

INDICE: **Idropistole+prolunga**
INDEX: Spray guns+extension

CATEGORIA:
CATEGORY:

ARTICOLO: **MANOPOLA**
PRODUCT NAME: LANCE HANDLE



ADATTO PER LANCE L200 E L200 HE
SUITABLE FOR L200 AND L200 HE LANCES

CODICE CODE	DIAMETRO MASSIMO TUBO MAXIMUM PIPE DIAMETER Ø mm Ø inch	PESO WEIGHT g oz	pz / pcs
4039900167	21,2 0,83	165 5,8	1

INDICE: **Lance**
INDEX: Lances

CATEGORIA: **Lancia con protezione ventilata**
CATEGORY: Vented Lances

ARTICOLO:
PRODUCT NAME:

L 70

PRESSIONE NOMINALE/RATED PRESSURE 640 bar 64 MPa 9280 psi
PRESSIONE AMMISSIBILE/PERMISSIBLE PRESSURE 700 bar 70 MPa 10150 psi
PORTATA NOMINALE/RATED FLOW 60 l/min 16 USGpm
TEMPERATURA NOMINALE/RATED TEMPERATURE 160 °C 320 °F
MATERIALE TUBO/PIPE MATERIAL Acciaio Inox/Stainless Steel

CODICE CODE	ENTRATA INLET	USCITA OUTLET	LUNGHEZZA LENGTH mm in		LUNG. TUBO PIPE LENGTH mm in		IMPUGN. L70 L70 HANDGRIP	PESO WEIGHT g oz		 pz / pcs
4030500004	G 3/8 M	1/4 NPT F	820	32,3	800	31,5	1	1200	42	1
4030500005	G 3/8 M	1/4 NPT F	1220	48,0	1200	47,25	2	1800	64	1
4030500049	G 3/8 M	1/4 NPT F	820	32,3	1500	59,06	1	2090	77	1
4030500050	G 3/8 M	1/4 NPT F	1220	48,0	2000	78,74	2	2600	92	1
4059500022	G 3/8 F	G 1/4 M	KIT PORTA UGELLO - L 70 / NOZZLE HOLDER KIT - L 70							1



KIT PORTAUGELLO
NOZZLE HOLDER KIT

INDICE: **Idropistole con Lancia**
INDEX: Spray guns with lance

CATEGORIA: **Max 70 MPa**
CATEGORY:

ARTICOLO:
PRODUCT NAME:

ML 710 + L70

02

PRESSIONE NOMINALE/RATED PRESSURE 640 bar 64 MPa 9280 psi
PRESSIONE AMMISSIBILE/PERMISSIBLE PRESSURE 700 bar 70 MPa 10150 psi
PORTATA NOMINALE/RATED FLOW 60 l/min 16 USGpm
TEMPERATURA NOMINALE/RATED TEMPERATURE 120 °C 250 °F
MATERIALE TUBO/PIPE MATERIAL Acciaio Inox/Stainless Steel

CODICE CODE	ENTRATA INLET	USCITA OUTLET	LUNGHEZZA LENGTH mm in	LUNG. TUBO PIPE LENGTH mm in	IMPUGN. L70 L70 HANDGRIP	PESO WEIGHT g oz	pz / pcs	KIT RICAMBIO REPAIR KIT	pz / pcs
4013400001	G 3/8 F	1/4 NPT F	950 37,4	800 31,5	N° 1 L = 380 mm (15 in)	2000 70,5	1	4019900049	1
4013400002	G 3/8 F	1/4 NPT F	1350 53,2	1200 47,25	N° 2 L = 750 mm (29,5 in)	2600 92	1	4019900049	1



INDICE: **Idropistole con Lancia**
INDEX: Spray guns with lance

CATEGORIA: **Max 110 MPa**
CATEGORY:

ARTICOLO:
PRODUCT NAME:

ML1000

PRESSIONE NOMINALE/RATED PRESSURE 1000 bar 100 MPa 14500 psi
PRESSIONE AMMISSIBILE/PERMISSIBLE PRESSURE 1100 bar 110 MPa 16000 psi
PORTATA NOMINALE/RATED FLOW 40 l/min 10,5 USGpm
TEMPERATURA NOMINALE/RATED TEMPERATURE 100 °C 210 °F

CODICE CODE	ENTRATA INLET	USCITA OUTLET	LUNGHEZZA LENGTH mm in	PESO WEIGHT g oz	pz / pcs	KIT RICAMBIO REPAIR KIT	pz / pcs
4013500002	G3/8 F	1/4NPT F	700 27,56	3600 127,0	1	4019900126	1
4013500003	G3/8 F	1/4NPT F	1000 39,37	4200 148,2	1	4019900126	1

