



Client: StudzPeptides
Accession #: 2610089001
Search Code: Stud2610089001
Received: 10/8/2026
Reported: 10/8/2026
Lot: KLOW106PTR

Sample Summary

Product:	KLOW 80mg	Purity:	Sample 1: 99.98% Sample 2: 99.97% Sample 3: 99.93% Sample 4: 99.96%
Identity:	Confirmed	Net Content:	Sample 1: GHK-Cu – 60.83 mg KPV – 11.04 mg TB-500 – 12.20 mg BPC-157 – 12.10 mg Sample 2: GHK-Cu – 57.78 mg KPV – 10.54 mg TB-500 – 11.13 mg BPC-157 – 11.43 mg Sample 3: GHK-Cu – 56.92 mg KPV – 10.50 mg TB-500 – 11.64 mg BPC-157 – 11.32 mg Sample 4: GHK-Cu – 51.76 mg KPV – 9.30 mg TB-500 – 10.10 mg BPC-157 – 10.21 mg
Appearance:	Blue Lyophilized Powder		
Endotoxin Threshold:	Pass		
Microbial Analysis (PCR):	Pass		
Fentanyl	No Fentanyl Detected		

Analytical Results

Test	Result
Identity (LC-MS)	GHK-Cu/KPV/TB-500/BPC-157
Purity (HPLC-UV)	99.96%
Net Content	GHK-Cu - 56.82 mg KPV - 10.34 mg TB-500 - 11.27 mg BPC-157 - 11.27 mg

Method: Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.


Endotoxin Replicate 1:	Pass	Assay Sensitivity: ≤ 0.05 EU/mL
Endotoxin Replicate 2:	Pass	Assay Sensitivity: ≤ 0.05 EU/mL

Method: Microbial detection performed using validated polymerase chain reaction (PCR)-based assay targeting common microbial contaminants.


Microbial Analysis (PCR) No Detectable Microbial DNA

Method: HPLC with UV detection coupled with mass spectrometry (LC-MS).

Chromatogram



Mass Confirmation




 Principal Chemist

FreedomDiagnosticsTesting.com
 Admin@FreedomDiagnostics.net
 Proudly Owned and Operated in the USA



The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are provided for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.