


A1

A1




A1

A1


A2


A2





A2


A2












A8

A8



A8

A8



FRONT FACING

Cut 1 on fold of fabric

Cut 1 on fold of interfacing

B1

B1

B1


B1

B2

B2

B2


B2



SKIRT BACK

For Classic Flared Skirt, cut 1 fabric (note: follow the grainline carefully so ensure the piece is cut on the bias)

For Flared Skirt with Yoke, follow project instructions to create separate pattern pieces for the yoke and lower skirt; for the yoke, cut 1 fabric yoke with a vertical grainline and cut 1 fabric lower skirt using the original diagonal/bias grainline



B5

B5

B5

B5

B6

B6


B6


B6


SKIRT FRONT

For Classic Flared Skirt, cut 1 fabric (note: follow the grainline carefully so ensure the piece is cut on the bias)

For Flared Skirt with Yoke, follow project instructions to create separate pattern pieces for the yoke and lower skirt; for the yoke, cut 1 fabric yoke with a vertical grainline and cut 1 fabric lower skirt using the original diagonal/bias grainline








C1

C1




C1

C1

C2

C2



C2

C2

C3



C3

C3

C3

C4

C4



C4

C4

C5


C5

C5

C5

C6

C6



C6

C6

C7



C7

C7

C7

C8

C8




C8

C8

C9

C9



BACK FACING

Cut 1 on fold of fabric


Cut 1 on fold of interfacing

C9

C9

D1

D1




D1

D1

D2

D2




D2

D2

D3

D3



D3


D3

D4

D4

D4

D4




D5

D5


D5

D5



D6

D6




D6

D6

D7

D7



D7


D7

D8

D8


D8

D8



D9

D9



D9

D9