


A1

A1




A1

A1


A2


A2




A2

A2










A7

A7



A7

A7

A8


A8



A8

A8





FRONT FACING

Cut 1 on fold of fabric

Cut 1 on fold of interfacing

B1

B1

B1


B1

B2

B2

B2



B2



**SKIRT BACK**

For Classic Flared Skirt, cut 1 fabric (note: follow the grainline carefully so ensure the piece is cut on the bias)

For Flared Skirt with Yoke, follow project instructions to create separate pattern pieces for the yoke and lower skirt; for the yoke, cut 1 fabric yoke with a vertical grainline and cut 1 fabric lower skirt using the original diagonal/bias grainline



B5

B5

B5

B5

B6

B6


B6

B6


**SKIRT FRONT**

For Classic Flared Skirt, cut 1 fabric (note: follow the grainline carefully so ensure the piece is cut on the bias)

For Flared Skirt with Yoke, follow project instructions to create separate pattern pieces for the yoke and lower skirt; for the yoke, cut 1 fabric yoke with a vertical grainline and cut 1 fabric lower skirt using the original diagonal/bias grainline








B9

B9




B9

B9

C1

C1



C1

C1

C2

C2

▽

C2

C2

C3


C3

C3

C3

C4

C4



C4

C4

C5


C5

C5

C5

C6

C6



C6

C6



C7


C7

C7

C7

C8

C8




C8

C8

C9

C9



**BACK FACING**

Cut 1 on fold of fabric


Cut 1 on fold of interfacing

C9

C9

D1

D1




D1

D1

D2

D2



D2

D2

D3

D3




D3

D3

D4

D4



D4


D4

D5

D5

D5


D5





D6

D6




D6

D6

D7

D7




D7

D7

D8

D8




D8

D8

D9

D9



D9

D9