


UNISEX DRESSING GOWN PATTERN

How to piece together and use your pattern

- Download this PDF pattern to your computer and print it out.
- The pages will be divided in the order that they fit together.
- Trim the white margins from the printed pages and tape the pages together using the letters and gridlines as a guide (see instruction in the diagram below).
- Refer to the body measurement charts on p.342 to select a size.
- Use the key on the patterns to find the line for your chosen size and cut around it.

A 1cm seam allowance of 1.5cm (5/8in) is included in the pattern. Please note: when you have cut out the pattern pieces to your size, you may wish to add an extra 1.5cm (5/8in) inside the cutting line (see p.342). One square in the grid equals 10cm; you will also find a 10cm test square on the pattern to make sure that the pattern has printed at the correct size.



SIZES

XS
S
M
L
XL
XXL

FABRIC REQUIREMENTS FOR SHORT GOWN

SIZE	115CM (45 1/4) WIDE FABRIC	150CM (60) WIDE FABRIC
ALL SIZES	3.30m (1100in)	3.30m (1100in)
MAIN FABRIC		
ALL SIZES	2.30m (95in)	2.30m (95in)
CONTRAST FABRIC		

FABRIC REQUIREMENTS FOR LONG GOWN

SIZE	115CM (45 1/4) WIDE FABRIC	150CM (60) WIDE FABRIC
ALL SIZES	3.30m (1100in)	3.30m (1100in)
MAIN FABRIC		
ALL SIZES	4.00m (1600in)	2.60m (1020in)
CONTRAST FABRIC		

