

stem.




ITO
FLOOR LAMP
Specification Sheet

ITO

FLOOR LAMP

SPECIFICATION SHEET



About Ito

The Ito floor lamp embodies the transience of life's passing moments that we often wish to hold on to. It is an ode to the beauty of the ephemeral experiences that keep the momentum of life flowing. Ito comprises individual strands of 1968 soft cotton threads suspended freely from a brass frame, cast from hand-sculpted patterns exploring the essence of the human touch and the natural beauty of impermanence through contrasting materials. The form appearing as a solid cuboid volume from afar, reveals an airy, light character as the wind blows, mesmerising the viewer with its warm glow.

Care Instructions

Over time, the metal surface may diminish its original luster. To retain the original finish, use metal polish with a soft dry cloth and gently rub it onto the surface. Please be wary of the weight. Gently dust the threads occasionally and steam iron from all four sides if they get tangled. Handle with care to prevent damage or staining. Do not use any abrasive substance on the product. To know more, refer Ito Care Manual.


Limited Edition. Made to order.

Technical Details

Dimensions
W350 D350 H1825 MM
W13.8 D13.8 H72 IN

Weight
32 kg

Material and Finish
Cast Brass,
Burnished and waxed



Cotton threads,
with Protective coating



Hardware
Dia.150 H60 MM
Dia.5.9 H2.4 IN
White finish

Light source
IND/ UK/ EU
4 x G9 LED Bulb (Incl.)
3.5W, 220-240V

US/ JPN
4 x G9 LED bulb (Not Incl.)
Suggested 3W-5W
110V-120V

Kelvin Rating
2700K

Dimmable
Yes, IND/ UK/ EU

Cord
Socket type C
(On request A/ I)

Cord length 1650 MM
On-off switch 0.2mtr from
the base.

Classification
IP20

stem.

+ (91)-87002 87703

info@stemdesign.co

www.stemdesign.co

B-31, 2nd Floor, Sector 4, Noida 201301

© Stem Design 2025