


stem.



**PIVOT
FLOOR LAMP**
Specification Sheet

PIVOT FLOOR LAMP

SPECIFICATION SHEET



About Pivot Floor Lamp

Pivot Floor Lamp has a quiet sculptural presence; an uplighter at its core, with a shorter pivoting arm that responds intuitively to its surroundings. Designed to adapt, it transforms with a simple gesture: angled down beside a sofa for evening reading, directed across a wall to illuminate artwork, or turned toward a console to draw out the contours of an object. Crafted on a manual lathe, Pivot reflects a commitment to simplicity and precision. Two carefully balanced metal tubes intersect with effortless clarity, emphasising proportion and restraint. The raw tumbled aluminium finish, uncoated and honest, catches the light subtly, revealing the tool marks and nuances of its making. With its quiet confidence and mechanical elegance, Pivot invites interaction without demanding attention.

Care Instructions


Over time, the metal surface may diminish its original luster. To retain the original finish, use metal polish with a soft, dry cloth and gently rub it onto the surface. Use a dry cloth to remove dust occasionally. Do not use any abrasive substances on the product. Please be wary of its weight. Handle with care.

Technical Details


Dimensions
W266 D266 H1824 MM
W10.5 D10.5 H72 IN

Weight
17 kg (Aluminium)
27 kg (Darkened Brass)

Material and Finishes
Aluminium,
Tumbled and burnished



Brass,
Hand-patinated in
darkened brass and waxed



Light source
IND/ UK/ EU
GU10 bulb (Incl.) X2
5.5W, 220-240V
Dimmable

US/ JPN
GU10 bulb (Not Incl.)
Suggested 5W-7W, 120V

Kelvin Rating
3000K

Cord
Socket type C
(On request A/ I/ G)
Cord length 1650 MM
On-off switch 0.2mtr from
the base

Classification
IP20

stem.

+ (91)-87002 87703

info@stemdesign.co

www.stemdesign.co

B-31, Sector 4, Noida 201301

© Stem Design 2026