




TODOMUTA STUDIO®

TMP-LAMP



DIMENSIONES:
Ancho: 698mm
Profundidad: 527mm
Altura: 1397mm

PESO: 28kg.
MATERIALES:
Aluminio, metacrilato y acero.
EDICIÓN: 12 + 1 PA

-INSTALACIÓN:
Interior.
Montaje a techo estructura
mediante placa de anclaje
y cuatro cables de acero.

- Ambiente (IP) Interior IP20.

- Fuente de luz:
5 tiras LED 24V / 3000K.
1 tira LED COB 24V / 4000K.
Foco con haz orientable 15°-45°
LED array / CRI>90 / 3000K.

- Emergencia: No.

- Voltaje: 230V/AC.

- Control: DALI Regulable y
atenuación integrada incluida.

- Potencia LED:
Tira led en metacrilatos: 10,9W/m.
Tira LED en ranura: 12W/m.
Foco con haz orientable: 10W.

- Lumen:
Tira led en metacrilatos: 820 lm/m.
Tira LED en ranura: 1200 lm/m.
Foco con haz orientable: 1018lm.

- Emisión:
Iluminación general: tira LED difusa.
Foco: Foco con haz orientable 15°-45° directa.

DIMENSIONS:
Width: 698mm
Depth: 527mm
Height. 1397mm

WEIGHT: 28kg.
MATERIALS:
Aluminium, methacrylate and steel.
EDITION: 12 + 1 AP

- INSTALLATION
Interior
Concrete ceiling via a mounting plate
+ 4 steel wires.

- Environment (IP) Indoor IP20.

- Light source:
5 strip LED 24V / 3000K.
1 strip LED COB 24V / 4000K.
Spotlight with adjustable beam 15°-45°
LED array / CRI>90 / 3000K.

- Emergency: No.

- Voltage: 230V/AC.

- Light control: Dimmable DALI
and on-board dimming included.

- Led power:
LED strip in methacrylates: 10,9W/m.
Led Strip in slot: 12W/m.
Spotlight with adjustable beam: 10W.

- Lumen:
LED strip in methacrylates: 820 lm/m.
Led Strip in slot: 1200 lm/m.
Spotlight with adjustable beam: 1018lm.

- Emission:
General lighting: Strip LED diffused
Spot lighting: Spotlight with adjustable beam 15°-45°









