

Cisco Webex Desk Pro(CS-DESKPRO-K9)

Cisco Webex Desk Pro - Video conferencing device



The Cisco Webex Desk Pro is an AI-powered touch screen and conference camera combo with advanced cognitive collaboration capabilities like Webex Assistant, facial recognition and creative applications like digital whiteboarding. A USB-C connection allows the 4K screen to become your all-in-one primary monitor and collaboration device, supporting your videoconferencing software of choice.

Key Selling Points

- Seamlessly integrates with Webex Meetings or can be used with any video-conferencing solutions by connecting to your laptop
- Co-create at your desk with a dedicated stylus where content is automatically saved in Webex Teams
- Brings the power of AI to collaboration with advanced features like Webex Assistant and facial recognition
- Becomes your docking station and primary monitor with touch-redirect capabilities with a USB-C connection

Product Features

TOUCHSCREEN DISPLAY

4K multi-touch screen provides an engaging experience for video calls and doubles as a USB-C compatible laptop display

COGNITIVE COLLABORATION

AI-powered features provide a frictionless meeting experience and contextual insights

CO-CREATION

Easily whiteboard in person or remotely with the dedicated stylus or your finger and automatically save content to a Webex Teams virtual space

PEACE OF MIND

90-day limited liability warranty

Main Specifications

Product Description	Cisco Webex Desk Pro - video conferencing device
Device Type	Video conferencing device
Codec	H.263, H.264, AAC-LD, Opus
Dimensions (WxDxH)	63 cm x 7.5 cm x 51 cm
Weight	11.6 kg
Display	27" IPS / 3840 x 2160
Digital Signaling Protocol	H.323, SIP
Video Input	Digital video camera
Audio Input	8-microphone array
Audio Output	Speaker(s) - stereo
Input Device	Stylus, 27" touchscreen
Networking	Ethernet, Fast Ethernet, Gigabit Ethernet, IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac
Power	AC 120/230 V (50/60 Hz)
Manufacturer Warranty	90 days warranty

Extended Specification

Environmental Parameters

Min Operating Temperature	0 °C
Max Operating Temperature	35 °C
Humidity Range Operating	20 - 90% (non-condensing)

Audio Output

Type	Speaker(s)
Sound Output Mode	Stereo
Frequency Response	60 - 20000 Hz

Power

Power Device	Power supply
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Operational	200 Watt

Networking

Connectivity Technology	Wireless, wired
Data Link Protocol	Ethernet, Fast Ethernet, Gigabit Ethernet, IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac
Network / Transport Protocol	HTTP
Compliant Standards	IEEE 802.3u, IEEE 802.3i, IEEE 802.3ab, G.711, G.722, G.729

General

Device Type	Video conferencing device
Voice Codecs	AAC-LD, Opus
Video Codecs	H.263, H.264
Quality of Service	IEEE 802.1Q (VLAN)
Width	63 cm
Depth	7.5 cm
Height	51 cm
Weight	11.6 kg

Display

Technology	IPS
Diagonal Size	27"
Native Resolution	3840 x 2160
Image Aspect Ratio	16:9
Image Brightness	300 cd/m²
Image Contrast Ratio	1000:1
Colour Gamut	72%
Monitor Features	±89° horizontal viewing angle

Manufacturer Warranty

Service & Support	Limited warranty - 90 days
-------------------	----------------------------

Modem

Digital Signaling Protocol	H.323, SIP
----------------------------	------------

Video Output

Supported Display Graphics	UHD (3840 x 2160)
Digital Video Standard	High-Definition Multimedia Interface (HDMI)

Video Input

Type	Digital video camera (colour) - integrated
Digital Video Capture Resolution	3840 x 2160
Video Modes	2160/30p
Features	White balance, automatic brightness adjustment, Dual Pixel CMOS AF technology, privacy shutter, Auto Focus, 59° field of view (vertical), 71° field of view (horizontal)

Software / System Requirements

Software Included	Cisco Webex Room OS
-------------------	---------------------

Audio Input

Type	8-microphone array - integrated
------	---------------------------------

Input Device

Type	Stylus, 27" touchscreen
------	-------------------------

Expansion / Connectivity

Interfaces	1 x display / video - HDMI input - 19 pin HDMI Type A 1 x USB-C - DisplayPort input - 24 pin USB-C 1 x display / video - HDMI output - 19 pin HDMI Type A 1 x audio - output - mini-phone 3.5 mm 2 x network - Ethernet 1000Base-T - RJ-45 3 x USB 2.0 - 4 pin USB Type A 1 x USB 2.0 - 5 pin Micro-USB Type A
------------	--

Miscellaneous

Cables Included	1 x HDMI cable - 1.5 m 1 x USB-C cable - 1.8 m 1 x network cable - 3 m
Compliant Standards	FCC CFR47 Part 15 C, FCC CFR47 Part 15 B, NRTL, Directive 2011/65/EU, Directive 2002/96/EU, Directive 2014/35/EU, Directive 2014/30/EU, FCC CFR47 Part 15 E, Directive 2014/53/EU

Product data is provided by CNET, we do not warrant the accuracy and completeness of the material contained in this data sheet