

Logitech Rally Bar (960-001312)

Logitech Rally Bar - Video conferencing device - Zoom Certified, Certified for Microsoft Teams - graphite - power adapter included



Logitech Rally Bar sets another standard for video meetings in midsize rooms. It's remarkably simple to use, manage, and deploy at scale, delivering cinema-quality video and audio in a sleek, all-in-one form factor. Plug-and-Play Rally Bar with any PC or Mac, or leverage the built-in compute to run video conferencing applications directly on the device. Rally Bar features a multi-element lens assembly, powerful low-distortion speakers, and an advanced mic system to create meeting experiences that sound as good as they look. A dedicated AI camera amplifies RightSight auto-framing. Upgrade your video collaboration with Rally Bar.

Key Selling Points

- USB Plug-and-Play
- Appliance mode
- All-in-one design
- RightSense technologies
- Adaptive beamforming mic array
- Ultra HD video
- Expansive room coverage

Product Features

- USB Plug-and-Play
Easily connects to virtually any PC or Mac, with no additional software required.
- Appliance mode
Built-in compute allows you to run supported video conferencing applications, such as Zoom, directly on the device.
- All-in-one design
Sleek, minimal footprint expedites setup and reduces clutter.
- RightSight
Detects meeting participants, automatically moves the lens, and adjusts the zoom so no one is left out of the picture.
- RightLight
Intelligently adjusts video settings in all light conditions so everyone always looks their best.
- RightSound
AI-driven voice leveling and unwanted noise suppression deliver outstanding clarity.
- Adaptive beamforming mic array
Beamforming mics pick up voices at every seat and focus on the active talker while suppressing ambient noise.
- Ultra HD video
Brilliantly sharp video, outstanding color, and exceptional optical accuracy at high resolution.
- Expansive room coverage
Motorized lens covers rooms 130 degrees across by 80 degrees high, with lossless image quality.
- Framed to perfection
A second built-in camera lens has the ability to detect meeting participants, amplifying RightSight auto-framing.
- See everyone clearly
All meeting participants, even late arrivals, are automatically seen and included.
- Move about freely
AI viewfinder uses scene awareness to keep the camera on the action.

Main specifications

Product Description	Logitech Rally Bar - video conferencing device - power adapter included
Device Type	Video conferencing device
Dimensions (WxDxH)	91 cm x 16.4 cm x 13.05 cm
Weight	7.08 kg
Video Input	Digital video camera - SuperSpeed USB 3.0
Audio Input	6-microphone array - beamforming
Audio Output	Speaker(s)
Input Device	Remote control (wireless)

Networking	Bluetooth, IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac
Power	AC 120/230 V
Software Certification	Zoom Certified, Certified for Microsoft Teams
System Requirements	Apple MacOS, Microsoft Windows 7 / 8 / 8.1 / 10 or later
Manufacturer Warranty	2-year warranty

Extended specification

General

Device Type	Video conferencing device
Security	128 bit AES
Width	91 cm
Depth	16.4 cm
Height	13.05 cm
Weight	7.08 kg
Enclosure Colour	Graphite

Expansion / Connectivity

Interfaces	1 x network - Ethernet 10Base-T/100Base-TX/1000Base-T - RJ-45 ¦ 3 x display / video - HDMI ¦ 3 x SuperSpeed USB 3.0 - 9 pin USB Type A ¦ 1 x USB-C 3.0 - 24 pin USB-C
------------	---

Manufacturer Warranty

Service & Support	Limited warranty - 2 years
-------------------	----------------------------

Networking

Connectivity Technology	Wireless, wired
Data Link Protocol	Bluetooth, IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac

Miscellaneous

Cables Included	1 x USB 3.0 Type C to Type A cable - 2.2 m ¦ 1 x HDMI cable - 2 m
Included Accessories	Remote control
Software Certification	Zoom Certified, Certified for Microsoft Teams
Compliant Standards	Plug and Play

Power

Power Device	Power adapter - external
Voltage Required	AC 120/230 V

Software / System Requirements

OS Required	Apple MacOS, Microsoft Windows 7 / 8 / 8.1 / 10 or later
-------------	--

Environmental Parameters

Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 95%

Video Input

Type	Digital video camera (colour) - desktop
Interface Type	SuperSpeed USB 3.0
Digital Video Capture Resolution	3840 x 2160

Video Modes	480p, 720p, 1080p, 4K, 1440p, 900p
Optical Zoom	5
Digital Zoom	3
Camera Mechanical Design	Pan / tilt / zoom
Features	RightLight technology, RightSound technology, Wide Dynamic Range (WDR), Artificial Intelligence, Acoustic Echo Cancellation (AEC), 30 fps, microphone noise suppression technology, 52.2° field of view (vertical), 82.1° field of view (horizontal), 90° diagonal field of view, RightSight technology, Voice Activity Detector (VAD), -25° / +25° pan, -15° / +15° tilt

Audio Output

Type	Speaker(s)
Total Harmonic Distortion (THD)	<2%

Input Device

Type	Remote control
Connectivity Technology	Wireless

Audio Input

Type	6-microphone array - integrated
Microphone Operation Mode	Beamforming
Frequency Response	90 - 16000 Hz

Product data is provided by CNET, we do not warrant the accuracy and completeness of the material contained in this data sheet