APC Smart-UPS SRT 5000VA RM (SRT5KRMXLI-6W)

Please contact sales for freight costs



Text and mimic diagrams that display modes of operation, system parameters and alarms. Connect the device to a network using a 10 or 100 BaseT connection.Patent-pending operating mode that bypasses unused elect achieve very high operating efficiency without sacrificing any protection. Provides early-warning fault analysis on batteries enabling timely preventive maintenance.

Key Selling Points

LCD graphics display
10/100 BaseT Connection
Green mode
Battery failure notification

Product Features

LCD graphics display
Text and mimic diagrams that display modes of operation, system parameters and alarms.

10/100 BaseT Connection
Connect the device to a network using a 10 or 100 BaseT connection.

Green mode
Patent-pending operating mode that bypasses unused electrical components in good power conditions to achieve very high operating efficiency without sacrificing any protection.

Battery failure notification
Provides early-warning fault analysis on batteries enabling timely preventive maintenance.

Main specifications

Product Description	*APC Smart-UPS SRT 5000VA RM - UPS - 4500 watt - 5000 VA*
Device Type	*UPS - rack-mountable*
Rack Size	*3U*
Weight	*54.43 kg*
Input Voltage	*AC 230 V*
Output Voltage	*AC 230 V ± 3%*
Power Capacity	*4500 watt / 5000 VA*
Input Connectors	*1 x hardwire 3-wire (1PH + N + G)*
Output connectors	*6 x power IEC 60320 C13 ¦ 4 x power IEC 60320 C19 ¦ 2 x IEC connector*
Battery	*Lead Acid*
Run Time (Up To)	*4 min at full load*
Networking	*Ethernet 10/100, USB*
Included Accessories	*Rack mounting rails*
Colour	*Black*
Dimensions (WxDxH)	*43.2 cm x 71.9 cm x 13 cm*
Manufacturer Warranty	*6-year warranty*
Designed For	*P/N: ACDC2513, AR2407, AR2480, AR2487, AR2487G, AR2507, AR2580, AR2587, AR3100G, AR3100TAA, AR3100W, AR3100X609, AR3100X610, AR3100X617, AR3105SP, AR3105W, AR3107G, AR3107SP, AR3107X609, AR3300G, AR3300SP, AR3300W, AR3300X609, AR3300X610, AR3300X617, AR3305SP, AR3305W, AR3307SP, AR3307W, NBWL0356A*

Extended specification

General

Device Type	*UPS - rack-mountable*
Height (Rack Units)	*3U*
Colour	*Black*

Expansion / Connectivity

Interfaces	*1 x management (Ethernet) - RJ-45 ¦ 1 x management (USB) - 4 pin USB Type B ¦ 1 x EPO (emergency power off) ¦ 1 x serial - RJ-45*
Expansion Slots	*1 (total) / 1 (free) x SmartSlot*

Manufacturer Warranty

Service & Support	*Limited warranty - 6 years*

Networking

Remote Management Interface	*Ethernet 10/100, USB*

Miscellaneous

Included Accessories	*Rack mounting rails*
Rack Mounting Kit	*Included*
Features	*Audible alarm, LCD display*
Compliant Standards	*RoHS, REACH, IP20*

Software / System Requirements

Software Included	*APC PowerChute Business Edition*

Environmental Parameters

Min Operating Temperature	*0 °C*
Max Operating Temperature	*40 °C*
Humidity Range Operating	*0 - 95% (non-condensing)*
Sound Emission	*55 dBA*

Battery

Technology	*Lead Acid*
Run Time (Up To)	*4 min at full load ¦ 11.8 min at half load*
Recharge Time	*3 hours*
Features	*Maintenance free, sealed, leak-proof*

Power Device

UPS Technology	*On-line*
Input Voltage	*AC 230 V*
Frequency Provided	*50/60 Hz*
Frequency Required	*45 - 65 Hz*
Input Connectors	*1 x hardwire 3-wire (1PH + N + G)*
Power Output Connectors Details	*6 x power IEC 60320 C13 ¦ 4 x power IEC 60320 C19 ¦ 2 x IEC connector*
Output Voltage	*AC 230 V ± 3% - 50/60 Hz*
Power Capacity	*4500 watt / 5000 VA*
Output Waveform	*Sinewave*
Surge Suppression	*Yes*
Surge Energy Rating	*480 joules*
Efficiency	*98%*

Dimensions & Weight

Width	43.2 cm
Depth	71.9 cm
Height	13 cm
Weight	54.43 kg

Dimensions & Weight (Shipping)

Shipping Width	61 cm
Shipping Depth	96 cm
Shipping Height	33 cm
Shipping Weight	66.86 kg

Compatibility Information

Designed For	P/N: ACCS1000, ACCS1001, ACCS1002, ACCS1003, ACCS1004, ACCS1005, ACDC1016, ACDC1017, ACDC1019, ACDC1020, ACDC2513, ACF001, ACF002, AP5017, AP5602, AP5606, AP5607, AP5616, AP92200, AP9290, AR2407, AR2480, AR2487, AR2487G, AR2507, AR2580, AR2587, AR3000, AR3100, AR3100G, AR3100SP, AR3100SP1, AR3100SP2, AR3100TAA, AR3100W, AR3100X609, AR3100X610, AR3100X617, AR3101, AR3104, AR3104SP1, AR3105, AR3105SP, AR3105W, AR3107, AR3107G, AR3107SP, AR3107X609, AR3107X610, AR3107X617, AR3200, AR3300, AR3300G, AR3300SP, AR3300W, AR3300X609, AR3300X610, AR3300X617, AR3305, AR3305SP, AR3305W, AR3307, AR3307SP, AR3307W, AR3307X609, AR3307X610, AR3307X617, AR7007, AR8135BLK, NBWL0356A

Product data is provided by CNET, we do not warrant the accuracy and completeness of the material contained in this data sheet