

interwoven



Fresh

interwoven™



VECTOR
VE-007 Latte



APOLLO SILICONE
SAP-036 Quarry



GRAVITY
TL464-007 Bone




ABBEY
WC706-017 Limestone



APOLLO SILICONE
SAP-047 Mica



ABBEY
WC706-016 Metal



APOLLO SILICONE
SAP-030 Shiitake



ETCH
EH-010 Shiitake



VECTOR
VE-016 Iron



DARNING
CZ973-000 Bark



APOLLO SILICONE
SAP-020 Espresso




ABBEY
WC706-006 Iron



APOLLO SILICONE
SAP-016 Bitumen



GATSBY
WC978-016 Charcoal



ETCH
EH-007 Sand




APOLLO SILICONE
SAP-027 Latte



GRAVITY
TL464-002 Wheat



RELATIVITY
TL465-007 Greige



APOLLO SILICONE
SAP-037 Stone



GRAVITY
TL464-017 Stone



VECTOR
VE-006 Steel




RELATIVITY
TL465-000 Mocha



FORM
WC975-017 Sandstone



GRAVITY
TL464-016 Fog




APOLLO SILICONE
SAP-026 Flint



GRAVITY
TL464-006 Smoke



DARNING
CZ973-017 Sandcastle



FORM
WC975-002 Canary



ETCH
EH-020 Mocha



APOLLO SILICONE
SAP-029 Rust



ETCH
EH-019 Penny



GRAVITY
TL464-001 Blush



ETCH
EH-009 Mango



APOLLO SILICONE
SAP-019 Mango



ETCH
EH-001 Flame



DARNING
CZ973-009 Rouge



ETCH
EH-006 Ebony



RELATIVITY
TL465-006 Metal



ETCH
EH-036 Nickel



FORM
WC975-006 Iron



ETCH
EH-016 Charcoal



APOLLO SILICONE
SAP-002 Saffron




ABBEY
WC706-002 Citrus



GATSBY
WC978-002 Topaz



GATSBY
WC978-046 Light Grey




ETCH
EH-002 Marigold



ABBEY
WC706-009 Persimmon



FORM
WC975-009 Clay



GATSBY
WC978-019 Tangelo



APOLLO SILICONE
SAP-009 Turmeric



APOLLO SILICONE
SAP-005 Grape



ETCH
EH-005 Grape



ABBEY
WC706-005 Plum



SAORI
CZ974-000 Sultry




SAORI
CZ974-007 Pumice



ETCH
EH-003 Lime




APOLLO SILICONE
SAP-003 Basil



FORM
WC975-003 Kiwi




DARNING
CZ973-003 Green Tea



ABBEY
WC706-003 Spring



APOLLO SILICONE
SAP-034 Spa




ABBEY
WC706-024 Sea



RELATIVITY
TL465-003 Eucalyptus



VECTOR
VE-003 Mint



SAORI
CZ974-013 Eucalyptus



ETCH
EH-034 Crystal




RELATIVITY
TL465-004 Mineral




GRAVITY
TL464-003 Pistachio




ABBEY
WC706-004 Midnight



SAORI
CZ974-004 Sapphire



APOLLO SILICONE
SAP-024 Mediterranean



ABBEY
WC706-014 Ocean



GRAVITY
TL464-004 Spa




RELATIVITY
TL465-014 Oxford



APOLLO SILICONE
SAP-004 Midnight



DARNING
CZ973-004 Indigo



ETCH
EH-004 Sapphire




ETCH
EH-014 Denim




FORM
WC975-014 Cobalt



GATSBY
WC978-014 Indigo



VECTOR
VE-004 Haze



DARNING – Repeat: 7.13 in/18.11 cm H, 13.75 in/34.93 cm V



SAORI – Repeat: 14.375 in/36.51 cm, 14.5in/36.83 cm V



VECTOR – Repeat: 20.25 in/51.44 cm H, 10.25 in/26.04 cm V

TECHNICAL INFORMATION

Fresh



Pattern 54"	Content and Backing	Certifications	Weight/ Linear Yd.	Pattern Repeat	Finish	Abrasion Wyzenbeek	Light- Fastness	Flammability	Cleaning Code
ABBEY <i>Directional</i>	100% Polyester Backing: Crypton®	GREENGUARD Gold	22.76 oz.	None	Crypton® with Antimicrobial Silver Ion Technology	100,000 Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	C, BC
APOLLO SILICONE	45% SiO™ Silicone face, 55% Polyester backing	GREENGUARD	28 oz.	None	None	225,000^ Double Rubs	500 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 ASTM E84 (Adhered & Unadhered) Class 2 or B FMVSS 302 IMO 2010 FTP Code, Part 8	BC, CFC
DARNING <i>Directional</i>	34% Recycled Polyester (22% Pre-/12% Post- Consumer), 46% Polyester, 20% Olefin Backing: C-Zero® Plus	GREENGUARD Gold	21.168 oz.	7.13" H, 13.75" V	C-Zero® Plus - PFOA & PFOS Free	51,000 Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	C, BC
ETCH <i>Directional</i>	78% Vinyl - Phthalate Free face, 22% Polyester backing	GREENGUARD	30 oz.	None	Soil & Stain Resistant Top Coat with Ink Resistant Technology	100,000 Double Rubs	300 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 FMVSS 302	BC, CFC
FORM <i>Directional</i>	84% Polyester, 16% Rayon Backing: Crypton®	GREENGUARD Gold	19.44 oz.	Non- Matching	Crypton® with Antimicrobial Silver Ion Technology	100,000 Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	W, C, BC
GATSBY <i>Directional</i>	100% Polyester Backing: Crypton®	GREENGUARD Gold	24.3 oz.	None	Crypton® with Antimicrobial Silver Ion Technology	100,000 Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	C, BC
GRAVITY	87% Polyester, 13% Graffiti-Free® Tekloom® TPE Backing: Polyester	GREENGUARD Gold	16 oz.	Non- Matching	WRITE AWAY® - Soil & Stain Resistant Top Coat with Ink Resistant Technology	1,000,000^ Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 IMO A.652(16) 8.2	WS, BC, CFC
RELATIVITY <i>Directional</i>	88% Polyester, 12% Graffiti-Free® Tekloom® TPE Backing: Polyester	GREENGUARD Gold	17 oz.	Non- Matching	WRITE AWAY® - Soil & Stain Resistant Top Coat with Ink Resistant Technology	1,000,000^ Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 IMO A.652(16) 8.2	WS, BC, CFC
SAORI <i>Directional</i>	38% Recycled Polyester (20% Post-/18% Pre- Consumer), 62% Polyester Backing: C-Zero® Plus	GREENGUARD Gold	29.536 oz.	14.375" H, 14.5" V	C-Zero® Plus - PFOA & PFOS Free	60,000 Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	C, BC
VECTOR <i>Directional</i>	40% Polyurethane Polycarbonate - PVC Free face, 60% Polyester backing	GREENGUARD	16 oz.	20.25" H, 10.25" V	WRITE AWAY® - Soil & Stain Resistant Top Coat with Ink Resistant Technology	100,000 Double Rubs	200 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 IMO A.652(16) 8.2	WS, BC, CFC

REDUCED ENVIRONMENTAL IMPACT

These products are GREENGUARD Certified or GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification. For complete information visit mayerfabrics.com and UL.com/gg.

CARE AND CLEANING INFORMATION

WS: Water/Solvent Cleaner W: Water-Based Cleaner C: Crypton Cleaning
CFC: Coated Fabrics Cleaning – Refer to Mayer website for complete cleaning info.
BC: Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.
For additional care and cleaning information by pattern, please refer to the Mayer Fabrics website.

DYE TRANSFER DISCLAIMER

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. Mayer Fabrics will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

ADDITIONAL INFORMATION

^Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention. All patterns can be custom colored. Minimum yardage applies.
Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.
Complete and current product information available at mayerfabrics.com.

©2021



Darning and Saori was designed by Jeremy Noonan, in support of The Common Thread for the Cure Foundation. Mayer Fabrics will donate 2% of all sales to The Common Thread for the Cure.

TexTile3D™
by Mayer Fabrics

For additional colors, pre-approved patterns, grade-ins, samples and specifications, please refer to the Mayer TexTile3D link.

IWFCD
50221

interwoven™

800.418.7205

interwovenhealth.com

Form No. IWSCMAYFRE ver.21a

MAYERFABRICS

T 800.428.4415 mayerfabrics.com

500 S. Kitley Ave. Indianapolis, IN 46219