

Stinson[®]

Dynamic


Quick Ship Program

Enhanced Abrasion Resistance Bleach Solution Cleanable Compatible with Disinfectants Enhanced Soil + Stain Resistance GREENGUARD Certified

interwoven[™]



Twist TWT52 Sand Dollar



Twist TWT55 Spring



Twist TWT53 Sahara



Twist TWT57 Basil



Twist TWT54 Tropic



Twist TWT58 Castlerock



Armature 64970 Masala



Armature 64974 Breeze




Armature 64972 Pier



Armature 64975 York

Nishiki 2.0

NIH271 Teak



Nishiki 2.0 Nishiki 2.0 NIH250 Plum NIH270 Shibori

Nishiki 2.0

NIH265 Samurai



Swipe 65238 Dovetail



Swipe 65244 Ginger



Swipe 65239 Cool Breeze



Swipe 65235 Seaport



Swipe 65242 Patina



Swipe 65236 Granite



Swipe 65240 Moonbeam



Swipe 65237 Tableau



Drizzle 65010 Marled



Drizzle 65014 Bristol



Drizzle 65017 Gulf



Drizzle 65020 Lapis



Drizzle 65013 Dovetail



Drizzle 65015 Storm



Drizzle 65019 Bluegrass



Drizzle 65021 Darth



Median MED12 Fava



Median MED11 Fossil



Median MED10 Hydro



Median MED13 Blue Nile

interwoven

Pattern	Content	<u>Finish/</u> Backing	Durability	Maintenance	FACTS / Greenguard Certification
Armature	36% Sunbrella® Solution Dyed Polyester 34% Sunbrella® Solution Dyed Acrylic 30% Non-Phthalate PVC Coated Polyester	Non-PFOA Soil and Stain Resistant Acrylic	100,000 D.R. ◊	WS Bleach Cleanable 5 to 1	FACTS Silver Certified Greenguard Gold
Drizzle	67% Post Consumer Recycled Solution Dyed Nylon 33% Solution Dyed Nylon	Non-PFOA Soil and Stain Resistant Acrylic	100,000 D.R. ◊	WS Bleach Cleanable 10 to 1	FACTS Gold Certified Greenguard Gold
Flanders	Vinyl Surface	Advanced Soil and Stain Resistant Top Coat Polyester	250,000 D.R. ◊	WS Bleach Cleanable 10 to 1	Greenguard
Nishiki 2.0	Vinyl Surface	Advanced Soil and Stain Resistant Top Coat Polyester	250,000 D.R. ◊	WS Bleach Cleanable 10 to 1	Greenguard
Median	Vinyl Surface	Zeron Protective Finish Polyester	100,000 D.R. ◊	WS Bleach Cleanable 10 to 1	Greenguard
Swipe	94% Polyester 4% Post Industrial Recycled Polyester 2% Post Consumer Recycled Polyester	Crypton Non-PFOA Soil and Stain Resistant Acrylic	51,000 D.R. ◊	WS Bleach Cleanable 10 to 1	Greenguard Gold
Twist	Vinyl Surface	Zeron Protective Finish Polyester	100,000 D.R. ◊	WS Bleach Cleanable 10 to 1	Greenguard

All patterns are 54" wide. Dye lots may vary slightly from samples shown.

All patterns meet the flammability* requirements of California Technical Bulletin 117-2013, Section 1. UFAC - Class 1, and NFPA 260 - Class 1. Some patterns have been tested for other flammability specifications; please visit cfstinson.com for comprehensive test results.

* This term and any corresponding data refer to the typical performance in the test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

These patterns meet or exceed the ACT Performance standards for upholstery: 🦸 🏉 🗯 🛣 🔼

VMultiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be an indicator of increased lifespan.

These patterns have achieved Greenguard Indoor Air Quality Certification.

facts™ Silver applies to Armature.

facts™ Gold applies to Drizzle.





facts"



interwoven^{*}

800.418.7205 interwovenhealth.com

Stinson Visit the Stinson See/Sample/Spec sample room at kimball.com. View all pre-approved Stinson patterns with their respective Visit in the stinson patterns with the stin patterns with their respective Kimball grades and order memo samples directly from the site.

Stinson

C.F. Stinson, LLC 2849 Product Drive Rochester Hills, MI 48309

- w cfstinson.com
- P 800 841 6279
- F 248 299 3884