

Assembly Instruction

Allov Vertical Storage Spacer Assembly

Package Contents

SELF TAPPING SCREW

Item	Qty
M5.5-1.8 X 13MM	24
ZINC PL PHIL/SQ COMBO	
#8 X 3/4" PHILLIPS	6

Place and install the lower base spacer piece to both side pieces and 2 secure with eight (8) Self-Tapping Screws. Four (4) screws used on front face and four (4) screws used on back face. (Figure B)

Lower Base Spacer

Note: If applicable make sure that both electrical pass through holes are in alignment with each other and biased towards the bottom base spacer. (See figure A for reference)

Electrical Pass Through



Figure B:

Figure A:

Proper product installation, in accordance with these instructions, is the responsibility of the installing agent. If you have any questions concerning these instructions, please call National Customer Service 800.482.1717.



Furniture with Personality*

Telephone 800.482.1717 Fax 812.482.8800 www.NationalOfficeFurniture.com

Part # 3111376 Rev, -



 Assembly Instruction

 Finish securing lower base with side pieces by installing four (4) screws
 Alloy

Vertical Storage Spacer Assembly

Figure C:

3

Place and install the top spacer piece to both side pieces and secure with eight (8) Self-Tapping Screws. Four (4) screws used on front face and four (4) screws used on back face. (Figure D)





Figure D:

Proper product installation, in accordance with these instructions, is the responsibility of the installing agent. If you have any questions concerning these instructions, please call National Customer Service 800.482.1717.



Furniture with Personality*

Telephone 800.482.1717 Fax 812.482.8800 www.NationalOfficeFurniture.com

Part # 3111376 Rev, -

Assembly Instruction

5 Finish securing top spacer piece with side pieces by installing four (4) screws through pre located holes on inside of top piece. (Figure E)





Alloy Vertical Storage Spacer Assembly

Figure E:

6

If applicable install rubber grommet material around both electrical pass through holes. (Figure F)



Figure F:

Proper product installation, in accordance with these instructions, is the responsibility of the installing agent. If you have any questions concerning these instructions, please call National Customer Service 800.482.1717.



Furniture with Personality*

Telephone 800.482.1717 Fax 812.482.8800 www.NationalOfficeFurniture.com

Part # 3111376 Rev, -



Proper product installation, in accordance with these instructions, is the responsibility of the installing agent. If you have any questions concerning these instructions, please call National Customer Service 800.482.1717.

Assembly Instruction

Bring in storage unit to be installed with spacer assembly and place back to back. Run down and secure six (6) #8 X 3/4" Phillips self tapping screws to fasten spacer assembly to back of cabinet. (Figure G & H)

7

Alloy Vertical Storage Spacer Assembly

NATIONAL

Furniture with Personality*

Telephone 800.482.1717 Fax 812.482.8800 www.NationalOfficeFurniture.com

Part # 3111376 Rev, -

Assembly Instruction

Apply two sided tape strips to the open face edges of the spacer unit. Locate tape in approximate position as shown. (Figure I)





9 Bring in second storage unit and place on open side of spacer up against two sided tape to secure. Figure (J)



Figure J:

Proper product installation, in accordance with these instructions, is the responsibility of the installing agent. If you have any questions concerning these instructions, please call National Customer Service 800.482.1717.

Alloy Vertical Storage Spacer Assembly



Furniture with Personality*

Telephone 800.482.1717 Fax 812.482.8800 www.NationalOfficeFurniture.com

Part # 3111376 Rev, -