Kolo ADA-Compliant Pod





Kolo ADA-Compliant Pod

With the ADA-compliant model of the Kolo Pod, now privacy is accessible to all. Designed to offer the choice for privacy and quiet in open spaces, the ADA-compliant Kolo Pod is thoughtfully designed to accommodate a variety of guests.

This pod features a ramped threshold and anti-slip floor. Fold-down benches can be found on either side, while a center worksurface folds upward for maximum space and mobility. The T-shaped turnaround allows for complete use of the pod's internal floorplate. The automatic door opens with a light touch and closes automatically. Motion-activated lights are dimmable and the motion-sensitive fans recirculate air within the pod every 3 minutes. The front and back glass can be used as a dry erase board and is constructed of tempered safety glass. Kolo Pods received a Silver Nightingale Award and an Innovation Award at the Healthcare Design Conference + Expo (HCD) for excellence and innovation, as well as its contribution to healthcare environments.

Kolo Pods were also recognized by the International Board of Credentialing and Continuing Education Standards (IBCCES) as a Certified Autism Resource (CAR). The IBCCES determined that Kolo Pods can help improve the lives of individuals with autism by providing privacy and comfort in stressful or overstimulated atmospheres as well as a safe space for individuals to express themselves.











FEATURES

- ISO 23351-1 Class A Rating (33dB)
- Designed to dampen the sound of conversations for a quiet, more productive environment
- Features Dark Gray sound-absorbing PET lining
- · ADA-compliant T-shaped turnaround, ramped threshold, anti-slip floor, and fold-down benches and worksurface
- Automatic door opens with a light touch and closes automatically
- Motion-activated light and fans
- Lights are dimmable from 1900 lumens
- Tempered safety glass on front and back
- · Achieved Indoor Advantage Gold Certification

Kolo ADA-Compliant Pod

POWER

- 4 AC outlets, 2 USB, 2 data ports
- Input: 120VAC, 9.4A max, 60Hz
- Output: DC 5V, 2.1A
- 10 ft. power cord
- UL962 Listed

DIMENSIONS

EXTERIOR 86.75"W x 50.5"D x 87.75"H

INTERIOR 81.75"W x 43.7"D x 84.75"H

BENCHES 36.75"W x 20"D x 16.75"H

TABLE 28.5"W x 22.5"D x 31.5"H

TOTAL FOOTPRINT 101"W x 90"D



800.482.1717 kimballinternational.com ©2024 Kimball International, Inc. All rights reserved. NPODK02ADA24A

