


BUCKET (GP), GENERAL PURPOSE



REQUIREMENTS

FEATURES & BENEFITS





General Purpose Buckets (GP): Have predrilled holes to accept bolt-on cutting edge or bolt-on teeth.

- Round back design enhances bucket loading and cleanout
- Flat back assures a secure attaching area for the Bob-Tach™ mounting system
- Low heel makes cutting grade and backdragging easier
- Replaceable cutting edges
- Side cutting edges give better performance, increase strength and extend bucket life

Description: General purpose buckets have a longer bottom than the dirt style. They offer excellent cutting edge visibility and good breakout force. General purpose buckets are ideal for light duty and medium duty grading and levelling applications as well as material handling.




| TECHNICAL SPECIFICATIONS | | | | | | | | | |
|---------------------------------------|-------------|------------|-------------------------|-----------------------|---------------------------------|-------------|-------------|-------------|-----------------------------|
| Description | Part Number | Width (cm) | Capacity SAE Heaped (l) | Bucket Back Angle (°) | Accepts Maximum Number of Teeth | Weight (kg) | Length (cm) | Height (cm) | First Use Installation Time |
| Bucket, General Purpose, 91 cm | 7114488.EA | 91 | 170 | 70 | 6 | 84 | 76 | 51 | None |
| Bucket, General Purpose, 112 cm | 7114581.EA | 112 | 210 | 70 | 7 | 94 | 76 | 51 | None |
| Bucket, General Purpose, 127 cm, S70 | 7114583.EA | 127 | 240 | 70 | 7 | 101 | 76 | 51 | None |
| Bucket, General Purpose, 127 cm, S100 | 7114582.EA | 127 | 240 | 70 | 7 | 101 | 76 | 51 | None |
| Bucket, General Purpose, 142 cm | 7114584.EA | 142 | 270 | 70 | 6 | 108 | 76 | 51 | None |
| Bucket, General Purpose, 158 cm | 7114585.EA | 158 | 300 | 70 | 7 | 117 | 76 | 51 | None |
| Bucket, General Purpose, 173 cm | 7114586.EA | 173 | 330 | 70 | 7 | 124 | 76 | 51 | None |
| Bucket, General Purpose, 188 cm | 7114587.EA | 188 | 360 | 70 | 8 | 132 | 76 | 51 | None |

| COMPATIBILITY CHARTS | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|-------------|-----------------------|------|--------|-------|--------|-------|--------|--------|--------------------|------|------|--------|--------|--------|--------|--------|-------|--------|--------|-------|--------|--------|--|--|
| Description | Part Number | Compact Track Loaders | | | | | | | | Skid-Steer Loaders | | | | | | | | | | | | | | | |
| | | MT55 | T450 | T590/H | T66/H | T650/H | T76/H | T770/H | T870/H | S70 | S100 | S450 | S510/H | S530/H | S550/H | S570/H | S590/H | S66/H | S630/H | S650/H | S76/H | S770/H | S850/H | | |
| Bucket, General Purpose, 91 cm | 7114488.EA | X | | | | | | | | X | | | | | | | | | | | | | | | |
| Bucket, General Purpose, 112 cm | 7114581.EA | X | | | | | | | | X | | | | | | | | | | | | | | | |
| Bucket, General Purpose, 127 cm, S70 | 7114583.EA | | | | | | | | | X | | | | | | | | | | | | | | | |
| Bucket, General Purpose, 127 cm, S100 | 7114582.EA | | | | | | | | | | X | | | | | | | | | | | | | | |
| Bucket, General Purpose, 142 cm | 7114584.EA | | | | | | | | | | X | X | | | | | | | | | | | | | |
| Bucket, General Purpose, 158 cm | 7114585.EA | | | | | | | | | | | X | X | X | X | X | | | | | | | | | |
| Bucket, General Purpose, 173 cm | 7114586.EA | | | | | | | | | | | X | X | X | X | X | | | | | | | | | |
| Bucket, General Purpose, 188 cm | 7114587.EA | | | | | | | | | | | X | X | X | X | X | | | | | | | | | |

| OPTIONS / ACCESSORIES | | | | | | | | |
|-------------------------------------|-----------------|------------------|------------------------|-------------------------|------------------|------------------|------------------|------------------|
| Description | GP Bucket 91 cm | GP Bucket 112 cm | GP Bucket 127 cm (S70) | GP Bucket 127 cm (S100) | GP Bucket 142 cm | GP Bucket 158 cm | GP Bucket 173 cm | GP Bucket 188 cm |
| | 7114488.EA | 7114581.EA | 7114583.EA | 7114582.EA | 7114584.EA | 7114585.EA | 7114586.EA | 7114587.EA |
| Utility Grapple, 81 cm | 7125370 | 7125370 | 7125370 | 7125370 | 7125370 | - | - | - |
| Utility Grapple, 140 cm | - | - | - | - | - | 7176783 | 7176783 | 7176783 |
| Bolt-On Teeth Kit (Set of 7) ** | 6728247 | 6728247 | 6728247 | 6728247 | 6728247 | 6728247 | 6728247 | 6728247 |
| Bolt-On Cutting Edge ** | 6729042 | 6729043 | 7104502 | 7104502 | 7125269 | 6732406 | 7104508 | 7104510 |
| Bucket Bite Tooth Bar ** | - | 7125548 | 7125549 | 7125549 | 7125550 | 6905314 | 6905315 | 6905316 |
| Side Utility Plate Kit (set of 2)** | 7104358 | 7104358 | 7104358 | 7104358 | 7104358 | 7104358 | 7104358 | 7104358 |

** To be ordered through Bobcat Parts

BUCKET (GP), GENERAL PURPOSE

| | | REQUIREMENTS | FEATURES & BENEFITS |
|--|--|--|---|
|  | |  |  <p>General Purpose Buckets (GP): Have predrilled holes to accept bolt-on cutting edge or bolt-on teeth.</p> <ul style="list-style-type: none"> • Round back design enhances bucket loading and cleanout • Low heel makes cutting grade and backdragging easier • Optional reversible cutting edges and teeth • Thick side walls with weld-on side cutters to increase strength and extend bucket life • Dual level indicators for operators guidance |

Description: General purpose buckets can tackle a variety of applications. These buckets are ideal for light duty and medium duty grading and levelling applications as well as loading, carrying and material handling.

| TECHNICAL SPECIFICATIONS | | | | | | | | | | |
|--|-------------|------------|--------------|-----------------------------------|-----------------------|---------------------------------|-------------|-------------|-------------|-----------------------------|
| Description | Part Number | Width (cm) | Capacity (l) | Heaped Capacity (m ³) | Bucket Back Angle (°) | Accepts Maximum Number of Teeth | Weight (kg) | Length (cm) | Height (cm) | First Use Installation Time |
| Bucket, General Purpose 190 cm, Bob-Tach™ | 7427815 | 1900 | 800 | 0.8 | 65 | 9 | 291 | 85 | 80 | None |
| Bucket, General Purpose 190 cm, Bob-Tach™ | 7427816 | 1900 | 650 | 0.65 | 65 | 9 | 251 | 77 | 72 | None |
| Bucket, General Purpose 190 cm, Quick-Tach | 7369957 | 1900 | 800 | 0.8 | N/A | 9 | 280 | 89 | 79 | None |
| Bucket, General Purpose 190 cm, Quick-Tach | 7369956 | 1900 | 650 | 0.65 | N/A | 9 | 242 | 77 | 75 | None |

| COMPATIBILITY CHARTS | | | | | |
|--|-------------|-----------------------|----------------|---------------|----------------|
| Description | Part Number | Compact Wheel Loaders | | | |
| | | L75 Bob-Tach™ | L75 Quick-Tach | L85 Bob-Tach™ | L85 Quick-Tach |
| Bucket, General Purpose 190 cm, Bob-Tach™ | 7427815 | 1300 | | 1600 | |
| Bucket, General Purpose 190 cm, Bob-Tach™ | 7427816 | 1600 | | 2000 | |
| Bucket, General Purpose 190 cm, Quick-Tach | 7369957 | | 1300 | | 1600 |
| Bucket, General Purpose 190 cm, Quick-Tach | 7369956 | | 1600 | | 2000 |

| OPTIONS / ACCESSORIES | |
|-------------------------------|-------------|
| Description | Part Number |
| Tooth kit** | 7423018 |
| Reversible cutting edge kit** | 7423019 |



COMPATIBILITY TABLE SHOWS MAXIMUM ALLOWED MATERIAL DENSITY IN KG/M³ FOR GIVEN COMBINATION OF BUCKET AND CARRIER.

** To be ordered through Bobcat Parts



BUCKET (GP), GENERAL PURPOSE



| | REQUIREMENTS | FEATURES & BENEFITS |
|--|---|--|
|  |  <p>General Purpose Buckets (GP): Have predrilled holes to accept bolt-on cutting edge or bolt-on teeth.</p> | <ul style="list-style-type: none"> • Round back design enhances bucket loading and cleanout • Flat back assures a secure attaching area for the Bob-Tach™ mounting system • Low heel makes cutting grade and backdragging easier • Replaceable cutting edges • Side cutting edges give better performance, increase strength and extend bucket life |

Description: General purpose buckets have a longer bottom than the dirt style. They offer excellent cutting edge visibility and good breakout force. General purpose buckets are ideal for light duty and medium duty grading and levelling applications as well as material handling.

TECHNICAL SPECIFICATIONS

| Description | Part Number | Width (cm) | Capacity SAE Heaped (l) | Bucket Back Angle (°) | Accepts Maximum Number of Teeth | Weight (kg) | Length (cm) | Height (cm) | First Use Installation Time |
|---------------------------------|-------------|------------|-------------------------|-----------------------|---------------------------------|-------------|-------------|-------------|-----------------------------|
| Bucket, General Purpose, 112 cm | 7114581.EA | 112 | 210 | 70 | 7 | 94 | 76 | 51 | None |
| Bucket, General Purpose, 127 cm | 7114583.EA | 127 | 240 | 70 | 7 | 101 | 76 | 51 | None |

COMPATIBILITY CHARTS

| Description | Part Number | Small Articulated Loaders | |
|---------------------------------|-------------|---------------------------|-----|
| | | L23 | L28 |
| Bucket, General Purpose, 112 cm | 7114581.EA | X | X |
| Bucket, General Purpose, 127 cm | 7114583.EA | X | X |

OPTIONS / ACCESSORIES

| Description | GP Bucket 112 cm | GP Bucket 127 cm |
|-------------------------------------|------------------|------------------|
| | 7114581.EA | 7114583.EA |
| Utility Grapple, 81 cm | 7125370 | 7125370 |
| Bolt-On Teeth Kit (Set of 7) ** | 6728247 | 6728247 |
| Bolt-On Cutting Edge ** | 6729043 | 7104502 |
| Bucket Bite Tooth Bar ** | 7125548 | 7125549 |
| Side Utility Plate Kit (set of 2)** | 7104358 | 7104358 |

** To be ordered through Bobcat Parts

Our offer might vary based on your region.
Please contact your Sales Manager to verify regional specifics.

BUCKET (GP), GENERAL PURPOSE



General Purpose Buckets (GP): Have predrilled holes to accept bolt-on cutting edge or bolt-on teeth.

REQUIREMENTS

FEATURES & BENEFITS

- Round back design enhances bucket loading and cleanout.
- Low heel makes cutting grade and backdragging easier.
- Replaceable cutting edges.
- Parallel to ground feature.
- Side cutting edges give better performance, increases strength and extend bucket life.

Description: General purpose buckets have a good breakout force, flat bottom and small radius edge for grading, back dragging and leveling operations. They are ideal for light duty and medium duty grading and levelling applications as well as material handling.

TECHNICAL SPECIFICATIONS

| Description | Part Number | Front/Rear | Heaped Capacity (l) | Weight (kg) | Height (mm) | Length (mm) | Width (mm) | Number of bolt on teeth |
|--------------------------------|-------------|------------|---------------------|-------------|-------------|-------------|------------|-------------------------|
| Bucket, General Purpose 223 cm | 7298040 | Front | 1000 | 407 | 1015 | 815 | 2230 | 7 |
| Bucket, General Purpose 228 cm | 7298041 | Front | 1000 | 453 | 1015 | 815 | 2280 | 7 |
| Bucket, General Purpose 240 cm | 7298042 | Front | 1100 | 508 | 1015 | 815 | 2400 | 7 |

COMPATIBILITY CHARTS

| Description | Part Number | Backhoe Loaders | | | | |
|--------------------------------|-------------|-----------------|---------|---------|------|------|
| | | B700 | B730(M) | B730(R) | B750 | B780 |
| Bucket, General Purpose 223 cm | 7298040 | X | | | | |
| Bucket, General Purpose 228 cm | 7298041 | | X | X | X | |
| Bucket, General Purpose 240 cm | 7298042 | | | | | X |

GET IN TOUCH WITH US TODAY!

Click one of the following links:



[Request a quote](#)



[Schedule a demo](#)



[Find a dealer](#)

