



CONCRETE BASKET



| | REQUIREMENTS | FEATURES & BENEFITS |
|--|--|---|
|  |  <p>Concrete Basket: Use of forks or hook is required. Machine option Hydraulic line on boom is required for hydraulic opening version.</p> | <ul style="list-style-type: none"> • Basket is fitted in 3 different ways on normal pallet forks: Left, Front and Right. • The concrete basket is locked by a chain to the pallet fork frame, for safety reason. • Reduces damage to turf and underground utilities caused by using large concrete trucks. |

Description: With our concrete basket attachment, you can quickly pour your concrete wherever you need to. The flexible hose can be easily routed through small openings, under wooden decks, through bushes and around other common obstructions.

| TECHNICAL SPECIFICATIONS | | | | | | | | | | |
|------------------------------------|-------------|-----------------|----|------------|--------------|-----------|-------------|----------------------|--------------|-----------------------------|
| Description | Part Number | Coupling System | | Width (mm) | Capacity (l) | Opening | Weight (kg) | Control Kit Required | Working Flow | First Use Installation Time |
| | | QT | MT | | | | | | | |
| Concrete Basket, Hydraulic Opening | 7204877 | Using forks | | 1200 | 500 | Hydraulic | 210 | No | Standard | None |
| Concrete Basket, Mechanic Opening | 7205332 | Using forks | | 1200 | 500 | Mechanic | 176 | No | Standard | None |

| COMPATIBILITY CHARTS | | | | | | | | | | | |
|------------------------------------|-------------|-------------------------------|-----------|-----------------------|-----------|-----------|-----------|--------------|----------|------------|------------|
| Description | Part Number | Telehandlers | | | | | | | | | |
| | | TL26.60 TL30.60 TL30.70 | TL34.65HF | TL35.70/ TL38.70HF | TL43.80HF | T35.105/L | T36.120SL | T35.130S/SLP | T35.140S | T41.140SLP | T40.180SLP |
| Concrete Basket, Hydraulic Opening | 7204877 | | | | | | | | | X | X |
| Concrete Basket, Mechanic Opening | 7205332 | | | | | | | | | X | X |

CONCRETE BASKET

| | REQUIREMENTS | FEATURES & BENEFITS |
|--|--|---|
|  |  <p>Concrete Basket: Use of forks is a requirement.</p> | <ul style="list-style-type: none"> • Basket is equipped with hydraulic opening that can be operated from the cabin (therefore it has to be mounted on forks). • The concrete basket is locked by a chain to the pallet fork frame for safety reason. • Reduces damage to turf and underground utilities caused by using large concrete trucks. |

Description: With this attachment, you can quickly pour your concrete wherever it is needed. With the hydraulic opening system, emptying the 600 l bucket is simple.

| TECHNICAL SPECIFICATIONS | | | | | | | | |
|--------------------------|-------------|------------|-------------|---------------------------------|--------------|-----------|-------------|-----------------------------|
| Description | Part Number | Width (mm) | Length (mm) | Height with Lifting Handle (mm) | Capacity (l) | Opening | Weight (kg) | First Use Installation Time |
| Concrete Basket, 600 L | 7421792 | 1180 | 1130 | 2020 | 600 | Hydraulic | 197 | None |

| COMPATIBILITY CHARTS | | | | | | | | | | | |
|------------------------|-------------|---------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Description | Part Number | Rotary Telehandlers | | | | | | | | | |
| | | TR40.180 | TR50.180 | TR50.210 | TR50.250 | TR60.210 | TR60.250 | TR70.260 | TR60.300 | TR60.350 | TR60.390 |
| Concrete Basket, 600 L | 7421792 | X | X | X | X | X | X | X | X | X | X |

GET IN TOUCH WITH US TODAY!

Click one of the following links:



[Request a quote](#)



[Schedule a demo](#)



[Find a dealer](#)

