




BUCKET, LIGHT MATERIAL



| REQUIREMENTS | FEATURES & BENEFITS |
|--|---|
|  <p>Light Material Bucket: No special requirement.</p> | <ul style="list-style-type: none"> • Large capacity for loading and handling light materials • Optimized transport and dumping angles • Good cutting edge visibility • Excellent bucket breakout force for better digging and easier bucket filling • Convex sides for lower material spilling • 10 mm high strength steel for extreme durability • With reversible bolt-on edge (model depending) |



Description: The large volume of Bobcat Light Material Buckets is designed for loading and handling a variety of light materials such as mulch, snow and grain.

TECHNICAL SPECIFICATIONS



| Description | Part Number | Capacity (l) | Width (mm) | Coupling | Weight (kg) | With Reversible Bolt-on Edge |
|--|-------------|--------------|------------|----------|-------------|------------------------------|
| Light Material Bucket, 2100 mm, 1500 l, QT BCT | 7322001-BCT | 1500 | 2100 | QT | 539 | No |
| Light Material Bucket, 2300 mm, 2000 l, QT BCT | 7321997-BCT | 2000 | 2300 | QT | 645 | No |
| Light Material Bucket, 2450 mm, 2000 l, QT BCT | 7321993-BCT | 2000 | 2450 | QT | 657 | No |
| Light Material Bucket, 2450 mm, 2500 l, QT BCT | 7321989-BCT | 2500 | 2450 | QT | 747 | No |
| Light Material Bucket, 2450 mm, 3000 l, QT BCT | 7320181-BCT | 3000 | 2450 | QT | 849 | No |
| Light Material Bucket, 2450 mm, 3500 l, QT BCT | 7320180-BCT | 3500 | 2450 | QT | 935 | No |
| Light Material Bucket, 2100 mm, 1500 l, QT BCT, edge | 7337841-BCT | 1500 | 2100 | QT | 579 | Yes |
| Light Material Bucket, 2300 mm, 2000 l, QT BCT, edge | 7337835-BCT | 2000 | 2300 | QT | 689 | Yes |
| Light Material Bucket, 2450 mm, 2000 l, QT BCT, edge | 7337831-BCT | 2000 | 2450 | QT | 705 | Yes |
| Light Material Bucket, 2450 mm, 2500 l, QT BCT, edge | 7337826-BCT | 2500 | 2450 | QT | 795 | Yes |
| Light Material Bucket, 2450 mm, 3000 l, QT BCT, edge | 7337807-BCT | 3000 | 2450 | QT | 897 | Yes |
| Light Material Bucket, 2450 mm, 3500 l, QT BCT, edge | 7338630-BCT | 3500 | 2450 | QT | 983 | Yes |

COMPATIBILITY CHARTS

| Description | Part Number | Telehandlers | | | | | | | | | |
|--|-------------|-------------------------------|-----------|-----------------------|-----------|-----------|-----------|--------------|----------|------------|------------|
| | | TL26.60 TL30.60 TL30.70 | TL34.65HF | TL35.70/ TL38.70HF | TL43.80HF | T35.105/L | T36.120SL | T35.130S/SLP | T35.140S | T41.140SLP | T40.180SLP |
| Light Material Bucket, 2100 mm, 1500 l, QT BCT | 7322001-BCT | X | | | | | | | | | |
| Light Material Bucket, 2300 mm, 2000 l, QT BCT | 7321997-BCT | X | X | X | | | | | | | |
| Light Material Bucket, 2450 mm, 2000 l, QT BCT | 7321993-BCT | | X | X | | | | | | | |
| Light Material Bucket, 2450 mm, 2500 l, QT BCT | 7321989-BCT | | X | X | X | | | | | | |
| Light Material Bucket, 2450 mm, 3000 l, QT BCT | 7320181-BCT | | X | X | X | | | | | | |
| Light Material Bucket, 2450 mm, 3500 l, QT BCT | 7320180-BCT | | | | X | | | | | | |
| Light Material Bucket, 2100 mm, 1500 l, QT BCT, edge | 7337841-BCT | X | | | | | | | | | |
| Light Material Bucket, 2300 mm, 2000 l, QT BCT, edge | 7337835-BCT | X | X | X | | | | | | | |
| Light Material Bucket, 2450 mm, 2000 l, QT BCT, edge | 7337831-BCT | | X | X | | | | | | | |
| Light Material Bucket, 2450 mm, 2500 l, QT BCT, edge | 7337826-BCT | | X | X | X | | | | | | |
| Light Material Bucket, 2450 mm, 3000 l, QT BCT, edge | 7337807-BCT | | X | X | X | | | | | | |
| Light Material Bucket, 2450 mm, 3500 l, QT BCT, edge | 7338630-BCT | | | | X | | | | | | |

BUCKET, LIGHT MATERIAL



| | REQUIREMENTS | FEATURES & BENEFITS |
|--|---|--|
|  |  <p>Light Material Bucket: No special requirement.</p> | <ul style="list-style-type: none"> • Ideal for handling any light weight material • Good cutting edge visibility • Excellent bucket breakout force for better digging and easier bucket filling |

Description: The large capacity of the Light Material Bucket is suitable for loading and handling various light weight materials such as aggregates, sand, gravel, mulch, snow and grain.

TECHNICAL SPECIFICATIONS

| Description | Part Number | Width (mm) | Capacity (l) | Weight (kg) |
|--|-------------|------------|--------------|-------------|
| Light Material Bucket, 2450 mm, 1000 L | 7421759 | 2450 | 1000 | 435 |

COMPATIBILITY CHARTS

| Description | Part Number | Rotary Telehandlers | | | | | | | | | |
|--|-------------|---------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | TR40.180 | TR50.180 | TR50.210 | TR50.250 | TR60.210 | TR60.250 | TR70.260 | TR60.300 | TR60.350 | TR60.390 |
| Light Material Bucket, 2450 mm, 1000 L | 7421759 | X | X | X | X | X | X | X | X | X | X |

NEEM VANDAAG NOG CONTACT MET ONS OP!

Klik op een van de volgende links:



Een offerte aanvragen [↗](#)



Plan een demo [↗](#)



Een dealer zoeken [↗](#)

