




BUCKET, GRADING, GERMAN TYPE



	REQUIREMENTS	FEATURES & BENEFITS
	 <p>Grading Buckets: No special requirements</p>	<ul style="list-style-type: none"> •Weld-on cutting edge: Provides a stronger, more resilient cutting edge. •2 web plates are added for an extra strength. •Draining holes.

Description: Increase profitability by removing ditch sediment quickly and easily. Cleaning ditches and backfilling take no time with our grading buckets.

German System



TECHNICAL SPECIFICATIONS / COMPATIBILITY CHARTS																						
Description	Part Number	Weight (kg)	Capacity (l)	Compact Excavators																		
				E08	E10z	E10e	E17	E17z	E19	E20z	E26	E27	E27z	E34	E35z	E50z	E55z	E60	E85	E88	E57W	
Grading Bucket German Type, 80 cm, QC01, E17/E17z/E19/E20z	7241086	64	71				X	X	X	X												
Grading Bucket German Type, 100 cm, QC01, E17/E19/E20z	7241087	77	91				X		X	X												
Grading Bucket German Type, 100 cm, QC03, E26/E27/E27z	7200195	81	91								X	X	X									
Grading Bucket German Type, 120 cm, QC03, E26/E27/E27z	7200196	93	110								X	X	X									
Grading Bucket German Type, 130 cm, QC03, E34/E35z	7241292	158	191											X	X							
Grading Bucket German Type, 150 cm, QC03, E50z/E55z/E60/E57W	7192937	177	174												X	X	X					X
Grading Bucket German Type, 150 cm, QC08, E85/E88	7241376	257	305																	X	X	
Grading Bucket German Type, 180 cm, QC08, E85/E88	7241377	296	369																	X	X	

Actual attachment compatibility may vary based on different machine configurations. Contact your District Manager/Application Sales Manager for actual attachment compatibility.



NEEM VANDAAG NOG CONTACT MET ONS OP!

Klik op een van de volgende links:



Een offerte aanvragen [↗](#)



Plan een demo [↗](#)



Een dealer zoeken [↗](#)

