



# CONCRETE BASKET



	REQUIREMENTS	FEATURES & BENEFITS
	 <p>Concrete Basket: Use of forks or hook is required. Machine option Hydraulic line on boom is required for hydraulic opening version.</p>	<ul style="list-style-type: none"> <li>• Basket is fitted in 3 different ways on normal pallet forks: Left, Front and Right.</li> <li>• The concrete basket is locked by a chain to the pallet fork frame, for safety reason.</li> <li>• Reduces damage to turf and underground utilities caused by using large concrete trucks.</li> </ul>

**Description:** With our concrete basket attachment, you can quickly pour your concrete wherever you need to. The flexible hose can be easily routed through small openings, under wooden decks, through bushes and around other common obstructions.

TECHNICAL SPECIFICATIONS										
Description	Part Number	Coupling System		Width (mm)	Capacity (l)	Opening	Weight (kg)	Control Kit Required	Working Flow	First Use Installation Time
		QT	MT							
Concrete Basket, Hydraulic Opening	7204877	Using forks		1200	500	Hydraulic	210	No	Standard	None
Concrete Basket, Mechanic Opening	7205332	Using forks		1200	500	Mechanic	176	No	Standard	None

COMPATIBILITY CHARTS											
Description	Part Number	Telehandlers									
		TL26.60 TL30.60 TL30.70	TL34.65HF	TL35.70/ TL38.70HF	TL43.80HF	T35.105/L	T36.120SL	T35.130S/SLP	T35.140S	T41.140SLP	T40.180SLP
Concrete Basket, Hydraulic Opening	7204877									X	X
Concrete Basket, Mechanic Opening	7205332									X	X

# CONCRETE BASKET

	REQUIREMENTS	FEATURES & BENEFITS
	 <p>Concrete Basket: Use of forks is a requirement.</p>	<ul style="list-style-type: none"> <li>• Basket is equipped with hydraulic opening that can be operated from the cabin (therefore it has to be mounted on forks).</li> <li>• The concrete basket is locked by a chain to the pallet fork frame for safety reason.</li> <li>• Reduces damage to turf and underground utilities caused by using large concrete trucks.</li> </ul>

**Description:** With this attachment, you can quickly pour your concrete wherever it is needed. With the hydraulic opening system, emptying the 600 l bucket is simple.

TECHNICAL SPECIFICATIONS								
Description	Part Number	Width (mm)	Length (mm)	Height with Lifting Handle (mm)	Capacity (l)	Opening	Weight (kg)	First Use Installation Time
Concrete Basket, 600 L	7421792	1180	1130	2020	600	Hydraulic	197	None

COMPATIBILITY CHARTS											
Description	Part Number	Rotary Telehandlers									
		TR40.180	TR50.180	TR50.210	TR50.250	TR60.210	TR60.250	TR70.260	TR60.300	TR60.350	TR60.390
Concrete Basket, 600 L	7421792	X	X	X	X	X	X	X	X	X	X

# NEEM VANDAAG NOG CONTACT MET ONS OP!

Klik op een van de volgende links:



Een offerte aanvragen [↗](#)



Plan een demo [↗](#)



Een dealer zoeken [↗](#)

