

COVID-19 RESPONSE POLICY/PROTOCOL

TITLE		Appropriate Gown Use for Contact with Patients Suspected or Confirmed COVID-19 Positive		
TODAY'S DATE		March 29, 2020		
SECTION		⊠Organization Wide		
		☐Emergency Department		
		□Inpatient □Ambulatory		
		□Nursing □Med	ical staff [physicians and advance care practitioners]	
APPLICABLE XAII		Bozeman Health locations	☐ Belgrade Clinic + UrgentCare	
LOCATIONS Bo		zeman Health Deaconess Hospital	☐ Hillcrest Senior Living	
	□Big	s Sky Medical Center	□b2 UrgentCare □b2 MicroCare	
VERSION DATE		March 29, 2020		
CONTRIBUTORS		Dr. Eric Lowe, Dr. David Crites, Michelle Kirsch		
APPROVED BY		Dr. Eric Lowe, Kallie Kujawa		
APPROVAL DATE		March 29, 2020		

PURPOSE: Per the BH PPE Contingency protocol effective 3/24/2020, gowns should be utilized if contact precautions are in place AND close contact is anticipated: toileting, dressing changes, procedures, physical examination, turning etc.

Gown supplies are limited and stock of particular gowns is expected to fluctuate almost daily. Prioritization of gown use for COVID-19 positive patients or PUI for COVID-19 should follow the below policy/protocol:

POLICY/PROTOCOL

- 1. If heavy patient contact is anticipated (bathing a patient, close patient contact for procedures, etc) gown use would be prioritized as follows:
 - a. Fluid resistant or impervious washable gown should be used if available.
 - i. Gown should be used for single use and then doffed into an appropriate receptacle for washing.
 - b. Fluid resistant or fluid impervious single use disposable gown or smock: use if washable versions are not available.
 - i. Doff and dispose of gown after single use.
 - c. Non fluid resistant washable gown (such as patient bathrobe or patient gown) could be used as a covering.
 - i. Gown should be used for single use and then doffed into an appropriate receptacle for washing.
- 2. If only light patient contact is anticipated (brief physical exam, medication administration, etc) gown use would be prioritized as follows:
 - a. Non fluid resistant washable gown (such as patient bathrobe or patient gown) could be used as a covering.
 - i. Gown should be used for single use and then doffed into an appropriate receptacle for washing.
- 3. If no direct patient contact is anticipated (handing off meal tray, entering patient room to answer a question or briefly discuss test results, etc)
 - a. No gown is required and distancing procedures should be adhered to as much as possible.
 - b. Goggle and mask use is still required.

Extended gown use for cohorted patients – the same gown can be worn when caring for patients **known** to be infected with the same infectious disease and who are cohorted or in the same isolated area.

OTHER POLICIES/PROTOCOLS TO REFERENCE: PPE Contingency Protocol