# R prescribe generic first

# Kern Family Health Care

This may be found online at https://www.kernfamilyhealthcare.com/members/medication-search/

TRACIN

Member handbook may be found online at https://www.kernfamilyhealthcare.com/members/member-resources/member-handbook/

# Drug Formulary

The formulary is updated regularly and is subject to change. All previous versions of the formulary are no longer in effect. April 2021

The Kern Family Health Care Drug Formulary includes information boxes prior to some of the major therapeutic categories. Please use these tools to assist with your care of our members.



- This symbol indicates some or all of the dosage forms are available generically. Prescribing generic brands of medication (and biosimilar and Follow Ons) is key to keeping the escalating medication costs down to a minimum.
- Fhis symbol indicates a drug identified by National Committee for Quality Assurance (NCQA) as a high risk medication for the elderly and should generally be avoided for this population. Please consider a formulary alternative.
- This symbol indicates the drug should be billed to Medicare Part B as primary and Kern Family Health Care as a secondary payer.

# **Table of Contents**

Based on American Hospital Formulary Services (AHFS) Pharmacologic-Therapeutic Classification

# **LEGEND MEDICATIONS**

'Central Nervous System - Antipsychotic - Drugs for the nervous system	. 1
Amyotrophic Lateral Sclerosis Agents	.1
Analgesics - Narcotics - Drugs for pain 1	-2
Antiacne	. 3
Anti-bacterial - Cephalosporin - Drugs for infection	. 3
Anti-bacterial - Drugs for infection	
Anti-bacterial - Macrolide - Drugs for infection	
Anti-bacterial - Miscellaneous - Drugs for infection	
Anti-bacterial - Penicillin - Drugs for infection	-5
Anti-bacterial - Penicillinase Resistant Penicillin - Drugs for infection	.5
Anti-bacterial - Quinolone - Drugs for infection	
Anti-bacterial - Sulfonilamide - Drugs for infection	
Anti-bacterial - Tetracycline - Drugs for infection	
Anti-infective - Antifungal - Drugs for infection	
Anti-infective - Antihelmintic - Drugs for infection	
Anti-infective - Antimalarial - Drugs for infection	
Anti-infective - Antiprotozoal - Drugs for infection	
Anti-infective - Anti-tubercular - Drugs for infection	
Anti-infective - Anti-viral - Drugs for infection	
Anti-infective - Drugs for infection	
Anti-infective - Leprosy - Drugs for infection	
Antineoplastic - Drugs for Cancer	
Anti-Parkinsonism	
Antirheumatiod and Disease Modifiers - Drugs for the immune system1	2
Antiuricosuric - Drugs for gout1	
Autonomic - Anticholinergic - Drugs to reduce GI motility1	
Autonomic - Cholinergic - Drugs to improve GI motility	
Benign Prostate Hypertrophy - Drugs for the prostate	3
Biologics & Biosimilars	
Cardiovascular - Alphablocker - Drugs for the heart	3
Cardiovascular - Angiotensin Converting Enzyme Inhibtors - Drugs for the	)
heart	
Cardiovascular - Angiotensin Converting Enzyme Inhibtors Combination -	
Drugs for the heart	4
Cardiovascular - Angiotensin II Receptor Blocker - Drugs for the heart 1	4
Cardiovascular - Angiotensin II Receptor Blocker Thiazide Combination -	
Drugs for the heart	4
Cardiovascular - Antiarrhythmic - Drugs for the heart	5
-	

Cardiovascular - Antilipid (HMG - CoA Reductase Inhibitors) - Drugs for the heart
Cardiovascular - Antilipid - Fibrates - Drugs for the heart
Cardiovascular - Antilipid - Lipotropics - Drugs for the heart
Cardiovascular - Antilipid - Other Medications - Drugs for the heart 15
Cardiovascular - Betablocker - Drugs for the heart
Cardiovascular - Betablocker Thiazide Combination - Drugs for the heart 16
Cardiovascular - Calcium Channel Blocker - Drugs for the heart
Cardiovascular - Diuretic - Drugs for the heart
Cardiovascular - Electrolyte Depleter - Drugs for the heart
Cardiovascular - Pulmonary Arterial Hypertension Endothelin Receptor Antagonist - Drugs for the heart
Cardiovascular - Pulmonary Arterial Hypertension Phosphodiesterase 5 Inhibitor - Drugs for the heart
Cardiovascular - Pulmonary Arterial Hypertension Prostacyclin type - Drugs for the heart
Cardiovascular - Vasodilator - Drugs for the heart
Central Nervous System - Anticonvulsant - Drugs for the nervous system 18-19
Central Nervous System - Antidepressant - Antipsychotic - Drugs for the nervous system
Central Nervous System - Antidepressant - Norepinephrine Antagonist and
Serotonin Antagonist Antidepressants - Drugs for the nervous system. 19
Central Nervous System - Antidepressant - Norepinephrine-Dopamine Reuptake Inhibitors (NDRI) - Drugs for the nervous system
Central Nervous System - Antidepressant - Selective Serotonin Reuptake Inhibitors (SSRI) - Drugs for the nervous system
Central Nervous System - Antidepressant - Tricyclics (TCA) - Drugs for the nervous system
Central Nervous System - Antidepressant-Serotonin - Norepinephrine Reuptake Inhibitors (SNRI) - Drugs for the nervous system
Central Nervous System - Anxiolytic - Drugs for the nervous system 21
Central Nervous System - Migraine - Drugs for the nervous system 21
Central Nervous System - Migraine-Triptan - Drugs for the nervous system 21-22
Central Nervous System - Sedative - Drugs for the nervous system 22
Central Nervous System - Stimulant - Drugs for the nervous system. 22-23
Cholinesterase Inhibitors - Drugs for memory loss

Hormone - Thyroid	33
Immunosuppressant -Drugs for the immune system	34
Intravenous Solutions	34
Muscle Relaxant	34-35
NSAID - Acetic Acids - Drugs for pain	35
NSAID - COX-2 Agents - Drugs for pain	35-36
NSAID - Other - Drugs for pain	36
NSAID - Oxicam - Drugs for pain	36
NSAID - Propionic Acids - Drugs for pain	36
NSAID - Salicylate - Drugs for pain	36
Ophthalmic - Anesthetic - Drugs for the eyes	36
Ophthalmic - Anti-fungal - Drugs for the eyes	36
Ophthalmic - Antihistamine - Drugs for the eyes	36
Ophthalmic - Anti-infective - Drugs for the eyes	36-37
Ophthalmic - Anti-infective - Glucocorticoid - Drugs for the eyes	37
Ophthalmic - Anti-viral - Drugs for the eyes	37
Ophthalmic - Glaucoma - Drugs for the eyes	37-38
Ophthalmic - Glucocorticoid - Drugs for the eyes	38
Ophthalmic - Miscellaneous - Drugs for the eyes	38-39
Ophthalmic - Mydriatic - Drugs for the eyes	39
Ophthalmic - NSAID - Drugs for the eyes	39
Oral Contraceptive - Biphasic - Drugs for women	39
Oral Contraceptive - Drugs for women	39-40
Oral Contraceptive - Progestin Only - Drugs for women	40
Oral Contraceptive - Triphasic - Drugs for women	40-41
Osteoporosis Drugs for bone loss	41
Otic - Drugs for the ears	41
Otic/ OTC - Drugs for the ears	41
Rescue Agents - Antidotes	
Respiratory - Antihistamine - Antitussive - Decongestant - Drugs for the	he
lungs	42
Respiratory - Antihistamine - Antitussive - Drugs for the lungs	42
Respiratory - Antihistamine - Decongestant - Drugs for the lungs	42
Respiratory - Antihistamine - Drugs for the lungs	42
Respiratory - Antiserotonin - Drugs for the lungs	42
Respiratory - Antitussive - Drugs for the lungs	42
Respiratory - Antitussive - Expectorant - Drugs for the lungs	43
Respiratory - Asthma - Drugs for the lungs	43
Respiratory - Asthma - Step 1 -Short Acting Bronchodilator - Drugs for	or the
lungs	
Respiratory - Asthma - Step 2 -Glucocorticoid - Drugs for the lungs	

Respiratory - Asthma - Step 3 - Antileukotriene - (Step 2 Alternative) -	
Drugs for the lungs	.44
Respiratory - Asthma - Steps 3 & 4 - ICS/Long Acting Bronchodilator -	
Drugs for the lungs	.44
Respiratory - Asthma Device	.44
Respiratory - COPD - Anticholinergic bronchodilator - Drugs for the lungs	44
Respiratory - COPD - Anticholinergic Bronchodilator Combination - Drugs	s for
the lungs	.44
Respiratory - COPD - Anticholinergic Bronchodilator Long Acting - Drugs	for
the lungs	45
Respiratory - COPD - Anticholinergic Bronchodilator Long Acting	
Combination - Drugs for the lungs	45
Respiratory - COPD - Long Acting Anticholinergic - Long Acting	
Bronchodilator - ICS Combination - Drugs for the lungs	45
Respiratory - Mast Cell Stabilizer - Drugs for the lungs	45
Respiratory - Mucolytic - Drugs for the lungs	
Respiratory - Nasal Antihistamine - Drugs for the lungs	45
Respiratory - Nasal Glucocorticoids - Drugs for the lungs	
Respiratory - Xanthine - Drugs for the lungs	.46
Topical - Acne	
Topical - Anesthetic - Drugs for pain	.46
Topical - Antifungal - Drugs for infection	.46
Topical - Anti-infective - Drugs for infection	.46
Topical - Antineoplastic - Drugs for cancer	
Topical - Antiviral - Drugs for infection	
Topical - Contraceptive - Drugs for women	
Topical - Enzymes	
Topical - Estrogens- Drugs for women	.47
Topical - Glucocorticoid a Low Potency - Drugs for the skin	
Topical - Glucocorticoid b Medium Potency - Drugs for the skin	.48
Topical - Glucocorticoid c High Potency - Drugs for the skin	
Topical - Miscellaneous - Drugs for the skin	
Topical - Scabicide - Drugs for infection	.48

Urinary Tract - Drugs for bladder	48
Vaccines - Immune Globulin	
Vaginal - Anti-infective - Drugs for women	50
Vaginal - Estrogens - Drugs for women	50
Vitamins - Dietary Supplements	

# OVER THE COUNTER MEDICATIONS

Analassics Non parentic /OTC Drugs for pain	50
Analgesics - Non-narcotic/OTC - Drugs for pain	
Cardiovascular - Antilipid/OTC - Drugs for the heart	
Cardiovascular - Electrolyte/OTC	
Contraceptive/OTC	
Device - Supplies/OTC	. 53
Gastrointestinal - Antacid/OTC - Drugs for the stomach	. 54
Gastrointestinal - Antidiarrhea/OTC - Drugs for the stomach	. 54
Gastrointestinal - Antiemetic/OTC - Drugs for the stomach	. 54
Gastrointestinal - H2 Antagonist/OTC - Drugs for the stomach	. 54
Gastrointestinal - Laxative /OTC - Drugs for the stomach	. 55
Gastrointestinal - Protectant/OTC - Drugs for the stomach	. 55
Hematinic/OTC - Drugs for the blood	. 55
Hormones - Antidiabetic/OTC - Drugs for diabetes	. 55
Ophthalmic - Antihistamine/OTC - Drugs for the eyes	. 55
Ophthalmic - Decongestant - Antihistamine/OTC Drugs for the eyes	. 55
Ophthalmic - Decongestant/OTC - Drugs for the eyes	. 55
Ostomy Items/OTC	. 55
Respiratory - Antihistamine - Decongestant - Antitussive/OTC - Drugs for	or
the lungs	
Respiratory - Antihistamine - Decongestant/OTC - Drugs for the lungs	
Respiratory - Antihistamine/OTC - Drugs for the lungs	. 56
Respiratory - Antitussive/OTC - Drugs for the lungs	. 57
Respiratory - Antitussive - Expectorant/OTC - Drugs for the lungs	. 57
Respiratory - Decongestant/OTC - Drugs for the lungs	
Respiratory - Expectorant/OTC - Drugs for the lungs	
Respiratory - Miscellaneous/OTC - Drugs for the lungs	

Respiratory - Nasal Glucocorticoids/OTC - Drugs for the lungs	57
Supplies - /OTC	57
Supplies - Diabetic/OTC	
Topical - Acne/OTC -Drugs for the skin	58
Topical - Analgesics - Non-narcotic/OTC - Drugs for pain	58
Topical - Antibiotic/OTC -Drugs for the skin	58
Topical - Antifungal/OTC -Drugs for the skin	. 58-59

Topical - Anti-Infective/OTC -Drugs for the skin	. 59
Topical - Astringent/OTC -Drugs for the skin	. 59
Topical - Glucocorticoid/OTC -Drugs for the skin	. 59
Topical - Scabicide/OTC	. 59
Vaginal - Anti-infective/OTC - Drugs for women	. 59
Vitamins/OTC	. 59

# **Abbreviations**

continuous release
concentrate
enteric coated
inhalation
liguid
metered dose inhaler
not more than

oint ointment ophth ophthalmic sl sublingual soln solution supp suppository susp suspension

# APPENDIX DIABETIC TREATMENT CHARTS ASTHMA TREATMENT CHARTS CARVE OUT LIST INDEX-GENERIC and BRAND

# Preface

# FORMULARY

Members wishing to obtain a formulary or having general questions please call 1-800-391-2000 or visit kernfamilyhealthcare.com.

The member identification number will be the CIN number. This is a number assigned by the state and is not the social security number.

# Kern Family Health Care (KHS Medi-Cal)

BIN 600428 PCN 04970000 Pt. Number is CIN Number Formulary OTC's Covered Formulary Prenatal Vitamins Covered (OTC included) Formulary Contraceptives Covered No copayments TAR's allowed for OTC and legend

# DEFINITIONS

"Brand name drug" is a drug that is marketed under a proprietary, trademark protected name. The brand name drug shall be listed in all CAPITAL letters.

"Enrollee" is a person enrolled in a health plan who is entitled to receive services from the plan. All references to enrollees in this this formulary template shall also include subscriber as defined in this section below.

"Exception request" is a request for coverage of a prescription drug. If an enrollee, his or her designee or prescribing health care provider submits an exception request for coverage of a prescription drug, the health plan must cover the prescription drug when the drug is determined to be medically necessary to treat the enrollee's condition.

"Exigent circumstances" are when an enrollee is suffering from a health condition that may seriously jeopardize the enrollee's life, health, or ability to regain maximum function or when an enrollee is undergoing a current course of treatment using a nonformulary drug.

"Formulary" is the complete list of drugs preferred for use and eligible for coverage under a health plan product, and includes all drugs covered under the outpatient prescription drug benefit of the health plan product. Formulary is also known as a prescription drug list.

"Generic drug" is the same drug as its brand name equivalent in dosage, safety, strength, how it is taken, quality, performance, and intended use. A generic drug is listed in **bold and italicized** lowercase letters.

"Nonformulary drug" is a prescription drug that is not listed on the health plan's formulary.

"Prescribing provider" is a health care provider authorized to write a prescription to treat a medical condition for a health plan enrollee.

"Prescription" is an oral, written, or electronic order by a prescribing provider for a specific enrollee that contains the name of the prescription drug, the quantity of the prescribed drug, the date of issue, the name and contact information of the prescribing provider, the signature of the prescribing provider if the prescription is in writing, and if requested by the enrollee, the medical condition or purpose for which the drug is being prescribed.

"Prescription drug" is a drug that is prescribed by the enrollee's prescribing provider and requires a prescription under applicable law.

"Prior Authorization" is a health plan's requirement that the enrollee or the enrollee's prescribing provider obtain the health plan's authorization for a prescription drug before the health plan will cover the drug. The health plan shall grant a prior authorization when it is medically necessary for the enrollee to obtain the drug.

"Step therapy" is a process specifying the sequence in which different prescription drugs for a given medical condition and medically appropriate for a particular patient are prescribed. The health plan may require the enrollee to try one or more drugs to treat the enrollee's medical condition before the health plan will cover a particular drug for the condition pursuant to a step therapy request. If the enrollee's prescribing provider submits a request for step therapy exception, the health plans shall make exceptions to step therapy when the criteria is met.

# PHARMACY AND THERAPEUTICS COMMITTEE

The Pharmacy and Therapeutics Committee is composed of Physician and Pharmacist community providers, as well as staff from Kern Health Systems. We have primary care providers, specialty physicians, and community based pharmacists (both chain and independent). Meetings are usually held quarterly. Issues you feel could improve our formularies or systems can be forwarded to the Director of Pharmacy at the plan offices, 2900 Buck Owens Blvd, Bakersfield, CA, 93308, phone 661-664-5101, fax 661-664-5191. Input from providers is welcomed. If you would like to serve on the Pharmacy & Therapeutics Committee please advise our Director of Pharmacy or Medical Director.

# **NON-FORMULARY REQUESTS**

Requests for non-formulary medications or supplies or those needing a prior authorization must be submitted online by the provider or its designee. Please include the CIN number, medication failures, and non-formulary item requested as well as information on the patient. One drug per form please. You may telephone Kern Health Systems about non-formulary requests but State Law does require information to be submitted in writing.

# SAMPLE MEDICATIONS

Providers are discouraged from providing samples; however, if samples are given to the member, the entire course of therapy must be covered by the samples in accordance to Policy 2.24, Pharmaceutical Guidelines. Medications provided as samples do not establish continuity precedent; and, therefore do not obligate coverage by KHS.

viii

# **TRIAL PERIOD**

Barring any medically adverse responses from the member, the trial period of a medication shall be determined per the recommended dosing titration guidelines presented to the FDA.

# **EMERGENCY DISPENSING**

During weekends, holidays, and non-business hours a pharmacy may choose to dispense enough medication (72 hours supply maximum) as an emergency supply as defined by Title 22 Section 51056 to the member until the next working day, at the dispensing pharmacist's discretion according to pharmacy policy and procedures. If the medication is not on the Plan Formulary, a request must be submitted to payment processing stating the emergency and medication dispensed. TAR approval is not needed for reimbursement before dispensing of 72 hour emergency supply of non-formulary drugs.

# BRAND NAME MEDICATIONS WHEN EQUIVALENT GENERIC BRAND IS AVAILABLE

If a medication is available as an AB rated generic, then the brand name version will become non-Formulary. If a generic brand becomes available during a patient's treatment, the patient will be expected to switch to the generic brand and must fail the generic brand prior to KHS granting authorization for the brand name. Providers with patients having untoward effects from a generic brand will be required to submit a completed FDA MedWatch form to KHS as part of the authorization for a request to allow a brand name version instead of a generic brand. In a few instances, a brand may be the preferred drug even though a generic version exists. These are extremely rare and will be clearly identified to the effect.

Biosimilars and drugs considered as Follow Ons will be treated in the same fashion as if they were a traditional generic of the innovator drug. Per FDA rules, they are not automatically substitutable, but from clinical perspectives they are viewed as a generic version.

# PHARMACEUTICAL INDUSTRY SOLICITATION

If a representative would like something to be considered by the P&T committee they need to submit the request and supporting documents to KHS. KHS permits contact from the pharmaceutical industry only in written form. All correspondence is to be directed to the KHS Pharmacy Department. Material may be submitted by fax, US mail, or via e-mail. Unless specifically requested by KHS, face to face presentations, phone solicitations or any other means of communication are not allowed. KHS values the P&T committee members' time and effort dedicated to the plan and its members. They should not be contacted for committee considerations and requests.

# TIER STATUS

As a Medicaid plan, there are no tiers. All medications listed in the KHS Formulary are covered if there is no restriction or the restriction(s) is/are met. Any medication authorized through the Prior Authorization process for coverage purposes will be handled like a Formulary drug. Please note that claims may reject at the pharmacy point of service for reasons not listed in the KHS Formulary, such as refill too soon, drug interactions and therapeutic duplications.

# **IV SOLUTIONS**

Please see Formulary section for IV solution categories covered. KHS covers the stated infused agents in the categories listed. These are typically covered under the medical benefit as part of a per diem case rate.

# FORMULATIONS AND STRENGTHS

Medications listed in the KHS formulary are identified by the stated formulations and strengths. A drug may have only certain strengths or formulations covered. Non stated formulations would require a TAR.

# LOCATING A DRUG

A drug may be located in the formulary in a couple of ways. One may search the therapeutic category in the table of contents. Another is to look in the alphabetical index. Both brand and generic names are listed in the index. When locating the drug in the body of the Formulary, identifiers will indicate if a generic is available, the strengths and forms covered, and any restrictions that apply. Further clarity may be communicated in dialogue boxes associated to the categories they apply.

# UTILIZATION MANAGEMENT

The health plan uses a variety of methods to provide medically necessary drugs while being cost effective. These methods are called utilization management. Some of these methods include edits that will limit a coverage of a drug due to: prior authorizations, step therapy, quantity limits, refill too soon, therapeutic duplication, drug interaction, age limits, provider limits.

# MEDICAL VS PRESCRIPTION BENEFIT

Medications are covered by the either the pharmacy benefit or medical benefit or in some cases both, such as vaccines. Most drugs listed here are considered to be a pharmacy benefit unless otherwise indicated.

# FORMULARY CHANGES

The Formulary may be changed throughout the year. The latest version will display the month and year it applies. Earlier versioins should be discarded.

# FORMULARY LISTING VS IT BEING PRESCRIBED

Even if a drug is on the Formulary, that does not guarantee the provider will prescribe it. There are some limitations that may apply to the listed drugs, such as the reason your doctor prescribed it, your age, or other medical conditions you may have.

# PHARMACIES

Prescriptions may only be filled at pharmacies contracted with Kern Family Health Care. The Provider Directory will help you find a pharmacy. These are mainly in Kern County. If traveling within the state of California, a prescription may be filled at CVS, Rite Aid, Savon-Alberton's-Vons, or Walgreens. Outside the state, or if one of the mentioned pharmacies are not available, the pharmacy will need to contact Kern Family Health Care for prior authorization.

х

# **MEDICATIONS**

# RESTRICTIONS

# 'Central Nervous System - Antipsychotic - Drugs for the nervous system

For Kern Family Health Care (KHS Medi-Cal) most of the straight antipsychotic agents are carved out to Medi-Cal. Please see Appendix.

# Amyotrophic Lateral Sclerosis Agents

👽 RILUTEK® *(riluzole)* 50mg tablet

Restriction: Allowed for amyotrophic lateral sclerosis.

1

# Analgesics - Narcotics - Drugs for pain

Medications in this category may be restricted in one or more ways. The restrictions are noted under the individual medications. Those patients who require additional quantities, fills or restricted medications will need to have their physician provide monitoring tools such as prescription drug monitoring programs (CURES), urine drug screens, and others as appropriate, along with physician's progress notes and treatment plan accompanying the request. This will help KHS staff determine how to properly encode the prior authorization. A good resource for guidelines may be found at C.A.R.E.S Alliance, caresalliance.org. The CDC has issued guidance as well. The recommendations entail evaluating the need of an opioid versus other pharmacologic and non-pharmacologic alternatives. Members should be started on as low a dose and as short a duration as clinically appropriate. KHS members who are opioid naive are allowed up to seven days therapy. Regimens longer than that require prior authorization. Recently, focus on total daily dose based on morphine equivalents has been instituted by Medicare and Medicaid. The health plan limits to 120 mg MED for non-malignant pain. New opioid therapy regimens are limited to a seven day supply. Concurrent use with benzodiazepines, sedatives, and/or muscle relaxants is not recommended.

Acetaminophen (APAP, Tylenol®) hepatotoxicity can result from frequent and/or high doses of those medications with an acetaminophen component. Maximum recommended daily dose of APAP for a patient who does not drink alcohol is 4000mg. Patients may also aggravate the problem by taking other OTC drugs with APAP or receiving prescriptions of other APAP combinations.

It should be noted that the commonly prescribed Hydrocodone/APAP combinations are very limited on the KHS Formulary. KHS offers Oxycodone/APAP combinations such as Percocet® equivalents. Tramadol (Ultram<sup>®</sup>) although on the KHS formulary has many clinical limitations, including increasing risk of serotonin syndrome in addition to other centrally acting concerns. The FDA has recently added a new warning. Medications containing either codeine or tramadol are not to be prescribed to those under 18 years of age. Please consider morphine preparations before oxycodone or fentanyl formulations.

👽 codeine sulfate 15 mg, 30 mg, 60 mg tablet

Restriction: Limited to cancer patients or plan Pain Specialist Physicians. Authorization required for other diagnoses. Allowed for members > 18 years old.





MEDICATIONS	RESTRICTIONS
Analgesics - Narcotics - Drugs for pain, continued • S	EE PREVIOUS PAGE
VILAUDID® <i>(hydromorphone)</i> 2mg, 4mg tablet, 3mg supp	Restriction: Limited to cancer patients or plan Pain Specialist Physicians. Authorization required for other diagnoses. NMT 120 per month.
UURAGESIC® <i>(fentanyl)</i> 12 mcg, 25 mcg, 50 mcg, 75 mcg, 100 mcg patches	Restriction: Limited to cancer patients or plan Pain Specialist Physicians. Authorization required for other diagnoses. Allow 10 patches per 30 days. Allowed for members failing morphine sulfate ER or unable to take solid dosage forms. 12 mcg patches are not recommended as starting doses.
UEVO-DROMORAN® ( <i>levorphanol</i> ) 2 mg tablet	Restriction: Limited to cancer patients or plan Pain Specialist Physicians. Authorization required for other diagnoses.
MS-CONTIN® <i>(morphine)</i> 10mg/5ml, 20mg/5ml oral soln, 20mg/ml conc, 15mg, 30mg tablet, 15mg, 30mg, 60mg cr tablet	Restriction: Limited to cancer patients or plan Pain Specialist Physicians. Authorization required for other diagnoses. NMT 90 per month.
♥ NORCO® <i>(hydrocodone/apap)</i> 5mg/325mg, 10mg/325mg tablet, 7.5-325/15ml liq	Restriction: 5/325 mg, NMT 60 tablets per month, NMT 3 dispensings per 90 days. 10/325mg Limited to cancer patients or plan Pain Specialist Physicians. NMT 120 tablets per month, NMT 3 dispensings per 90 days. Liquid is limited to members < 18 years old and maximum of 3 day supply.
OXY-CONTIN® <i>(oxycodone)</i> 5mg, 10mg tablet, 10mg, 15mg, 20mg, 40mg cr tablet	Restriction: Restricted to use by KHS plan Oncologists or Pain Specialist Physicians. Member needs to fail morphine ER. NMT 90 per month of immediate release, 60 per month of time release formulations.
PERCOCET® <i>(oxycodone w/acetaminophen)</i> 5mg-325mg tablet	Restriction: Limited to cancer patients or plan Pain Specialist Physicians. Authorization required for other diagnoses. NMT 120 per month.
VILENOL W/CODEINE® <i>(codeine w/acetaminophen)</i> 15mg-300mg, 30mg-300mg tablet, 12mg-120mg/5ml soln	Restriction: NMT 60 tablets per month, NMT 3 dispensings per 90 day period. Allowed for members > 18 years old.
ULTRAM® <i>(tramadol)</i> 50 mg tablet	Restriction: Not indicated for members with abuse potential. Contraindicated with alcohol, hypnotics, centrally acting analgesics, opioids, and psychotropic agents. Seizures and serotonin syndrome may occur with antidepressants, triptans, lithium, enzyme inducing medications, and some antibiotics. Allowed for members > 18 years old.

2





# **MEDICATIONS**

# RESTRICTIONS

Antiacne	
💔 <i>isotretinoin</i> 20 mg, 40 mg capsule	Restriction: Prior authorization required. Allowed for Dermatologists.
Anti-bacterial - Cephalosporin - Drugs for infection	
👽 cefuroxime 250mg, 500mg tablet	Restriction: Prior authorization required.
KEFLEX® (cephalexin) 125mg/5ml, 250mg/5ml susp, 250mg, 500mg capsule	
OMNICEF® <i>(cefdinir)</i> 125 mg/5 ml susp, 250 mg/5 ml susp	Restriction: Restricted to members with Otits Media < 8 years old failing 1st line antibiotics or documented penicillin allergy. Documented ICD-10 code with provider's office required for online submission otherwise submit TAR with documentation.
Anti-bacterial - Drugs for infection	

Inappropriate use of antibiotics is a concern nationwide. Resistance to antibiotics is growing nationally. Additionally, antibiotics are ineffective on viral infections. Uncomplicated bronchitis and viral infections do not warrant antibiotic use. Please reference www.AWARE.md or 916-779-6620 for more information on appropriate use of antibiotics. KHS has limits on days supply and number of fills per month on many antibiotics to help ensure appropriate use. A 10 day supply every 30 days is in place for the cephalosporins, macrolides, penicillins, and quinolone classes. Prior authorization justifying the necessity for longer or more frequent dosing will be needed for therapies exceeding those limits.

Anti-bacterial - Macrolide - Drugs for infection

Zithromax® 250mg tablets have a maximum of 6 (5 days therapy) as the drug continues working for a number of additional days.

<b>Therapy</b> Erythromycin 500mg QID Azithromycin® 500mg x1, 250mg QD Clarithromycin® 500mg ii QD	Days Supply         Cost           10         \$678           5         \$5           10         \$8
BIAXIN® <i>(clarithromycin)</i> 125 mg/5 ml, 250 mg/5 ml susp, 250 mg, 500 mg tablet	Restriction: Susp restricted to members < 8 years old w/Otitis Media who have recently failed first line antibiotics. 500mg tablets recommended for members who cannot tolerate or failed azithromycin.
CLEOCIN® <i>(clindamycin)</i> 75mg/5ml susp, 75mg, 150mg, 300mg capsule	
F-MYCIN® <i>(erythromycin base)</i> 250mg, 333mg, 500mg ec tablet, 250mg ec particles capsule	Restriction: Prior authorization required.





MEDICATIONS	RESTRICTIONS	
Anti-bacterial - Macrolide - Drugs for infection, continued • SEE PREVIOUS PAGE		
EES® ( <i>erythromycin ethylsuccinate</i> ) 200mg/5ml, 400 mg/5 ml, 400mg tablet	Restriction: Prior authorization required.	
FRY-TAB® ( <i>erythromycin base</i> ) 250mg, 333mg, 500mg ec tablet, 250mg ec particles capsule	Restriction: Prior authorization required.	
ERYTHROCIN® <i>(erythromycin stearate)</i> 250mg, 500mg tablet	Restriction: Prior authorization required.	
ZITHROMAX® <i>(azithromycin)</i> 100mg/5ml, 200mg/5ml susp, 250mg, 600mg tablet, 1 gm powder pack	Restriction: 600mg Tablets – Restricted to members with MAC.	
Anti-bacterial - Miscellaneous - Drugs for infection		
€ FURADANTIN® ( <i>nitrofurantoin</i> ) 25mg/5ml susp	Restriction: Limited to members <6 years old.	
MACROBID® ( <i>nitrofurantoin</i> ) 100mg monohydrate macrocrystalline capsule	Restriction: Limit to 10 day supply unless prescribed by ID or urologist.	
MONUROL® <i>(fosfomycin tromethamine)</i> 3 gm pckt	Restriction: Limit to ID or urologist for ESBL urinary infections.	
<b>Properties:</b> 125mg/5ml soln, 500mg tablet		
Anti-bacterial - Penicillin - Drugs for infection		
Augmentin® is restricted to children under 8 years of age. It will be approved for animal and human bites and severe sinusitis with prior authorization. Augmentin® is available in generic		

brands and there will be some cost savings by using the generic brands. Formulary strengths will be allowed to clear as first line up to age 8. Pneumonia, otitis media, and sinusitis are dosed at 45mg/kg/day divided twice daily and skin and UTIs are dosed at 25mg/kg/day divided twice a day. Instead of dosing three times a day, the plan recommends using a twice daily dosing schedule of 200mg and 400mg and 600mg, per AAP guidelines. Please prescribe the twice a day regimen.

		Costs
Amoxicillin 250mg/5ml	150ml	\$5
Amoxicillin-clavulanate 250mg/5ml	150ml	\$89
Amoxicillin-clavulanate 400mg/5ml	200ml	\$21

👽 AMOXIL® *(amoxicillin)* 50 mg/ml drops, 125 mg/5 ml, 250 mg/5 ml, 200 mg/5 ml, 400 mg/5 ml susp, 125mg, 250mg, 500mg capsule



MEDICATIONS	RESTRICTIONS
Anti-bacterial - Penicillin - Drugs for infection, continu	ed • SEE PREVIOUS PAGE
AUGMENTIN® <i>(amoxicillin/clavulanate)</i> 200 mg/5 ml, 400 mg/5 ml, 600 mg/5 ml susp, 500 mg, 875 mg tablet	Restriction: Restricted to children < 8 years old with Otitis Media. First line treatment for animal bites. 10 days maximum therapy. Documented ICD-10 code with provider's office required for online submission otherwise submit TAR with documentation. Available first line for prescriptions written by ENT.
PRINCIPEN® (ampicillin) 100mg/ml, 125mg/5ml, 250mg/5ml susp, 250mg, 500mg capsule	
VEETIDS® ( <i>penicillin vk</i> ) 125mg/5ml, 250mg/5ml oral soln, 125mg, 250mg, 500mg tablet	
Anti-bacterial - Penicillinase Resistant Penicillin - Drug	gs for infection
DYNAPEN® (dicloxacillin) 62.5mg/5ml susp, 125mg, 250mg, 500mg capsule	
The medications in this category are limited to 1 beyond that limit require prior authorization. <b>Re</b> Levofloxacin (Levaquin®) probably has less rest Cipro® has been used in so many patients. A 28 levofloxacin for the management of prostatitis.	estricted in patients less than 18 years of age. istance than ciprofloxacin (Cipro®) since
CIPRO® <i>(ciprofloxacin)</i> 250mg, 500mg, 750mg tablet	Restriction: Urologists allowed 28 day supply.
EVAQUIN® <i>(levofloxacin)</i> 250mg, 500mg, 750mg tablet	Restriction: Urologists allowed 28 day supply.
Anti-bacterial - Sulfonilamide - Drugs for infection	
BACTRIM®/SEPTRA® (sulfamethoxazole & trimethoprim) 400mg-80mg, 800mg-160mg tablet, 200mg-40mg/5ml susp	
Anti-bacterial - Tetracycline - Drugs for infection	
MINOCIN® (minocycline)         50mg, 75mg, 100mg capsule	
VIBRAMYCIN® <i>(doxycycline hyclate)</i> 50mg, 100mg capsule, 100mg tablet	





# **MEDICATIONS**

# RESTRICTIONS

# Anti-infective - Antifungal - Drugs for infection

Prior authorization will not be allowed for cosmetic purposes. Maximum therapy is 6 weeks for fingernails, 12 weeks for toenails. Sanford, et al, suggest that Terbinafine (Lamisil®) 250mg QD has one of the highest effectiveness rates (70-81%) of the FDA approved treatments. Sanford recommends ascertaining the ALT & AST levels prior to initiation of therapy since these drugs should not be used in chronic or active liver disease. KOH or positive culture required. Members with vaginal candidiasis, please use the fluconazole 200 mg tablet.

<b>V</b> DIFLUCAN® <i>(fluconazole)</i> 50mg, 100mg, 200mg tablet	Restriction: If needing the 150 mg dose, please use 200 mg.
<b>Figures of the second </b>	Restriction: Suspension is for children < 12 years old.
CAMISIL® (terbinafine) 250mg tablet	Restriction: 12 week therapy maximum duration.
MYCELEX® ( <i>clotrimazole</i> ) 10mg troche	
WYCOSTATIN® <i>(nystatin)</i> 100,000 units/ml susp, 500,000 unit tablet	
SPORANOX® ( <i>itraconazole</i> ) 100mg capsule	Restriction: Trial and failure of fluconazole.
VFEND® <i>(voriconazole)</i> 50mg, 200mg tablet, 200mg/5 ml susp	Restriction: Prior authorization required.
Anti-infective - Antihelmintic - Drugs for infection	
ALBENZA® (albendazole) 200 mg tablet	Restriction: Prior authorization required.
PIN-X® ( <i>pyrantel</i> ) 50mg/ml susp, 250mg chewable tablet	
STROMECTOL® <i>(ivermectin)</i> 3 mg tablet	
Anti-infective - Antimalarial - Drugs for infection	
👽 chloroquine 250 mg tablet	Restriction: Prior authorization required.
Primaquine 26.3 mg tablet	
Anti-infective - Antiprotozoal - Drugs for infection	
👽 benznidazole 12.5mg, 100mg tablet	Restriction: Prior authorization required.
Garaprime (pyrimethamine) 25 mg tablet	Restriction: Prior authorization required.
HUMATIN® (paromomycin) 250mg capsule	
MEPRON® <i>(atovaquone)</i> 750mg/5ml susp	Restriction: Prior authorization required. Sulfa allergy and diagnosis of PCP.





MEDICATIONS	RESTRICTIONS
Anti-infective - Anti-tubercular - Drugs for infection	
INH® (isoniazid) 50mg/5ml syrup, 50mg, 100mg, 300mg tablet	
WYAMBUTAL® (ethambutal)         100mg, 400mg tablet	
WYCOBUTIN® ( <i>rifabutin</i> ) 150mg capsule	Restriction: Restricted to prevention of MAC in patients with advanced HIV.
<b>V</b> pyrazinamide 500 mg tablet	Restriction: Prior authorization required.
VRIMACTANE® ( <i>rifampin</i> ) 150mg, 300mg capsule	
SEROMYCIN® <i>(cycloserine)</i> 250mg capsule	
Anti-infective - Anti-viral - Drugs for infection	

Anti-viral agents for HIV related cases, with the exception of Zidovudine and Didanosine, are covered by fee for service Medi-Cal. Bill EDS, not KHS, for these patients. The carved out anti-viral agents are listed in the Appendix.

Anti-virals for Hepatitis, both B and C are covered, but require prior authorization. Adherence to treatment is essential. These are generally restricted to specialists, and monitoring is required. Current guidelines for Hepatitis B suggest the use of tenofovir. Keep in mind that is billed to EDS. The state Medicaid program has outlined criteria that all Medicaid plans, including the managed care will follow for coverage of Hepatitis C medications. If a patient has Hepatitis C refer to Hepatitis C program as they case manage the KHS Hepatitis C patients. At minimum, the initial referral needs to include the viral load, genotype, lab results, liver function tests, CBC, Child-pugh assessment, Metavir score (or equivalent), biopsy results (if performed), and others as outlined by the DHCS criteria. A 4 week viral load is needed for determination if further treatment would be authorized. All medications require prior authorization. DHCS requires all current therapies to be considered based on current professional guidelines.

Acyclovir is the only Formulary medication for Genital Herpes Therapy: Sanford, et al, in Guide to Anti-microbial Therapy - suggests there is little difference between antiviral agents for genital herpes. Valacyclovir is the prodrug of acyclovir; isolates resistant to acyclovir although low, (<1% in immunocompromised patients) are also resistant to valacyclovir. KHS only allows acyclovir at this time. An example of costs for these drugs for recurrent treatment is as follows:

Medication & Days Therapy	Cost
Acyclovir 400mg TID x 5 days	\$6
Valtrex® 500mg BID x 3 days (non-formulary)	\$36
Famvir® 125mg BID x 5 days (non-formulary)	\$47

Continued on next page

7







# **MEDICATIONS**

# RESTRICTIONS

Anti-infective - Anti-viral - Drugs for infection, continued • SEE PREVIOUS PAGE

KHS requires failure of Acyclovir before the other agents would be allowed on prior authorization.

Topical Antiviral Therapy requires prior authorization: Topical agents for antiviral therapy (Zovirax<sup>TM</sup>, Abreva<sup>®</sup>) require prior authorization because of their limited effect. Usually topical products will only slightly decrease the duration of infection (3.4 vs. 4.1 days). Severe infections may benefit more from systemic therapy.

💔 BARACLUDE® <i>(entecavir)</i> 0.5 mg, 1 mg tablet	Restriction: Prior authorization required.
CYTOVENE® <i>(ganciclovir)</i> 250 mg, 500 mg capsule	Restriction: Prior authorization required.
EPCLUSA® (sofosbuvir/velpatasvir) 400mg-100mg tablet	Restriction: Prior authorization required.
<b>RETROVIR®</b> <i>(zidovudine)</i> 50mg/5 ml syrup, 100mg capsule	
TAMIFLU® <i>(oseltamivir)</i> 30 mg, 45 mg, 75 mg capsule, 6 mg/ml susp	Restriction: Members that are clinically eligible are strongly encouraged to receive the flu vaccine. Exceeding 2 fills within one flu season will require confirmation of infection.
VARIOUS (interferon alpha) injection	Restriction: Prior authorization required.
VARIOUS <i>(ribavirin)</i> tablet	Restriction: Prior authorization required.
ZEPATIER® <i>(elbasvir/grazoprevir)</i> 50-100 mg tablet	Restriction: Prior authorization required.
VOVIRAX® <i>(acyclovir)</i> 200mg/5ml susp, 200mg capsule, 200mg, 400mg, 800mg tablet	
Anti-infective - Drugs for infection	
FIRVANQ, ® VANCOCIN® <i>(vancomycin)</i> 25 mg/ml, 50 mg/ml soln, various vials	Restriction: Prior authorization required. Use $Firvanq^{\textcircled{R}}$ for oral administrations.
FLAGYL® ( <i>metronidazole</i> ) 250mg, 500mg tablet	
TINDAMAX® ( <i>tinidazole</i> ) 500 mg tablet	Restriction: Prior authorization required.
VYVOX® ( <i>linezolid</i> ) 600mg tablet	Restriction: Prior authorization required. Reserved for members with VRE.
Anti-infective - Leprosy - Drugs for infection	
👽 dapsone 25 mg, 100 mg tablet	







# **MEDICATIONS**

# RESTRICTIONS

# **Antineoplastic - Drugs for Cancer**

Kern Family Health Care covers all therapeutic categories of neoplastic agents. Many require authorization to ensure appropriate use in accordance with professional guidelines such as the National Comprehensive Cancer Network (NCCN) and FDA indications. Some sub-classes are covered through per diem or infusion arrangements and are not billed through the PBM. Many newer drugs are targeted therapies for very specific conditions. Proper documentation demonstrating the member is a candidate is required. Not every drug is listed in each category. The medications listed are representative only of the class/mechanism of action. Unless otherwise indicated, require prior authorization.

* <sup>C</sup> ADRUCIL® <i>(fluorouracil)</i> 500 mg/ml, 2.5 G/50 ml, 5G/100 ml, various	Restriction: Prior authorization required.
*AFINITOR® ( <i>everolimus</i> ) 2.5 mg, 5 mg, 7.5 mg capsule	Restriction: Prior authorization required.
*ALKERAN® ( <i>melphalan)</i> 2mg tablet	
* 🕫 ARIMIDEX® <i>(anastrozole)</i> 1mg tablet	
*CAMPTOSAR® <i>(irinotecan)</i> 100 mg/ 5 ml, 40 mg/2 ml, 300 mg/15 ml IV	Restriction: Prior authorization required.
* 💔 CASODEX® <i>(bicalutamide)</i> 50 mg tablet	
*CYRAMZA® ( <i>ramucirumab)</i> 100 mg/10 ml, 500 mg/50 ml IV	Restriction: Prior authorization required.
* <sup>(cyclophosphamide)</sup> 25 mg, 50 mg capsule	Restriction: Prior authorization required.
* 💔 davnorvbicin 5 mg, 20 mg IV	Restriction: Prior authorization required.
*EMCYT® (estramustine) 140mg capsule	
* ERIVEDGE® ( <i>vismodegib)</i> 150 mg capsule	Restriction: Prior authorization required.
* 💔 EULEXIN® <i>(flutamide)</i> 125mg capsule	
★ <sup>€</sup> FEMARA® <i>(letrozole)</i> 2.5mg tablet	
* <sup>©</sup> GLEEVEC® <i>(imatinib mesylate)</i> 100 mg, 400 mg tablet	Restriction: Prior authorization required.
*GLEOSTINE® (Iomustine) 10mg 40mg 100mg cansule	

(ioiniosinie) Toing, 40ing, Toonig cupsole







MEDICATIONS	RESTRICTIONS
Antineoplastic - Drugs for Cancer, continued • SEE PF	REVIOUS PAGE
* HALAVEN® <i>(eribulin mesylate)</i> 1 mg/2 ml IV	Restriction: Prior authorization required.
<b>*</b> HEXALEN® <i>(altretamine)</i> 50mg capsule	
★ ♥ HYREA® <i>(hydroxyurea)</i> 500mg capsule	
✗IXEMPRA <sup>®</sup> (ixabepilone) 15 mg, 45 mg IV	Restriction: Prior authorization required.
* 👽 LEUKERAN® <i>(chlorambucil)</i> 2mg tablet	
LUPRON® (leuprolide) 3.75-5 mg, 11.25-5 mg, 22.5 mg syringe	Restriction: Prior authorization required.
*LYSODREN® <i>(mitotane)</i> 500mg tablet	
* MATULANE® <i>(procarbazine)</i> 50mg capsule	
★ ♥ MEGACE® (megestrol) 40mg/ml susp, 20mg, 40mg tablet	
* 👽 methotrexate 2.5mg tablet, 25mg/ml vial	
✗MYLOTARG <sup>®</sup> (gemtuzumab ozogamicin) 4.5 mg Ⅳ	Restriction: Prior authorization required.
* 👽 NOLVADEX® <i>(tamoxifen)</i> 10mg, 20mg tablet	
* OPDIVO® <i>(nivolumab)</i> 40mg/4 ml, 100mg/10 ml IV	Restriction: Prior authorization required.
* 👽 paclitaxel 6 mg/ml vial	Restriction: Prior authorization required.
★ PANRETIN® <i>(alitretinoin)</i> 0.1% gel	Restriction: Prior authorization required.
★ PHOTOFRIN® ( <i>porfimer sodium)</i> 75 mg IV	Restriction: Prior authorization required.
★ ♥ PURINETHOL® <i>(mercaptopurine)</i> 50mg tablet	
<b>*</b> REVLIMID® <i>(lenalidomide)</i> 2.5 mg, 5 mg, 10 mg, 15 mg, 20 mg, 25 mg capsule	Restriction: Prior authorization required.
🗚 💔 RUXIENCE® <i>(rituximab- pvvr)</i> 10mg IV	Restriction: Prior authorization required.
* TARGRETIN® <i>(bexarotene)</i> 75 mg capsule	Restriction: Prior authorization required.



MEDICATIONS	RESTRICTIONS
Antineoplastic - Drugs for Cancer, continued • SEE PR	EVIOUS PAGE
★ ♥ TEMODAR® <i>(temozolomide)</i> 5mg, 20mg, 100mg, 140mg, 180mg, 250mg capsule	Restriction: Prior authorization required.
★ THALOMID <sup>®</sup> (thalidomide) 50 mg, 100 mg, 150 mg, 200 mg capsule	Restriction: Prior authorization required.
* 👽 thiogvanine 40mg tablet	
* 👽 TRAZIMERA® <i>(trastuzumab-qyyp)</i> 150 mg, 440 mg IV	Restriction: Prior authorization required.
★ TRELSTAR® (triptorelin) 3.75 mg, 11.25 mg, 22.5 mg IV	Restriction: Prior authorization required.
★ ♥ VEPESID® <i>(etoposide)</i> 50mg capsule	
★ <sup>€</sup> vincristine 1 mg/1 ml, 2 mg/ 2 ml IV	Restriction: Prior authorization required.
* VOTRIENT® <i>(pazopanib)</i> 200 mg tablet	Restriction: Prior authorization required.
★ YERVOY® ( <i>ipilimumab)</i> 50mg/10 ml, 200 mg/40 ml IV	Restriction: Prior authorization required.
★YESCARTA® <i>(axicabtagene ciloleucel)</i> plastic bag	Restriction: Prior authorization required.
<b>*</b> ZALTRAP® ( <i>ziv-aflibercept</i> ) 100 mg/ 4 ml, 200 mg/8 ml IV	Restriction: Prior authorization required.
★ ♥ ZIRABEV® <i>(bevacizumab-bvzr)</i> 25 mg IV	Restriction: Prior authorization required.
*ZOLINZA® ( <i>vorinostat)</i> 100 mg capsule	Restriction: Prior authorization required.
Anti-Parkinsonism	
COMTAN® <i>(entacapone)</i> 200 mg tablet	Restriction: Required trial and failure of carbidopa/levodopa alone. Works only in combination with levodopa.
👽 levodopa 250mg, 500mg capsule	
MIRAPEX® ( <i>pramipexole</i> ) 0.125mg, 0.25mg, 0.5mg, 1mg, 1.5mg tablet	Restriction: Restricted to Parkinsons only. Requires failure of levadopamine therapy.
REQUIP® ( <i>ropinirole</i> ) 0.25mg, 0.5mg, 1mg, 2mg, 3mg, 4mg, 5mg tablet	Restriction: Restricted to Parkinsons only. Requires failure of levadopamine therapy.



MEDICATIONS	RESTRICTIONS
Anti-Parkinsonism, continued • SEE PREVIOUS PAGE	
SINEMET® (carbidopa & levodopa) 10mg-100mg, 25mg-100mg, 25mg-250mg tablet, 25mg-100mg, 50mg-200mg cr tablet	
Antirheumatiod and Disease Modifiers - Drugs for the	e immune system
💔 ARAVA® <i>(leflunomide)</i> 10mg, 20mg tablet	Restriction: Plan rheumatologists only.
AZULFIDINE® (sulfasalazine) 250mg/5ml susp, 500mg tablet & ec tablet	
★ ♥ IMURAN® <i>(azathioprine)</i> 50mg tablet	
Interpret text in the second s	
OTEZLA® (apremilast) 30 mg tablet	Restriction: Prior authorization required.
VLAQUENIL® (hydroxychloroquine) 200 mg tablet	Restriction: Prior authorization required.
VRIDAURA® (auranofin) 3 mg capsule	Restriction: Prior authorization required.
Antiuricosuric - Drugs for gout	
👽 BENEMID® (probenecid) 500mg tablet	
COLBENEMID® <i>(colchicine &amp; probenecid)</i> 0.5mg-500mg tablet	
👽 ZYLOPRIM® <i>(allopurinol)</i> 100mg, 300mg tablet	
Autonomic - Anticholinergic - Drugs to reduce GI moti	lity
SENTYL® <i>(dicyclomine)</i> 10mg/5ml syrup, 10mg, 20mg capsule, 20mg tablet	
VEVSIN® (hyoscyamine) 0.125mg/ml drops	
<b>V</b> ROBINUL® <i>(glycopyrrolate)</i> 1mg, 2mg tablet	
Autonomic - Cholinergic - Drugs to improve GI motilit	У
MESTINON® (pyridostigmine) 60 mg tablet	
VROSTIGMIN® ( <i>neostigmine</i> ) 15 mg tablet	
👽 URECHOLINE® <i>(bethanechol)</i> 5mg, 10mg, 25mg,	

VUKECHULINE® (*betnanecholj* smg, lumg, zsmg, 50mg tablet





MEDICATIONS	RESTRICTIONS
Benign Prostate Hypertrophy - Drugs for the prostate	
FLOMAX® (tamsulosin) 0.4mg capsule	Restriction: Trial and failure of formulary alpha blockers.
PROSCAR® ( <i>finasteride</i> ) 5 mg tablet	Restriction: Plan urologists only.
Biologics & Biosimilars	
👽 AVSOLA® <i>(infliximab-axxq)</i> 100 mg vial	Restriction: Prior authorization required.
COSENTYX® ( <i>secukinumab)</i> 150 mg, 300 mg injection	Restriction: Prior authorization required.
👽 ENBREL® <i>(etanercept)</i> 25 mg, 50 mg	Restriction: Prior authorization required.
EXTAVIA® (interferon beta -1b) 0.3 mg injection	Restriction: Prior authorization required. Trial and failure of Glatopa.
GLATOPA® (glatiramer acetate) 20 mg/ml, 40 mg/ml syringe	Restriction: Prior authorization required. Allowed for Neurologist and failure of steroid therapy.
💔 HUMIRA® <i>(adalimumab)</i> 40mg/0.8ml	Restriction: Prior authorization required.
Cardiovascular - Alphablocker - Drugs for the heart	
ALDOMET® (methyldopa) 125mg, 250mg, 500mg tablet	
CARDURA® ( <i>doxazosin</i> ) 1mg, 2mg, 4mg, 8mg tablet	
CATAPRES® <i>(clonidine)</i> 0.1mg, 0.2mg,0.3mg tablet	
VITRIN® <i>(terazocin)</i> 1mg, 2mg, 5mg, 10mg tablet or capsule	
MINIPRESS® (prazosin) 1mg, 2mg, 5mg capsules	
FENEX® (gvanfacine) 1 mg, 2 mg tablet; 3 mg ER tablet	
Cardiovascular - Angiotensin Converting Enzyme Inhib	tors - Drugs for the heart
👽 ACCUPRIL® <i>(quinapril)</i> 10mg, 20mg, 40mg tablet	
ALTACE® <i>(ramipril)</i> 1.25mg, 2.5mg, 5mg, 10mg capsule	
LOTENSIN® (benazepril) 5mg, 10mg, 20mg, 40mg tablet	





MEDICATIONS	RESTRICTIONS
Cardiovascular - Angiotensin Converting Enzyme Inhib PAGE	tors - Drugs for the heart, continued • SEE PREVIOUS
VASOTEC® ( <i>enalapril</i> ) 5mg, 10mg, 20mg tablet	
VESTRIL® ( <i>lisinopril</i> ) 10mg, 20mg, 30 mg, 40mg tablet	
Cardiovascular - Angiotensin Converting Enzyme Inhib	tors Combination - Drugs for the heart
benazepril - hctz 5mg-6.25mg, 10mg-12.5mg, 20mg-12.5mg, 20mg-25mg tablet	
Iisinopril - hctz 10mg-12.5mg, 20mg-12.5mg, 20mg-25mg tablet	
Cardiovascular - Angiotensin II Receptor Blocker - Dru	gs for the heart
👽 AVAPRO® <i>(irbesartan)</i> 150mg, 300 mg tablet	
👽 COZAAR® <i>(losartan)</i> 50 mg, 100 mg tablet	
👽 DIOVAN® ( <i>valsartan</i> ) 80mg, 160mg, 320mg tablet	
Cardiovascular - Angiotensin II Receptor Blocker Thiaz	ide Combination - Drugs for the heart
AVALIDE® (irbesartan-hctz) 150-12.5mg, 300-25mg tablet	
DIOVANHCT® (valsartan-hctz) 160-12.5mg, 160-25mg, 320-12.5mg, 320-25mg tablet	
HYZAAR® (losartan-hctz) 50-12.5mg, 100-12.5mg, 100-50mg tablet	
Cardiovascular - Antiarrhythmic - Drugs for the heart	
👽 amiodarone 200mg tablet	
BETAPACE® (sotalol) 80mg, 120mg, 160mg, 240mg tablet	
LANOXIN® (digoxin) 0.05mg/ml elixir, 0.125mg, 0.25mg tablet	
MEXITIL® ( <i>mexiletine</i> ) 150mg, 200mg, 250mg capsule	





MEDICATIONS	RESTRICTIONS
Cardiovascular - Antiarrhythmic - Drugs for the heart,	continued • SEE PREVIOUS PAGE
NORPACE® <i>(disopyramide)</i> 100mg, 150mg capsule, 100mg, 150 cr capsule	Restriction: Restricted to plan cardiologists only, others require prior authorization.
<b>V</b> RYTHMOL® <i>(propafenone)</i> 150mg, 225mg, 300mg tablet	Restriction: plan cardiologists only, others require prior authorization.
TAMBOCOR® <i>(flecainide)</i> 50mg, 100mg, 150 mg tablet	Restriction: Restricted to plan cardiologists only, others require prior authorization.
Cardiovascular - Antilipid (HMG - CoA Reductase Inhil	bitors) - Drugs for the heart
KHS currently has the "Statin" drugs listed belo <b>required on statins.</b>	w on the Formulary. <b>Half tablet dosing is</b>
CRESTOR® ( <i>rosuvastatin</i> ) 10mg, 20mg, 40mg tablet	
👽 LIPITOR® <i>(atorvastatin)</i> 20mg, 40mg, 80mg tablet	
PRAVACHOL® (pravastatin) 20mg, 40mg tablet	
VOCOR® <i>(simvastatin)</i> 10mg, 20mg, 40mg, 80mg tablet	
Cardiovascular - Antilipid - Fibrates - Drugs for the he	eart
👽 <b>fenofibrate</b> 54mg, 145mg, 160mg tablet	Restriction: Trial and failure of gemfibrozil. Ok first line if on statin therapy.
VIDE (gemfibrozil) 600mg tablet	
Cardiovascular - Antilipid - Lipotropics - Drugs for the	heart
VETIA® (ezetimibe) 10mg tablet	Restriction: Prior authorization required. Should be adjunct to statin therapy.
Cardiovascular - Antilipid - Other Medications - Drugs	for the heart
COLESTID® (colestipol) 1g tablet	
<b>V</b> QUESTRAN® <i>(cholestyramine)</i> Powder (bulk can only)	
Cardiovascular - Betablocker - Drugs for the heart	
COREG® (carvedilol) 3.125mg, 6.25mg, 12.5mg tablet	
VINDERAL® <i>(propranolol)</i> 20mg/5ml, 40mg/5ml oral soln, 10mg, 20mg, 40mg, 60mg, 80mg tablet	





MEDICATIONS	RESTRICTIONS
Cardiovascular - Betablocker - Drugs for the heart, co	ntinued • SEE PREVIOUS PAGE
LOPRESSOR® (metoprolol tartrate) 50mg, 100mg tablet	
SECTRAL® <i>(acebutolol)</i> 200mg, 400mg capsule	
👽 TENORMIN® <i>(atenolol)</i> 25mg, 50mg, 100mg tablet	
👽 TRANDATE® <i>(labetolol)</i> 100mg, 200mg, 300mg tablet	
Cardiovascular - Betablocker Thiazide Combination - D	orugs for the heart
bisoprolol - hctz 2.5-6.25 mg, 5-6.25 mg, 10-6.25 mg tablet	
Cardiovascular - Calcium Channel Blocker - Drugs for t	he heart
🎯 💔 ADALAT CC® <i>(nifedipine)</i> 30mg, 60mg, 90mg cr tablet	
CALAN®, CALAN SR® (verapamil) 40mg, 80mg, 120mg tablet, 120mg cr tablet, 180mg cr tablet, 240mg cr tablet	
CARDIZEM® (diltiazem) 30mg, 60mg, 90mg, 120mg tablet, 120mg/24hr, 180mg/24hr, 240mg/24hr, 300mg/24hr, 360mg/24hr cr capsule	
👽 NORVASC® <i>(amlodipine)</i> 2.5mg, 5mg, 10mg tablet	
Cardiovascular - Diuretic - Drugs for the heart	
ALDACTONE® (spironolactone) 25mg, 50mg, 100mg tablet	
<b>V</b> chlorthalidone 15mg, 25mg tablet	
DYAZIDE®, MAXIDE® (triamterene & hydrochlorothiazide) 37.5mg-25mg capsule, 75mg-50mg tablet	
👽 DYRENIUM® <i>(triamterene)</i> 50mg, 100mg capsule	
👽 ESIDRIX® <i>(hydrochlorothiazide)</i> 25mg tablet	





MEDICATIONS	RESTRICTIONS
Cardiovascular - Diuretic - Drugs for the heart, contin	ued • SEE PREVIOUS PAGE
LASIX® (furosemide) 8mg/ml, 10mg/ml soln, 20mg, 40mg, 80mg tablet	
👽 LOZOL® <i>(indapamide)</i> 1.25mg, 2.5mg tablet	
ZAROXOLYN® <i>(metolazone)</i> 2.5 mg, 5 mg, 10 mg tablet	Restriction: Restricted to members on furosemide therapy.
Cardiovascular - Electrolyte Depleter - Drugs for the l	neart
FOSRENOL® (lanthunum carbonate) 500mg, 750mg, 1000mg chewable tablet	Restriction: Max 3000mg/day.
<b>W</b> KAYEXALATE® <i>(sodium polystyrene sulfonate)</i> 25% susp only	
PHOSLO® (calcium acetate)       667mg capsule	Restriction: For renal patients only.
<b>potassium chloride</b> 8mEq,10mEq, 20mEq cr tablet, 10%, 20% liquid	
<b>RENVELA®</b> <i>(sevelamer carbonate)</i> 800mg tablet	Restriction: Maximum of 12 tablets daily if prescribed by a nephrologist. Higher doses require prior authorization, support with lab values.
VELTASSA® <i>(patiromer)</i> 8.4 g, 16.8g, 25.2 gm powder	Restriction: Prior authorization required.
Cardiovascular - Pulmonary Arterial Hypertension Enc	othelin Receptor Antagonist - Drugs for the heart
💔 LETAIRIS® <i>(ambrisentan)</i> 5 mg, 10 mg tablet	Restriction: Prior authorization required.
TRACLEER® ( <i>bosentan</i> ) 62.5 mg, 125 mg tablet	Restriction: Prior authorization required.
Cardiovascular - Pulmonary Arterial Hypertension Ph	osphodiesterase 5 Inhibitor - Drugs for the heart
REVATIO® (sildenafil) 20mg tablet	Restriction: Prior authorization required.
Cardiovascular - Pulmonary Arterial Hypertension Pro	ostacyclin type - Drugs for the heart
FLOLAN® ( <i>epoprostenol</i> ) 0.5 mg, 1.5 mg vial	Restriction: Prior authorization required.
Cardiovascular - Vasodilator - Drugs for the heart	
APRESOLINE® (hydralazine) 10mg, 25mg, 50mg, 100mg tablet	



MEDICATIONS	RESTRICTIONS
Cardiovascular - Vasodilator - Drugs for the heart, co	ntinued • SEE PREVIOUS PAGE
IMDUR® (isosorbide mononitrate) 60mg, 120mg tablet	
ISORDIL® (isosorbide dinitrate) 5mg, 10mg, 20mg, 30mg tablet, 2.5mg, 5mg sl tablet, 5mg, 10mg chewable tablet	
👽 LONITEN® <i>(minoxidil)</i> 2.5mg, 10mg tablet	
nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.3 mg/hr, 0.4 mg/hr, 0.6 mg/hr, 0.8 mg/hr patch	
NITROSTAT® (nitroglycerin) 0.3mg, 0.4mg, 0.6mg sl tablet	
Central Nervous System - Anticonvulsant - Drugs for	the nervous system
DEPAKOTE®, DEPAKOTE ER® <i>(divalproex)</i> 125mg ec capule, 125mg, 250mg, 500mg ec tablet, 500mg cr tablet, 250mg/5ml soln	
CILANTIN®, PHENYTEK® <i>(phenytoin)</i> 50mg chewable tablet, 30mg, 100mg capsule, 30mg/5ml, 125mg/5ml susp	
👽 GABITRIL® <i>(tiagabine)</i> 2mg, 4mg, 12mg, 16mg tablet	Restriction: Restricted to plan Neurologists.
KEPPRA® (levetiracetam) 500mg, 750mg, 1000mg tablet, 500mg XR, 750mg XR tablet	
👽 KLONOPIN® <i>(clonazepam)</i> 0.5mg, 1mg, 2mg tablet	
LAMICTAL® (lamotrigine) 5mg, 25mg chewable tablet, 100mg, 150mg, 200mg tablet	
LYRICA® (pregabalin) 25mg, 50mg, 75mg, 100mg, 150mg, 200mg, 225mg, 300mg capsule	
MYSOLINE® (primidone) 250mg/5ml susp, 50mg, 250mg tablet	
VEURONTIN® <i>(gabapentin)</i> 100mg, 300mg, 400mg capsule, 600mg, 800mg tablet	



# **MEDICATIONS** RESTRICTIONS Central Nervous System - Anticonvulsant - Drugs for the nervous system, continued • SEE PREVIOUS PAGE 👽 phenobarbital 20mg/5ml elixir, 15mg, 30mg, 60mg, 100mg tablet TEGRETOL® (carbamazepine) 100mg chewable tablet, 200mg tablet, 100mg/5ml susp Restriction: Capsules allowed for children < 10 years old. TOPAMAX® *(topiramate)* 15mg, 25mg sprinkle capsule, 25mg, 50 mg, 100mg, 200mg tablet 👽 TRILEPTAL® *(oxcarbazepine)* 300mg, 600mg tablet VZARONTIN® (ethosuximide) 250mg/5ml syrup, 250mg capsule 👽 ZONEGRAN® (*zonisamide)* 25mg, 50mg, 100mg capsule Central Nervous System - Antidepressant - Antipsychotic - Drugs for the nervous system Restriction: Prior authorization required. 👽 TRIAVIL® (perphenazine & amitriptyline) 2-10mg, 2-25mg, 4-10mg, 4-25mg tablet Central Nervous System - Antidepressant - Norepinephrine Antagonist and Serotonin Antagonist Antidepressants - Drugs for the nervous system 👎 REMERON® *(mirtazapine)* 15mg, 30mg, 45mg tablet Central Nervous System - Antidepressant - Norepinephrine-Dopamine Reuptake Inhibitors (NDRI) - Drugs for the nervous system 👽 DESYREL® *(trazodone)* 50mg, 100mg, 150mg tablet 👽 WELLBUTRIN® *(bupropion)* 100 mg, 150 mg, 200 mg Restriction: Restricted to Depression formulation designation. cr tablet, 150 mg, 300 mg xl tablet Central Nervous System - Antidepressant - Selective Serotonin Reuptake Inhibitors (SSRI) - Drugs for the nervous system Fluoxetine is the least expensive of the SSRIs. KHS recommends the generic Fluoxetine as the economic SSRI of choice. Only the 20mg capsules will be covered since they are so inexpensive compared to the 40mg. DHCS has age restrictions on use in pediatrics. Please consult FDA on specific guidelines. KHS formulary requires half tablet dosing for all tablets in this class except for citalopram. All generic formulations must be tried and considered before branded, non-formulary medications

Continued on next page



**65** Should be avoided in the elderly

# **MEDICATIONS**

# **RESTRICTIONS**

Central Nervous System - Antidepressant - Selective nervous system, continued • SEE PREVIOUS PAGE	Serotonin Reuptake Inhibitors (SSRI) - Drugs for the
will be considered.	
Tablet splitters are covered for KHS patients.	
CELEXA® <i>(citalopram)</i> 10mg, 20mg, 40mg tablet	Restriction: Allowed > 12 years old.
EXAPRO® ( <i>escitalopram</i> ) 5mg, 10mg, 20mg tablet	Restriction: Citalopram trial and failure required. Allowed > 12 years old.
UVOX® <i>(fluvoxamine)</i> 50mg, 75mg, 100mg tablet, 100mg, 150mg er capsule	Restriction: 100mg and 150 mg ER capsule PA required. Allowed > 8 years old.
PAXIL® (paroxetine) 20mg, 30mg, 40mg tablets	Restriction: Allowed > 18 years old.
PROZAC® <i>(fluoxetine)</i> 10mg, 20mg capsule, 20mg/5ml soln	Restriction: Restricted to 10mg NMT 1 daily, 20mg NMT 4 daily. Allowed > 7 years old.
VOLOFT® <i>(sertraline)</i> 50mg, 100mg tablet	Restriction: Allowed > 6 years old.
Central Nervous System - Antidepressant - Tricyclics	(TCA) - Drugs for the nervous system
👽 <b>amitriptyline</b> 10mg, 25mg, 50mg, 75mg, 100mg, 150mg tablet	
ANAFRANIL® <i>(clomipramine)</i> 25mg, 50mg, 75mg capsule	Restriction: Prior authorization required.
VORPRAMIN® <i>(desipramine)</i> 10mg, 25mg, 50mg, 75mg, 100mg, 150mg tablet	
PAMELOR® ( <i>nortriptyline</i> ) 10mg, 25mg, 50mg, 75mg capsule, 10mg/5ml soln	
TOFRANIL® <i>(imipramine)</i> 10mg, 25mg, 50mg tablet, 75mg, 100mg, 150mg capsule (pamoate)	
Central Nervous System - Antidepressant-Serotonin - for the nervous system	Norepinephrine Reuptake Inhibitors (SNRI) - Drugs
<b>VINBALTA® (<i>duloxetine</i>)</b> 20mg, 30mg, 60mg capsule	
FFEXOR®, EFFEXOR XR® <i>(venlafaxine)</i> 25mg, 37.5mg, 50mg, 75mg, 100mg tablet, 37.5mg, 75mg, 150mg cr capsule	





### **MEDICATIONS**

# RESTRICTIONS

# Central Nervous System - Anxiolytic - Drugs for the nervous system

The **Benzodiazepine anxiolytic medications are restricted** to prevent patients becoming habituated or addicted to them. Doses for physicians who are not mental health specialists are also restricted. Diazepam and lorazepam are restricted to an initial 90 days supply and have the following daily maximums. The SSRI's are recommended for long term antianxiety therapy.

Caution should be used when combining with opioids.

Medication	Daily Maximum Dose
Diazepam	10mg
Lorazepam	2mg

👽 ATIVAN® <i>(lorazepam)</i> 0.5mg, 1mg, 2mg tablet	Restriction: Restricted to 90 days therapy and 2mg maximum daily dose.
👽 BUSPAR® <i>(buspirone)</i> 5mg, 10mg, 15mg tablet	
👽 KLONOPIN® <i>(clonazepam)</i> 0.5mg, 1mg, 2mg tablet	
🚱 💔 VALIUM® <i>(diazepam)</i> 2mg, 5mg, 10mg tablet	Restriction: Restricted to 90 days therapy and 10mg maximum daily dose.

Central Nervous System - Migraine - Drugs for the nervous system	
AIMOVIG® <i>(erenumab - aooe)</i> 70 mg/ml, 140 mg/ml injection	Restriction: PA required.
CAFERGOT® <i>(ergotamine &amp; caffeine)</i> 1mg-100mg tablet, 2mg-100mg supp	Restriction: 20 doses per month.
<b>Gergotamine tartarate</b> 2 mg sl tablet	
FIORICET® <i>(butalbital, caffeine, &amp; acetaminophen)</i> 50mg-40mg-325mg tablet	Restriction: 50 tablets maximum per month.
FIORINAL® (butalbital, caffeine, & aspirin)	Restriction: 50 capsules maximum per month.

50mg-40mg-325mg capsule/tablet

Central Nervous System - Migraine-Triptan - Drugs for the nervous system

The Triptan medications are the largest expense category of the anti-migraine drugs. The Triptan medications are maximally restricted to 9 tablets per 30 day period and 3 dispensings in a 365 day period. Patients whose demand exceeds the 3 fills are recommended to be considered for prophylactic medications and for a Neurology referral.






MEDICATIONS	RESTRICTIONS	
Central Nervous System - Migraine-Triptan - Drugs PAGE	for the nervous system, continued • SEE PREVIOUS	
<b>Medication</b> Sumatriptan (Imitrex®) 50-100mg Naratriptan (Amerge®) 2.5mg	Cost/9 tablets \$9 \$25	
Rizatriptan (Maxalt®) 5mg Zolmitriptan (Zomig®) 5mg	\$19 \$57	
AMERGE® (naratriptan) 1mg, 2.5mg tablet	Restriction: 9 tablets in 30 days with a maximum of 3 fills in a 12 month period.	
IMITREX® ( <i>sumatriptan)</i> 50mg, 100mg tablet only	Restriction: Restricted to 9 tablets in 30 days with a maximum of 3 fills in a 12 month period.	
MAXALT® ( <i>rizatriptan</i> ) 5mg, 10mg tablet	Restriction: 12 tablets in 40 days with a maximum of 2 fills in a 12 month period.	
Central Nervous System - Sedative - Drugs for the nervous system		
	inst prescribing sedative medication on a nightly medications will be restricted to the treatment of ts experiencing morning drowsiness from the	

regular strengths of the Formulary medications low dose Temazepam (Restoril® 7.5mg) is offered. The FDA has issued recommendations for lower doses for women. Caution should be used in combination with opioids.

AMBIEN® ( <i>zolpidem</i> ) 5mg, 10mg tablet	Restriction: Allow 15 tablets in 30 days. 5mg daily maximum allowed for women.
• RESTORIL® ( <i>temazepam)</i> 15mg, 30mg capsule	Restriction: Allow 15 capsules in 30 days.
Central Nervous System - Stimulant - Drugs for the n	ervous system
Restricted to members between the ages of 4 and 16 years old with ADD/ADHD. ER formulations limited to once daily dosing in accordance to FDA dosing guidelines.	
<ul> <li>ADDERALL®, ADDERALL XR®</li> <li>(amphetamine combination) 5mg, 7.5mg, 10mg, 20mg, 30mg tablet, 5mg, 10mg, 15mg, 20mg, 25mg, 30mg cr tablet</li> </ul>	
CEXEDRINE® ( <i>dextro-amphetamine</i> ) 5mg, 10mg tablet, 10mg, 15mg, cr capsule	
FOCALIN®, FOCALIN XR® <i>(dexmethylphenidate)</i> 5mg, 10mg tablet, 5mg, 10mg, 15mg, 20mg, 30mg capsule	



**MEDICATIONS** 

# RESTRICTIONS

Central Nervous System - Stimulant - Drugs for the nervous system, continued • SEE PREVIOUS PAGE		
RITALIN® (methylphenidate) 5mg, 10mg, 20mg tablet, 20mg cr tablet		
STRATTERA® <i>(atomoxetine)</i> 10 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg, 100 mg capsule	Restriction: Psychiatrist only.	
VYVANSE® <i>(lisdexamfetamine)</i> 20mg, 30mg, 40mg, 50mg, 60mg, 70mg capsule	Restriction: Must fail generic amphetamines first.	
Cholinesterase Inhibitors - Drugs for memory loss		
💔 ARICEPT® <i>(donepezil)</i> 5mg, 10mg tablet	Restriction: Prior authorization required. MMSE	
Drug Dependency Therapy		
😯 CHANTIX® <i>(varenicline)</i> 0.5mg, 1mg tablet		
<ul> <li>NICORETTE®, NICOTROL®, NICODERM CQ® (nicotine)</li> <li>2mg, 4mg gum, 2mg, 4 mg lozenge, 10mg cartridge,</li> <li>10mg/ml spray, 7mg, 14 mg, 21 mg patches</li> </ul>		

### Enterals

Enterals are covered by KHS following the Medi-Cal guidelines for coverage and exclusion. Only products listed on the Fee-For-Service product list are covered. The products are grouped by the following product categories:

- Elemental and Semi-Elemental •
- Metabolic
- Specialized •
- Specialty Infant
- Standard •

KHS members must meet the medical criteria for the product category specific to the product requested.

Enteral nutrition products may be covered upon authorization when used as a therapeutic regimen to prevent serious disability or death in patients with medically diagnosed conditions that preclude the full use of regular food (California Code of Regulations [CCR], Title 22, Section 51313.3).

Enteral nutrition products covered are subject to the Medi-Cal List of Enteral Nutrition Products and utilization controls (Welfare and Institutions Code [W&I Code], Sections 14132.86, 14105.8 and 14105.395).





# **MEDICATIONS**

# RESTRICTIONS

# Enterals, continued • SEE PREVIOUS PAGE

Enteral nutrition products provided to inpatients receiving inpatient hospital services are included in the hospital's reimbursement made under the CCR, Title 22, Section 51536. These products are not separately reimbursable. Enteral nutrition products provided to inpatients receiving Nursing Intermediate Care Facilities Facility Level A services or Nursing Facility *Level B services are not separately reimbursable.* 

Enteral nutrition products provided to patients in an Intermediate Care Facility for the Developmentally Disabled (ICF/DD), Intermediate Care Facility for the Developmentally Disabled/Habilitative (ICF/DD-H) or Intermediate Care Facility for the Developmentally Disabled/Nursing ICF/DD-N) are reimbursed as part of the facility's daily rate and are not separately reimbursable (CCR, Title 22, Sections 51510.1, 51510.2 and 51510.3).

The following nutrition products are not covered by Medi-Cal:

- Regular food, including solid, semi-solid, blenderized and pureed foods •
- Common household items •
- Regular infant formula as defined in the Federal Food, Drug and Cosmetic Act (FD&C • Act)
- Shakes, cereals, thickened products, puddings, bars, gels and other non-liquid products •
- Thickeners •
- Products for assistance with weight loss
- Vitamin and/or mineral supplements, except for pregnancy and birth up to 5 years of age (Refer to the appropriate contract drugs list section in this manual for more information).
- Enteral nutrition products used orally as a convenient alternative to preparing and/or consuming regular solid or pureed foods

Gastrointestinal - Antidiarrheal - Drugs for the stomach	
LOMOTIL® (diphenoxylate & atropine) 2.5mg/5ml liq, 2.5mg tablet	
💔 paregoric 2mg/5ml liq	
Gastrointestinal - Antiemetic - Drugs for the stomach	
COMPAZINE® <i>(prochlorperazine)</i> 5mg, 10mg tablet, 15mg cr capsule, 2.5mg, 5mg, 10mg supp, 5mg/5ml syrup	
EMEND® <i>(aprepitant)</i> 40mg, 80mg, 125mg, 125-80mg, 150mg vial	Restriction: Restricted to highly emetic chemotherapy such as 'platinum' therapy. Allow up to 3 days per treatment.



EDICATIONS	RESTRICTIONS
Gastrointestinal - Antiemetic - Drugs for the stomach	
* 💔 KYTRIL® <i>(granisetron)</i> 1 mg tablet	Restriction: Prior authorization required.
MARINOL® ( <i>dronabinol</i> ) 2.5 mg, 5 mg, 10 mg capsule	Restriction: Restricted to use by KHS plan Oncologist.
* 65 <sup>()</sup> PHENERGAN® <i>(promethazine)</i> 6.25mg/5ml, 25mg/5ml syrup, 12.5mg, 25mg, 50mg tablet or supp	Restriction: Restricted to members > 2 years old.
★ ♥ZOFRAN® <i>(ondansetron)</i> 4mg, 8mg tablet, ODT	Restriction: Allow up to 3 days of therapy per oncology treatment.
Gastrointestinal - Digestant - Drugs for the stomach	
👽 ACTIGALL® <i>(ursodiol)</i> 250 mg, 500 mg tablet	Restriction: Prior authorization required.
CREON®, ZENPEP® <i>(amylase, lipase, &amp; protease)</i> varying strengths -capsule, tablet, chewable tablet, ec tablet	Restriction: Prior authorization required.
Gastrointestinal - H2 Antagonist - Drugs for the stor	
If the patient is on a PPI there is usually no adv Some patients experiencing break through symp from a night dose of an H2 Antagonist. If the dr	antage of also prescribing an H2 Antagonist. toms at night with a morning PPI may benefit ugs are given at the same time it may lessen the
If the patient is on a PPI there is usually no adv Some patients experiencing break through symp from a night dose of an H2 Antagonist. If the dr effectiveness of the PPI. Note that the OTC H2 A	antage of also prescribing an H2 Antagonist. toms at night with a morning PPI may benefit ugs are given at the same time it may lessen the
If the patient is on a PPI there is usually no adv Some patients experiencing break through symp from a night dose of an H2 Antagonist. If the dr	antage of also prescribing an H2 Antagonist. toms at night with a morning PPI may benefit
If the patient is on a PPI there is usually no adv Some patients experiencing break through symp from a night dose of an H2 Antagonist. If the dr effectiveness of the PPI. Note that the OTC H2 A	antage of also prescribing an H2 Antagonist. toms at night with a morning PPI may benefit ugs are given at the same time it may lessen the Antagonists require a package size of 30 or more.
If the patient is on a PPI there is usually no adv Some patients experiencing break through symp from a night dose of an H2 Antagonist. If the dr effectiveness of the PPI. Note that the OTC H2 A PEPCID® (famotidine) 10mg, 20mg, 40mg tablet ZANTAC® (ranitidine) 150mg tablet, 15mg/ml syrup Gastrointestinal - Helicobacter Pylori Treatment - Dru Preferred Therapy according to the American C therapy. Quadruple Therapy PO for 10-14 days metronidazole 500mg TID-QID + doxycycline I Therapy PO for 10-14 days: clarithromycin 500	antage of also prescribing an H2 Antagonist. toms at night with a morning PPI may benefit ugs are given at the same time it may lessen the Antagonists require a package size of 30 or more. <b>Ugs for the stomach</b> College of Gastroenterology, 2017, is quadruple to bismuth subsalicylate 262mg QID +
<ul> <li>If the patient is on a PPI there is usually no adv Some patients experiencing break through symp from a night dose of an H2 Antagonist. If the dre effectiveness of the PPI. Note that the OTC H2 A</li> <li>PEPCID® (famotidine) 10mg, 20mg, 40mg tablet</li> <li>ZANTAC® (ranitidine) 150mg tablet, 15mg/ml syrup</li> <li>Gastrointestinal - Helicobacter Pylori Treatment - Dre Preferred Therapy according to the American C therapy. Quadruple Therapy PO for 10-14 days metronidazole 500mg TID-QID + doxycycline 1 Therapy PO for 10-14 days: clarithromycin 500 500 mg BID + PPI Triple therapy PO x 7-14 day</li> </ul>	antage of also prescribing an H2 Antagonist. toms at night with a morning PPI may benefit ugs are given at the same time it may lessen the Antagonists require a package size of 30 or more. <b>Ugs for the stomach</b> College of Gastroenterology, 2017, is quadruple to bismuth subsalicylate 262mg QID + 00mg BID + PPI <b>Concomitant Quadruple</b> 0 mg BID + amoxicillin 1 g BID + metronidazole tys: clarithromycin 500 mg bid + amoxicillin 1 g
If the patient is on a PPI there is usually no adv Some patients experiencing break through symp from a night dose of an H2 Antagonist. If the dre effectiveness of the PPI. Note that the OTC H2 A PEPCID® (famotidine) 10mg, 20mg, 40mg tablet ZANTAC® (ranitidine) 150mg tablet, 15mg/ml syrup Gastrointestinal - Helicobacter Pylori Treatment - Dre Preferred Therapy according to the American C therapy. Quadruple Therapy PO for 10-14 days metronidazole 500mg TID-QID + doxycycline 1 Therapy PO for 10-14 days: clarithromycin 500 500 mg BID + PPI Triple therapy PO x 7-14 da bid (or metronidazole 500 mg bid) + a PPI*	antage of also prescribing an H2 Antagonist. toms at night with a morning PPI may benefit ugs are given at the same time it may lessen the Antagonists require a package size of 30 or more. <b>Ugs for the stomach</b> College of Gastroenterology, 2017, is quadruple to bismuth subsalicylate 262mg QID + 00mg BID + PPI <b>Concomitant Quadruple</b> 0 mg BID + amoxicillin 1 g BID + metronidazole tys: clarithromycin 500 mg bid + amoxicillin 1 g
<ul> <li>If the patient is on a PPI there is usually no adv Some patients experiencing break through symp from a night dose of an H2 Antagonist. If the dre effectiveness of the PPI. Note that the OTC H2 A</li> <li>PEPCID® (famotidine) 10mg, 20mg, 40mg tablet</li> <li>ZANTAC® (ranitidine) 150mg tablet, 15mg/ml syrup</li> <li>Gastrointestinal - Helicobacter Pylori Treatment - Dre Preferred Therapy according to the American C therapy. Quadruple Therapy PO for 10-14 days metronidazole 500mg TID-QID + doxycycline I Therapy PO for 10-14 days: clarithromycin 500 500 mg BID + PPI Triple therapy PO x 7-14 day bid (or metronidazole 500 mg bid) + a PPI*</li> </ul>	antage of also prescribing an H2 Antagonist. toms at night with a morning PPI may benefit ugs are given at the same time it may lessen the Antagonists require a package size of 30 or more. <b>Ugs for the stomach</b> College of Gastroenterology, 2017, is quadruple to bismuth subsalicylate 262mg QID + 00mg BID + PPI <b>Concomitant Quadruple</b> 0 mg BID + amoxicillin 1 g BID + metronidazole tys: clarithromycin 500 mg bid + amoxicillin 1 g
If the patient is on a PPI there is usually no adv Some patients experiencing break through symp from a night dose of an H2 Antagonist. If the dre effectiveness of the PPI. Note that the OTC H2 A PEPCID® (famotidine) 10mg, 20mg, 40mg tablet PEPCID® (famotidine) 10mg, 20mg, 40mg tablet ZANTAC® (ranitidine) 150mg tablet, 15mg/ml syrup Gastrointestinal - Helicobacter Pylori Treatment - Dre Preferred Therapy according to the American C therapy. Quadruple Therapy PO for 10-14 days metronidazole 500mg TID-QID + doxycycline 1 Therapy PO for 10-14 days: clarithromycin 500 500 mg BID + PPI Triple therapy PO x 7-14 da bid (or metronidazole 500 mg bid) + a PPI* *PPI's omeprazole 20 mg bid, pantoprazole 20n Gastrointestinal - Laxative - Drugs for the stomach	antage of also prescribing an H2 Antagonist. toms at night with a morning PPI may benefit ugs are given at the same time it may lessen the Antagonists require a package size of 30 or more. <b>Ugs for the stomach</b> College of Gastroenterology, 2017, is quadruple to bismuth subsalicylate 262mg QID + 00mg BID + PPI <b>Concomitant Quadruple</b> 0 mg BID + amoxicillin 1 g BID + metronidazole tys: clarithromycin 500 mg bid + amoxicillin 1 g





# **MEDICATIONS**

# RESTRICTIONS

Gastrointestinal - Miscellaneous - Drugs for the stomach	
♥ ANUSOL-HC® (hemorrhoidal suppository w/hydrocortisone) supp	Restriction: Max 2/day, and 7 days every 30 days.
SACOL®, DELZICOL®, LIALDA® ( <i>mesalamine</i> ) 800mg er tablet, 400mg tablet, 1.2 g DR tablet	Restriction: Try and fail balsalazide therapy before considering mesalamine.
AZULFIDINE® (sulfasalazine)         500mg tablet & ec tablet	
CARAFATE® <i>(sucralfate)</i> 1gm tablet	Restriction: Restricted to members with duodenal ulcer, NMT 90 days therapy.
COLAZAL® ( <i>balsalazide</i> ) 750mg capsule	
CORTENEMA® (hydrocortisone enema) 100mg/60ml susp	
CYTOTEC® ( <i>misoprostol</i> ) 100mg, 200mg tablet	
PRO-BANTHINE® (propantheline)         15mg tablet	Restriction: plan gastroenterologists only.
REGLAN® (metoclopramide) 5mg/5ml syrup, 5mg, 10mg tablet	

Gastrointestinal - Proton Pump Inhibitor - Drugs for the stomach

Proton Pump Inhibitors (PPIs) are one of the highest expense medication categories for most health plans. The Plan PPIs of choice are omeprazole and pantoprazole. Other PPIs will only be allowed with a fair trial of up to BID dosing of the preferred PPIs. Prescription strength PPIs will be allowed in order of escalating cost. It is important to guide patients with life style changes to eliminate possible causes of GERD. Long term use of PPIs in management of GERD should be used with caution. KHS offers triple therapy for the treatment of Heliobacter Pylori (H. Pylori). See H. pylori section. While bedtime dosing of an H2 antagonist for break through reflux may be tried, usually taking a PPI and H2 antagonist together is not clinically justified and may actually make the PPI less effective.

# Cost of PPI per patient month to KHS

Medication	Drug Cost for 30
Omeprazole	\$4
Pantoprazole	\$5
Lansoprazole	\$19
Rabeprazole	\$19





**MEDICATIONS** 

## **RESTRICTIONS**

	RESTRICTIONS	
Gastrointestinal - Proton Pump Inhibitor - Drugs for	the stomach, co	ntinued • SEE PREVIOUS PAGE
Non-Formulary Monthly		Annual
Prescription PPIsAdditionDexilent®\$271	al Cost	Additional Cost \$3252
👽 ACIPHEX® <i>(rabeprazole)</i> 20mg tablet	Restriction: Must	fail omeprazole and pantoprazole therapy.
VEXIUM 24HR (OTC)® <i>(esomeprazole)</i> 20mg capsule	Restriction: Must	fail omeprazole and pantoprazole therapy.
💔 PREVACID® <i>(lansoprazole)</i> 30mg capsule	Restriction: Must	fail omeprazole and pantoprazole therapy.
🕫 PRILOSEC® <i>(omeprazole)</i> 20mg, 40 mg capsule		
👽 PROTONIX® <i>(pantoprazole)</i> 20mg, 40mg tablet		
Hematology - Anticoagulant - Drugs for the blood		
COUMADIN® (warfarin) 1mg, 2mg, 2.5mg, 3mg, 4mg 5mg, 6mg, 7.5mg,10mg tablet		
ELIQUIS® <i>(apixaban)</i> 2.5mg, 5mg tablet, Starter pack		
heparin 1000 units/ml, 5000 units/ml, 10,000 units/m (bovine), 1000 units/ml, 5000 units/ml, 10,000 units/ml, 20,000 units/ml, 40,000 units/ml, 100 units/ml lock flush (porcine)	Restriction: Lock	flush billed as Medical claim.
COVENOX® <i>(enoxaparin)</i> 30mg/0.3ml, 40mg/0.4ml, 60mg/0.6ml, 80mg/0.8ml, 100mg/1m, 120mg/1ml, 150mg/1ml injection		ricted to a 14 day supply. Authorization is litional amounts.
XARELTO® <i>(rivaroxaban)</i> 10mg, 15mg, 20mg tablet, Starter pack		
Hematology - Antiplatelet - Drugs for the blood		
AGRYLIN® <i>(anagrelide)</i> 1mg capsule	Restriction: Prior	r authorization required.
BRILINTA® <i>(ticagrelor)</i> 60mg, 90mg tablet		r authorization required. Available first line if plogist. Up to 12 month therapy allowed.
👽 EFFIENT® <i>(prasugrel)</i> 5mg, 10mg tablet		r authorization required. Available first line if plogist. Up to 12 month therapy allowed.
🞯 👽 PERSANTINE® <i>(dipyridamole)</i> 25mg, 50mg, 75mg tablet		
PLAVIX® (clopidogrel)         75mg tablet		







MEDICATIONS	RESTRICTIONS
Hematology - Coagulant - Drugs for the blood	
MEPHYTON® (phytonadione) 5mg tablet	
Hematology - Hematopoietic - Drugs for the blood	
* ARANESP® <i>(darbepoetin)</i> 25mcg/ml, 40mcg/ml, 60mcg/ml, 100mcg/ml and 200mcg/ml.	
* <sup>(7)</sup> NIVESTYM® ( <i>filfrastim - aafi</i> ) 300 mcg/0.5/ml, 480 mcg/0.8 ml syringe, vial	Restriction: Prior authorization required. Quantity and lab values required.
RETACRIT® (epoetin, alpha) 2000 units/ml, 3000 units/ml, 4000 units/ml, 10,000 units/ml, 20,000 units/ml, 40,000 units/ml injection	Restriction: Restricted to patients with anemia from Zidovudine therapy or CRF.
Hematology - Miscellaneous - Drugs for the blood	
👽 <i>cilostazol</i> 50mg, 100mg tablet	Restriction: Restricted to members > 65 years old with intermittant claudication or diabetic of any age with intermittant claudication.
TRENTAL® (pentoxifylline) 400mg tablet	Restriction: Restricted to members > 65 years old with intermittant claudication or diabetic of any age with intermittant claudication.
Hormone - Androgen - Drugs for hormones	
DANOCRINE® <i>(danazol)</i> 50 mg, 100 mg, 200 mg capsule	Restriction: Prior authorization required.
DEPO-TESTOSTERONE® <b>(testosterone)</b> 100mg/ml, 200mg/ml vial	Restriction: Prior authorization required.
Hormone - Antidiabetic - Amylin Analog - Drugs for d	iabetes
SYMLIN® (pramalintide) Pen injector	Restriction: Prior authorization required.
Hormone - Antidiabetic - Dipeptidyl Peptidase-4 - Dru	ugs for diabetes
VESINA® <i>(alogliptin)</i> 6.25mg, 12.5mg, 25mg tablet	Restriction: Restricted to members on metformin or cannot take or failed metformin. Please consider when initiating DPP-4 therapy.
TRADJENTA® <i>(linagliptin)</i> 5mg tablet	Restriction: Restricted to members adherent on metformin or cannot take or failed metformin. PA required. DPP-4 therapy is expected to use Alogliptin unless CHF contraindications exist demonstrated by supporting documentation.







28

MEDICATIONS	RESTRICTIONS
Hormone - Antidiabetic - Dipeptidyl Peptidase-4 - Me	tformin - Drugs for diabetes
KAZANO® (alogliptin/metformin) 12.5-500mg, 12.5-1000mg tablet	Restriction: Restricted to members on metformin.
Hormone - Antidiabetic - Dipeptidyl Peptidase-4 - Thi	azolidinedione - Drugs for diabetes
OSENI® (alogliptin/pioglitazone) 12.5-15mg, 12.5-30mg, 12.5-45mg, 25-15mg, 25-30mg, 25-45mg tablet	Restriction: Restricted to members on metformin or cannot take or failed metformin.
Hormone - Antidiabetic Alpha-glucodiase Inhibitor - D	rugs for diabetes
💔 PRECOSE® <i>(acarbose)</i> 25mg, 50mg, 100 mg tablet	Restriction: Restricted to endocrinologists.
Hormone - Antidiabetic Biguanide - Drugs for diabetes	
<i>Metformin</i> is a valuable medication for the treat Metformin is that it can help minimize weight ga nausea may be considered for Glucophage XR®.	in. Patients who try generic Metformin and have
GLUCOPHAGE®, GLUCOPHAGE XR® ( <i>metformin)</i> 500mg, 850mg, 1000mg tablet, 500mg cr tablet	
Hormone - Antidiabetic GLP-1 Agonists - Drugs for di	
ADLYXIN® <i>(lixisenatide)</i> 20 mcg pen, starter	Restriction: Restricted to members adherent to > 90 of SGLT-2 therapy or members seen by endocrinologists with history of SGLT-2 therapy.
BYDUREON® <i>(exenatide)</i> 2 mg vial, pen, Bcise	Restriction: Restricted to members adherent to > 90 of SGLT-2 therapy or members seen by endocrinologists with history of SGLT-2 therapy. Grandfathered only. New GLP-1 therapy consider Adlyxin or Trulicity if cardiac (heart) disease.
OZEMPIC® RYBELSUS® <i>(semaglutide)</i> 3 mg, 7 mg, 14 mg tablet, 1 mg pen, starter	Restriction: Restricted to members seen by endocrinologists on SGLT-2 therapy of any duration.
TRULICITY® <i>(dulaglutide)</i> 0.75 mg/0.5, 1.5 mg/0.5, 3 mg/0.5 ml, 4.5 mg/0.5 ml pen	Restriction: Restricted to members adherent to > 90 of SGLT-2 therapy or members seen by endocrinologists with history of SGLT-2 therapy. Preferred for those with cardiovascular (heart) disease.
VICTOZA® <i>(liraglutide)</i> 18 mg/1 ml pen	Restriction: Restricted to members seen by endocrinologists on SGLT-2 therapy of any duration also demonstrating concurrent atherosclerotic cardiovascular (heart) disease with supporting clinical documentation.





MEDICATIONS	RESTRICTIONS	
Hormone - Antidiabetic GLP-1 Agonists glargine comb	ination - Drugs for diabetes	
SOLIQUA® <i>(insulin glargine/lixisenatide)</i> 100-33/ml pen	Restriction: Restricted to members currently on insulin glargine or GLP-1.	
Hormone - Antidiabetic Insulin - Drugs for diabetes		
★ ♥ ADMELOG®, HUMALOG® <i>(insulin lispro)</i> 100 units/ml, 50-50 mix, 75-25 mix	Restriction: Admelog allowed for single ingredient formulation.	
★APIDRA® <i>(insulin glulisine)</i> 100 units/ml		
★ HUMULIN® NOVOLIN® (insulin, human) 100 units/ml Regular, Lente, NPH, 50-50, 70-30 mix, 500 unit/ml Regular	Restriction: U-500 restricted to endocrinology.	
<b>*</b> LEVEMIR® <i>(insulin detemir)</i> 100 units/ml	Restriction: Restricted to adverse reactions to glargine or for use in pregnant women.	
* <sup>(1</sup> NOVOLOG® <i>(insulin aspart)</i> 100 units/ml, 70-30 mix		
SEMGLEE®, TOUJEO® <i>(insulin glargine)</i> 100 units/ml, 300 units/ml	Restriction: Toujeo therapy reserved for endocrinologist for members failing maximum dosed Semglee.	
<b>*</b> TRESIBA® <i>(insulin degludec)</i> 100 units/ml, 200 units/ml	Restriction: Restricted to endocrinologists.	
Hormone - Antidiabetic Meglitinide - Drugs for diabet	es	
👽 STARLIX® <i>(nateglinide)</i> 60mg, 120mg tablet	Restriction: Restricted to plan endocrinologists.	
Hormone - Antidiabetic Other Agents - Drugs for diabetes		
👽 glucagon 1mg kit	Restriction: Limit 2 per dispensing, 2 dispensings per 12 months.	
Hormone - Antidiabetic SGLT-2 Inhibitors - Drugs for diabetes		
FARXIGA® <i>(dapagliflozin)</i> 5 mg, 10 mg tablet	Restriction: Restricted to members adherent to > 90 days of metformin therapy. PA required. Steglatro is expected for initiating SGLT-2 therapy unless demonstrating concurrent atherosclerotic cardiovascular disease with supporting clinical documentation.	



MEDICATIONS	RESTRICTIONS
Hormone - Antidiabetic SGLT-2 Inhibitors - Drugs for	diabetes, continued • SEE PREVIOUS PAGE
JARDIANCE® <i>(empagliflozin)</i> 10 mg, 25 mg tablet	Restriction: Restricted to members adherent to > 90 days of metformin therapy. PA required. Steglatro is expected for initiating SGLT-2 therapy unless demonstrating concurrent atherosclerotic cardiovascular disease with supporting clinical documentation.
STEGLATRO® <i>(ertugliflozin)</i> 5 mg, 15 mg tablet	Restriction: Restricted to members adherent to > 90 days of metformin therapy. Preferred SGLT-2. Please consider when initiating SGLT-2 therapy.
Hormone - Antidiabetic SGLT-2 Inhibitors Combination	n - Drugs for diabetes
SEGLUROMET® <b>(ertugliflozin/metformin)</b> 2.5-500 mg, 7.5-500 mg, 2.5-1000 mg, 7.5-1000 mg tablet	Restriction: Restricted to members adherent to > 90 days of metformin therapy. Preferred SGLT-2/metformin combination.
SYNJARDY® <i>(empagliflozin/metformin)</i> 5mg-500mg, 5mg-1000mg, 12.5mg-500mg, 12.5mg-1000mg tablet	Restriction: Restricted to members adherent to > 90 days of metformin therapy. PA required. Segluromet is expected for initiating SGLT-2 therapy unless demonstrating concurrent atherosclerotic cardiovascular disease with supporting clinical documentation.
XIGDUO XR® <i>(dapagliflozin/metformin)</i> 5-500 mg, 5-1000 mg, 10-500 mg, 10-1000 mg tablet	Restriction: Restricted to members adherent to > 90 days of metformin therapy. PA required. Segluromet is expected for initiating SGLT-2 therapy unless demonstrating concurrent atherosclerotic cardiovascular disease with supporting clinical documentation.
Hormone - Antidiabetic Sulfonylureas - Drugs for dial	petes
👽 AMARYL® <i>(glimepiride)</i> 1 mg, 2mg, 4mg tablet	
👽 DIABETA® <i>(glyburide)</i> 1.25mg, 2.5mg, 5mg tablet	
👽 GLUCOTROL® <i>(glipizide)</i> 5mg, 10mg tablet	
Hormone - Antidiabetic Thiazolidinedione - Drugs for	diabetes
These agents are reserved for patients who fail of using Metformin prior to "Glitazone" therapy j minimize weight gain. Prior authorization will of Metformin or should not take Metformin (renal p	for diabetic patients since it helps patients be considered for patients who cannot tolerate
♥ACTOS® (nioalitazone) 15mg 30mg 45mg tablet	Restriction: Restricted to members on metformin or cannot

ACTOS® (*pioglitazone*) 15mg, 30mg, 45mg tablet

Restriction: Restricted to members on mettormin or cannot take or have failed metformin.





MEDICATIONS	RESTRICTIONS
Hormone - Anti-thyroid	
👽 propylthiouracil 50mg tablet	
Hormone - Endocrine - Drugs for hormones	
* 👽 cabergoline 0.5 mg tablet	Restriction: Restricted to plan endocrinologists.
ODAVP® ( <i>desmopressin</i> ) 0.1mg, 0.2mg tablet	Restriction: Prior authorization required. Not covered for enuresis.
PARLODEL® <i>(bromocriptine)</i> 2.5 mg tablet, 5 mg capsule	Restriction: Restricted to patients with amenorhhea, galactorrhea, or acromegaly.
👽 SENSIPAR® <i>(cinacalcet)</i> 30 mg, 60 mg, 90 mg, tablet	Restriction: Prior authorization required.
Hormone - Estrogen - Androgen - Drugs for hormones	
ESTRATEST® (esterified estrogens & methyltestosterone) 6.25mg-1.2mg, 1.25mg-2.5mg tablet	
Hormone - Estrogen - Drugs for hormones	
👽 ESTRACE® <i>(estradiol)</i> 0.5mg, 1mg, 2mg tablet	
PREMARIN® (estrogens, conjugated) 0.3mg, 0.45mg, 0.625mg, 0.9mg, 1.25mg, 2.5mg tablet	
Hormone - Estrogen - Progestin - Drugs for hormones	
PREMPHASE® (estrogen, conjugated & medroxyprogesterone) 0.625mg Estrogen (14) & 0.625mg-5mg Estrogen-Medroxyprogesterone (14) tablet	
PREMPRO® (estrogen, conjugated & medroxyprogesterone) 0.625mg-5mg, 0.3mg-1.5 mg, 0.45mg-1.5 mg tablet	
Hormone - Glucocorticoid - Drugs for hormones	
DECADRON® (dexamethasone) 0.5mg, 0.75mg, 1mg, 1.5mg, 2mg, 4mg, 6mg tablet	
FLORINEF® ( <i>flurocortisone</i> ) 0.1mg tablet	
hydrocortisone 5mg,10mg, 20mg tablet, 25mg supp, 100mg/60ml enema	





MEDICATIONS	RESTRICTIONS
Hormone - Glucocorticoid - Drugs for hormones, conti	nued • SEE PREVIOUS PAGE
* <sup>©</sup> MEDROL® <i>(methylprednisolone)</i> 4mg tablet in dosepack	
prednisone 1mg/1ml oral soln or syrup, 5mg/ml conc, 1mg,2.5mg, 5mg, 10mg, 20mg, 25mg, 50mg tablet 5mg, 10mg dose pack	
* <sup>()</sup> PRELONE® <i>(prednisolone)</i> 5mg/5ml, 6.7mg/5ml, 15mg/5ml soln, 5mg tablet	
Hormone - Oxytoxic - Drugs for hormones	
METHERGINE® ( <i>methylergonovine</i> ) 0.2mg tablet	
Hormone - Progestin - Drugs for hormones	
CRINONE® (progesterone miconized) 4%, 8% vaginal gel	Restriction: Restricted to plan OB/GYN.
LUPANETA® <i>(leuprolide/norethindrone)</i> 3.75-5 mg, 11.25-5 mg syringe-tab	Restriction: Prior authorization required.
MAKENA® <i>(hydroxyprogesterone caproate)</i> 250mg/ml	Restriction: Prior authorization requiredFDA indication only for singleton pregnancies. Not FDA indicated for incompetent cervix.
ORILISSA® <i>(elagolix)</i> 150 mg, 200 mg tablet	Restriction: Prior authorization required.
PROVERA®, DEPO-PROVERA® (medroxyprogesterone) 2.5mg,10mg tablet, 150mg/ml depo injection	Restriction: Depo-Provera® allowed for maximum of 24 months.
Hormone - Thyroid	
ARMOUR® (thyroiddessicated) 15mg, 30mg, 60mg, 90mg, 120mg, 180mg, 240mg, 300mg tablet	Restriction: Plan endocrinologists. Prior authorization required.
CYTOMEL® <i>(liothyronine)</i> 5 mcg, 25 mcg, 50 mcg tablet	Restriction: Prior authorization required.
<ul> <li>LEVOXYL® (levothyroxine) 0.025mg, 0.05mg, 0.075mg, 0.088mg, 0.1mg, 0.112mg, 0.125mg, 0.137mg, 0.15mg, 0.175mg, 0.2mg, 0.3mg tablet</li> </ul>	
TAPAZOLE® ( <i>methimazole</i> ) 5mg, 10mg tablet	





33

MEDICATIONS	RESTRICTIONS
Immunosuppressant -Drugs for the immune system	
* 💔 IMURAN® <i>(azathioprine)</i> 50mg tablet	
* 👽 mycophenolate 500 mg tablet	Restriction: Prior authorization required.
* <sup>()</sup> NEORAL® <i>(cyclosporine, microemulsion)</i> 25mg, 100mg capsule	
★ ♥ PROGRAF® <i>(tacrolimus)</i> 0.5mg, 1mg, 5 mg capsule	Restriction: Prior authorization required.
<b>*</b> ZORTRESS® <i>(everolimus)</i> 0.25mg, 0.5mg, 0.75mg tablet	Restriction: Prior authorization required.
The following intravenous solutions are available to plan members. These solutions are covered under per diem arrangements and typically not billed through the PBM. Authorization is required to coordinate with the infusion services and centers.	
<b>i</b> antibacterial/antifungal agents various	Restriction: Prior authorization required. Bill per diem.
Impacterialy antionigal agents various           Impacterialy antionigal agents various	Restriction: Prior authorization required. Bill per diem.
👽 intravenous lipids various	Restriction: Prior authorization required. Bill per diem.
<b>iv solutions: dextrose-water, dextrose-saline,</b> <b>dextrose and lactated ringer's</b> various	Restriction: Prior authorization required. Bill per diem.
<b>parenteral amino acid solutions and combinations</b> various	Restriction: Prior authorization required. Bill per diem.
<b>various potassium replacement</b> various	Restriction: Prior authorization required. Bill per diem.
<b>various protein replacement</b> various	Restriction: Prior authorization required. Bill per diem.
<b>various solium and saline preparations</b> various	Restriction: Prior authorization required. Bill per diem.
Muscle Relaxant	

Methocarbamol (Robaxin®) and Diazepam (Valium®) can be habituating and should be given with caution to patients with abuse potential. Diazepam is restricted to patients with cerebral palsy or severe spinal column injury. Diazepam is limited to 90 days' supply and 10mg daily maximum dose without prior authorization. Limited to FDA maximum daily dosing guidelines. Caution in use with combination with opioids. FDA and other professional societies provide guidance statements of the usefulness of muscle relaxants for short periods of time, typically 2-3



#### **MEDICATIONS**

## RESTRICTIONS

## Muscle Relaxant, continued SEE PREVIOUS PAGE

weeks. Beyond that the effectiveness seems to diminish. The plan will allow up to 90 days of antispasmodics. Medications treating spasticity will not have this limitation.

👽 baclofen 10mg, 20mg tablet	
<b>65 Cyclobenzaprine</b> 10mg tablet	Restriction: Restricted to 90 days therapy.
ROBAXIN® ( <i>methocarbamol)</i> 500mg, 750mg tablet	Restriction: Restricted to 90 days therapy.
State ( <i>diazepam)</i> 2mg, 5mg, 10mg tablet	Restriction: Restricted to 90 days therapy and 10mg maximum daily dose.
VANAFLEX® ( <i>tizanidine</i> ) 2 mg, 4 mg tablet	
NSAID - Acetic Acids - Drugs for pain	
CLINORIL® <i>(sulindac)</i> 150mg, 200mg tablet	Restriction: Restricted to members with RA.
VINDOCIN® ( <i>indomethacin</i> ) 25mg, 50mg capsule	
VOLTAREN® ( <i>diclofenac na</i> ) 50mg, 75mg ec tablet	Restriction: Restricted to members with RA.

## NSAID - COX-2 Agents - Drugs for pain

Celecoxib (Celebrex®) is allowed without prior authorization for patients over the age of 65 or who are currently taking Warfarin (Coumadin®). Other indications require prior authorization. Only one daily is allowed - Celebrex® 100mg or 200mg. KHS requires that patients start at the lowest dose possible. Patients who fail a reasonable trial of two other Formulary NSAIDs will be considered for a COX-2 agent.

*Effectiveness: COX-2 medications are not more effective than other NSAIDs. NSAIDs cannot* provide an unlimited amount of pain relief. While NSAIDs do provide pain relief and have anti-inflammatory ability, they do not alter the course of arthritis or prevent joint destruction.

Safety: COX-2 medications are not risk free. Data does seem to reflect a lower incidence of GI toxicity but that may be diminished by concurrent aspirin therapy.

Vioxx® had been allowed by the FDA to add to their product insert a statement of safety for GI problems. Celebrex® was denied a similar request. Adding another NSAID such as aspirin to *COX-2 therapy will probably increase risk. (CLASS Study)* 

COX-2 agents have renal liability as other NSAIDs. This risk may be less, but there is some potential for renal problems. These drugs can cause sodium and fluid retention like other NSAIDs. Cardiovascular safety with COX-2 drugs is being questioned.





MEDICATIONS	RESTRICTIONS	
NSAID - COX-2 Agents - Drugs for pain, continued •	SEE PREVIOUS PAGE	
CELEBREX® <i>(celecoxib)</i> 100mg, 200mg capsule	Restriction: Restricted to members > 65 years old or members on warfarin. Limited to one dose daily. Members not at risk are required to fail two other Formulary NSAIDs first. Other members and doses require prior authorization.	
NSAID - Other - Drugs for pain		
😯 RELAFEN® <i>(nabumetone)</i> 500mg, 750mg tablet		
NSAID - Oxicam - Drugs for pain		
MOBIC® (meloxicam) 7.5mg, 15mg tablet		
NSAID - Propionic Acids - Drugs for pain		
MOTRIN® (ibuprofen) 100mg/5ml susp, 400mg, 600mg, 800mg tablet	Restriction: FDA does not recommend in children < 6 months.	
NAPROSYN® ( <i>naproxen</i> ) 125mg/5ml susp, 250mg, 375mg, 500mg tablet		
😯 ORUDIS® <i>(ketoprofen)</i> 25mg, 50mg, 75mg capsule	Restriction: Restricted to members with RA.	
NSAID - Salicylate - Drugs for pain		
DISALCID® (salsalate) 500mg capsule, tablet or cr tablet, 750mg tablet		
Ophthalmic - Anesthetic - Drugs for the eyes		
👽 proparacaine 0.5% ophth soln	Restriction: Prior authorization required.	
Ophthalmic - Anti-fungal - Drugs for the eyes		
💔 NATACYN® <i>(natamycin)</i> 5% ophth susp		
Ophthalmic - Antihistamine - Drugs for the eyes		
💔 OPTIVAR® (azelastine ophth soln) 0.05% ophth soln	Restriction: Trial and failure of Zaditor required.	
PATANOL® ( <i>olopatadine</i> ) 0.1% ophth soln	Restriction: Restricted to plan ophthalmologists only.	
Ophthalmic - Anti-infective - Drugs for the eyes		
👽 <b>bacitracin</b> ophth oint		
BESIVANCE® ( <i>besifloxacin</i> ) 0.6% ophth susp	Restriction: Patients must have recently failed first line ophth antibiotics. Allow 1st line for ophthalmologists.	

Continued on next page





Should be avoided in the elderly

MEDICATIONS	RESTRICTIONS
Ophthalmic - Anti-infective - Drugs for the eyes, conti	inued • SEE PREVIOUS PAGE
💔 CILOXAN® <i>(ciprofloxacin)</i> 0.3% ophth soln	
👽 GARAMYCIN® <i>(gentamicin)</i> 0.3% ophth oint & soln	
😯 ILOTYCIN® <i>(erythromycin)</i> 0.5% ophth oint	
VEO-POLYCIN® <i>(neomycin, bacitracin &amp; polymyxin)</i> 3.5mg-400 units (or 500 units)-10000 units ophth oint	
VEOSPORIN® ( <i>neomycin,polymyxin &amp; gramicidin)</i> ophth soln	Restriction: Prior authorization required.
👽 OCUFLOX® <i>(ofloxacin)</i> 0.3% ophth soln	
👽 POLYSPORIN® <i>(bacitracin &amp; polymyxin)</i> ophth oint	
POLYTRIM® (polymyxin & trimethaprim) ophth soln	
SULAMYD® <i>(sodium sulfacetamide)</i> 10% ophth soln & oint	
👽 TOBREX® <i>(tobramycin)</i> 0.3% ophth soln	
Ophthalmic - Anti-infective - Glucocorticoid - Drugs fo	r the eyes
MAXITROL® (neomycin, polymyxin & dexamethasone) ophth susp, ophth oint	
POLY-PRED® (neomycin, polymyxin & prednisolone) ophth susp	
TOBRADEX® (tobramyin & dexamethasone) 0.3%-0.1% ophth susp	Restriction: Consider second line to neomycin/steroid preparations.
Ophthalmic - Anti-viral - Drugs for the eyes	
VIROPTIC® ( <i>trifluridine</i> ) 1% ophth soln	
ZIRGAN® <i>(ganciclovir)</i> 0.15% gel	Restriction: Restricted to plan ophthalmologists only.
Ophthalmic - Glaucoma - Drugs for the eyes	
♥ ALPHAGAN® ALPHAGAN P® <i>(brimonidine)</i> 0.2% ophth soln	
AZOPT® ( <i>brinzolamide)</i> 1% ophth susp	Restriction: Prior authorization required.





MEDICATIONS	RESTRICTIONS	
Ophthalmic - Glaucoma - Drugs for the eyes, continue	d • SEE PREVIOUS PAGE	
👽 BETAGAN® <i>(levobunolol)</i> 0.25% ophth soln		
BETOPIC® <i>(betaxolol)</i> 0.25%, 0.5% ophth soln or susp		
COMBIGAN® (brimonidine tartrate/timolol) 0.2%-0.5% ophth drops		
COSOPT® (dorzolamide/timolol) 2%-0.5% ophth drops		
DIAMOX® (acetazolamide) 125mg, 250mg tablet, 500mg cr capsule		
VISOPTO-CARPINE® <i>(pilocarpine)</i> 1%, 2%, 4% ophth soln		
ISOPTO-HYOSINE® <i>(scopolamine)</i> 0.25% ophth soln		
👽 LUMIGAN® <i>(bimatoprost)</i> 0.01%, 0.03% ophth soln	Restriction: Limited to 2.5ml size only. 1 bottle per dispensing.	
👽 NEPTAZANE® <i>(methazolamide)</i> 25mg, 50 mg tablet		
👽 OPTIPRANOLOL® ( <i>metipranolol)</i> 0.3% ophth soln		
👽 TIMOPTIC® <i>(timolol)</i> 0.25%, 0.5% ophth soln		
TRUSOPT® (dorzolamide) 2% ophth soln		
👽 XALATAN® <i>(latanoprost)</i> 0.005% ophth soln		
Ophthalmic - Glucocorticoid - Drugs for the eyes		
DUREZOL® ( <i>difluprednate</i> ) 0.05% ophth susp	Restriction: Restricted to plan ophthalmologists only.	
👽 FML® <i>(fluorometholone)</i> 0.1%, 0.25% ophth susp		
LOTEMAX® <i>(loteprednol)</i> 0.5% ophth susp	Restriction: Prior authorization required.	
PRED MILD®, PRED FORTE® (prednisolone) 0.12%, 1% ophth susp		
Ophthalmic - Miscellaneous - Drugs for the eyes		
💔 CROLOM® <i>(cromolyn)</i> 4% ophth drops		
MURO® (128) (sodium chloride) 2% ophth soln, 5% ophth oint or soln		





MEDICATIONS	RESTRICTIONS
Ophthalmic - Miscellaneous - Drugs for the eyes, cont	inued • SEE PREVIOUS PAGE
<b>RESTASIS®</b> (cyclosporine) 0.05% ophth emulsion	Restriction: Prior authorization required.
Ophthalmic - Mydriatic - Drugs for the eyes	
👽 CYCLOGYL® <i>(cyclopentolate)</i> 0.5%, 1%, 2% ophth soln	
VISOPTO-ATROPINE® (atropine) 1% ophth soln	
ISOPTO-HOMATROPINE® (homatropine) 2%, 5% ophth soln	
Ophthalmic - NSAID - Drugs for the eyes	
ACULAR®, ACULAR LS (ketorolac) 0.4%, 0.5% ophth soln	Restriction: Restricted to plan ophthalmologist only.
NEVANAC® ( <i>nepafanac</i> ) 0.1% ophth susp	Restriction: Restricted to plan ophthalmologist only.
VOLTAREN® <i>(diclofenac)</i> 0.1% ophth drops	
Oral Contraceptive - Biphasic - Drugs for women	
MIRCETTE® (desogestrel & ethinyl estradiol) 0.15mg/20mcg (21), 10mcg (7) tablet	
ORTHO-NOVUM 10/11® (norethindrone & ethinyl estradiol) 0.5mg-35mcg (10), 1mg-35mcg (11) tablet	
ORTHO-NOVUM 7/14® (norethindrone & ethinyl estradiol) 0.5mg-35mcg (7), 1mg-35mcg(14) tablet	
Oral Contraceptive - Drugs for women	
ALESSE® (levonorgestrel & ethinyl estradiol) 0.1mg-20mcg tablet	
DEMULEN® (ethynodiol & ethinyl estradiol) 1mg-35mcg tablet	
DESOGEN® (desogestrel & ethinyl estradiol) 0.15mg-30mcg tablet	
LEVLEN® (levonorgestrel & ethinyl estradiol) 0.15mg-30mcg tablet	
LO-OVRAL® (norgestrel & ethinyl estradiol) 0.3mg-30mcg tablet	





Continued on next page

★ Bill to Medicare Part B

MEDICATIONS	RESTRICTIONS
Oral Contraceptive - Drugs for women, continued • SE	E PREVIOUS PAGE
LOESTRIN 1.5/30®, 1.5/30 FE® (norethindrone acetate & ethinyl estradiol) 1.5mg-30mcg tablet, 1.5mg-30mcg w/iron tablet	
LOESTRIN 1/20®, 1/20 FE®, LO LOESTRIN FE® (norethindrone acetate & ethinyl estradiol) 1mg-20mcg, 1mg-20mcg, 1mg-10mcg w/iron tablet	Restriction: Lo Loestrin prior authorization required.
VORLESTRIN 1/50®, 1/50 FE® (norethindrone acetate & ethinyl estradiol) 1mg-50mcg tablet, 1mg-50mcg w/iron tablet	
ORTHO-CYCLEN® (norgestimate & ethinyl estradiol) 0.25mg-35mcg tablet	
ORTHO-NOVUM 1/35®, DEMULEN 1/50® (norethindrone & ethinyl estradiol) 35mcg-1mg, 50mcg-1mg tablet	
ORTHO-NOVUM 1/50® (norethindrone & mestranol) 1mg-50mcg tablet	
VRAL® ( <i>norgestrel &amp; ethinyl estradiol)</i> 0.5mg-50mcg tablet	
VASMIN®, YAZ® ( <i>drospirenone &amp; ethinyl estradiol</i> ) 0.03-3mg, 0.02-3mg tablet	Restriction: Prior authorization required.
Oral Contraceptive - Progestin Only - Drugs for wome	en de la companya de
👽 MICRONOR® <i>(norethindrone)</i> 0.35mg tablet	
PLAN B ONE STEP® ( <i>levonorgestrel</i> ) 1.5 mg tablet	Restriction: Maximum of 2 fills in 30 days.
Oral Contraceptive - Triphasic - Drugs for women	
ESTROSTEP® ( <i>norethindrone &amp; ethinyl estradiol)</i> 1mg-20mcg(5), 1mg-30mcg(7), 1mg-35mcg(9) tablet	
ORTHO-NOVUM 7/7/7® (norethindrone & ethinyl estradiol) 0.5mg-35mcg(7), 0.75mg-35mcg(7), 1mg-35mcg(7) tablet	

40



MEDICATIONS	RESTRICTIONS
Oral Contraceptive - Triphasic - Drugs for women, con	tinued • SEE PREVIOUS PAGE
ORTHO-TRICYCLEN LO® (norgestimate & ethinyl estradiol) 0.18mg-25mcg/0.215mg-25mcmg/0.25mg-25mcg tablet	
ORTHO-TRICYCLEN® (norgestimate & ethinyl estradiol) 0.18mg-35mcg/0.215mg-35mcmg/0.25mg-35mcg tablet	
TRIPHASIL® (levonorgestrel & ethinyl estradiol) 0.05mg-30mcg, 0.075mg-40mcg, 0.125mg-30mcg tablet	
Osteoporosis Drugs for bone loss	
VACTONEL® (risedronate) 35 mg tablet	Restriction: Prior authorization required.
FOSAMAX® ( <i>alendronate</i> ) 35mg, 70mg weekly tablet only	Restriction: Restricted to members $> 61$ years old or having T-score $< -2.5$ .
MIACALCIN® <i>(calcitonin-salmon)</i> 200unit/spray	Restriction: Allowed for osteoporosis failing bisphosphonates.
Otic - Drugs for the ears	
ACETASOL HC® (hydrocortisone & acetic acid) otic soln	
CIPRODEX® ( <i>ciprofloxacin- dexamethasone</i> ) 0.3%-0.4% otic susp	Restriction: Restricted to plan ENT providers. If the patient recently failed Cortisporin® or Floxin® Otic, consideration will be given to a prior authorization request.
CORTISPORIN® ( <i>neomycin, polymyxin</i> & hydrocortisone) otic susp	
FLOXIN® OTIC ( <i>ofloxacin)</i> 0.3% otic soln	Restriction: Restricted to 5 mls per dispensing.
Otic/ OTC - Drugs for the ears	
👽 DEBROX® <i>(carbamide peroxide)</i> 6.5% soln	
Rescue Agents - Antidotes	
CHEMET® <i>(succimer)</i> 100mg capsule	
<b>epinephrine</b> 0.15mg/0.3, 0.3mg/0.3 auto injection	
👽 leucovorin 5mg, 25mg tablet	





MEDICATIONS	RESTRICTIONS	
Respiratory - Antihistamine - Antitussive - Decongest	ant - Drugs for the lungs	
CARDEC-DM® (pseudoephedrine, chlorpheniramine & dextromethorphan) 15mg-12.5mg-4mg syrup	Restriction: Only for patients < 6 years old.	
Image: system state state       Image: system	Restriction: Only for patients >18 years old. Plan allows maximum 240 mls per 30 days, 3 fills per 12 months.	
Respiratory - Antihistamine - Antitussive - Drugs for	the lungs	
PHENERGAN DM® (promethazine & dextromethorphan) 6.25mg-15mg/5ml syrup	Restriction: Only for patients > 2 years old.	
Image: Second system       Image: Second system         (promethazine & codeine)       6.25mg-10mg/5ml syrup	Restriction: Only for patients > 18 years old. Plan allows maximum 240 mls per 30 days, 3 fills per 12 months.	
Respiratory - Antihistamine - Decongestant - Drugs fo	or the lungs	
PHENERGAN-VC® (promethazine & phenylephrine) 6.25mg-5mg/5ml syrup	Restriction: Only for patients > 2 years old.	
Respiratory - Antihistamine - Drugs for the lungs         1st generation antihistamines are considered to be more effective than the later generations.         National guidelines suggest better outcomes with treatment with nasal steroids as opposed to antihistamines.		
The FDA recommends not to use antihistamines and cough preparations in individuals less than 2 years of age.		
Allergic Rhinitis adult patients are recommended to be treated with Nasal Steroids.		
Image: ATARAX® (hydroxyzine)       10mg/5ml syrup, 10mg,         25mg, 50mg tablet, 25mg, 50mg capsule		
Respiratory - Antiserotonin - Drugs for the lungs		
PERIACTIN® (cyproheptadine) 2mg/5ml syrup, 4mg tablet		
Respiratory - Antitussive - Drugs for the lungs		
SSKI® ( <i>saturated soln of potassium iodide</i> ) 1g/ml soln	Restriction: Prior authorization required.	
FESSALON® ( <i>benzonatate</i> ) 100mg perles	Restriction: Prior authorization required.	



#### **MEDICATIONS** RESTRICTIONS **Respiratory - Antitussive - Expectorant - Drugs for the lungs** € Codeine & guaifenesin) Restriction: Only for patients > 18 years old. Plan allows maximum 240 mls per 30 days, 3 fills per 12 months. 10mg-100mg/5ml soln or syrup Restriction: Only for patients > 18 years old. Plan allows 65 C ROBITUSSIN DACR maximum 240 mls per 30 days, 3 fills per 12 months. (codeine, quaifenesin, pseudoephedrine) 10mg-100mg-30mg/5ml syrup **Respiratory - Asthma - Drugs for the lungs** There are National Guidelines for treating Asthma. KHS has a Pocket Guide for Asthma Management and Prevention available. Some of the tables in that text are in the Formulary. Asthma is a chronic inflammatory disease. It is important to remember this inflammatory process and that the inhaled steroids are recommended to be the second step in treatment. Please review the step tables of Asthma Treatment at the end of this Formulary. Spacers (Aerochambers®), with or without masks, and peak flow meters are available by prescription. Preference for referrals for low or non-sedating antihistamines will be given to asthma patients. Respiratory - Asthma - Step 1 -Short Acting Bronchodilator - Drugs for the lungs Restriction: Individual nebulized vial limited to 360 mls per \* 👽 albuterol 0.083% & 0.5% inh soln, 2mg/5ml syrup month, the concentrated nebulized solution limited to 60 mls. BRETHINE® (terbutaline) 2.5mg, 5mg tablet Restriction: NMT 2 inhalers in 30 days or greater than 3 👽 VENTOLIN HFA®, PROAIR HFA®, PROVENTIL HFA® consecutive months without an inhaled steroid. (albuterol hfa) 90 mcg/dose MDI Respiratory - Asthma - Step 2 -Glucocorticoid - Drugs for the lungs AEROSPAN® (flunisolide) 80mcq/dose MDI ARMONAIR RESPICLICK® (fluticasone propionate) 55 mcg, 113 mcg, 232 mcg breath activated device ARNUITY ELLIPTA® (fluticasone furoate) 50 mca. 100 Preferred fluticasone inhalation product. mcg, 200 mcg breath activated device FLOVENT HFA® (fluticasone) 44mcg, 110mcg, 220mcg/dose MDI, 50 mcg, 100mcg, 250mcg/dose breath activated device Restriction: 0.25mg nebulizer susp is restricted to once daily \* <sup>(1)</sup> PULMICORT® (*budesonide*) 90mcg/dose, dosing. Doses of 0.25 BID are required to fail 0.5mg once 180mcg/dose breath activated device, 0.25mg/2ml, daily. Allowed in members < 5 years old. 0.5mg/2ml inh susp QVAR REDIHALER® (beclomethasone) 40mcg/dose, 80mcg/dose MDI





MEDICATIONS	RESTRICTIONS
<b>Respiratory - Asthma - Step 3 - Antileukotriene - (St</b> Restricted to members with asthmarequires me steroids should be considered for second line (St for children < 5 years old as Step 2. Not author authorization not required by ENT.	mber to be on a beta-agonist mdi. Inhaled tep 2) treatment before antileukotriene. <b>Allowed</b>
• ACCOLATE® ( <i>zafirlukast</i> ) 10mg, 20mg tablet	Restriction: Prior authorization needed.
SINGULAIR® <i>(montelukast)</i> 4 mg, 5 mg chewable tablet, 10 mg tablet	
Respiratory - Asthma - Steps 3 & 4 - ICS/Long Acting	g Bronchodilator - Drugs for the lungs
ADVAIR®, Wixela Inhub®, AIRDUO® (fluticasone/salmeterol) 100/50 mcg, 250/50 mcg, 500/50 mcg breath activated device, 45/21 mcg, 115/21 mcg, 230/21 mcg HFA; 55-14 mcg, 113-14 mcg, 232-14 mcg inhalation	Restriction: Restricted to patients failing a 30-day trial of inhaled steroids alone (see National Asthma Guidelines). Consider generic AirDuo® for asthma management; Wixela Inhub for COPD. HFA, prior authorization required.
SYMBICORT® <i>(budesonide/formoterol)</i> 80/4.5 mcg, 160/4.5 mcg inhaler	Restriction: Restricted to patients failing a 30-day trial of inhaled steroids alone (see National Asthma Guidelines). Consider generic AirDuo® for asthma management; Wixela Inhub for COPD.
Respiratory - Asthma Device	
* PEAK FLOW METER <i>(monitoring device)</i>	Restriction: \$35 max per unit.
* <i>spacer device</i> With or without mask	Restriction: Spacers with a mask are available to members under < 6 years old. Please make sure of the fit for the spacers with masks. \$35 max per unit without mask. \$50 max per unit with mask.
Respiratory - COPD - Anticholinergic bronchodilator -	Drugs for the lungs
* <sup>C</sup> ATROVENT HFA® <i>(ipratropium)</i> 18mcg/dose MDI, 0.02% inhalation soln	
Respiratory - COPD - Anticholinergic Bronchodilator C	ombination - Drugs for the lungs
* <sup>COMBIVENT RESPIMAT®</sup> ( <i>ipratropium- albuterol respimat)</i> 18mcg-90mcg/spray MDI	
<b>65 V ipratropium - albuterol</b> 0.5-3mg/3ml inhalation soln	





MEDICATIONS	RESTRICTIONS	
Respiratory - COPD - Anticholinergic Bronchodilator L	ong Acting - Drugs for the lungs	
INCRUSE ELLIPTA® <i>(umeclidinium)</i> 62.5mcg inhalation tablet		
SPIRIVA RESPIMAT® <i>(tiotropium bromide)</i> 1.25mcg, 2.5 mcg Respimat		
Respiratory - COPD - Anticholinergic Bronchodilator L	ong Acting Combination - Drugs for the lungs	
ANORO ELLIPTA® <i>(umeclidinium - vilanterol)</i> 62.5-25 mcg MDI		
STIOLTO RESPIMAT® <i>(tiotropium bromide - olodaterol)</i> 2.5-2.5 mcg breath activated device		
Respiratory - COPD - Long Acting Anticholinergic - Long Acting Bronchodilator - ICS Combination - Drugs for the lungs		
TRELEGY ELLIPTA® <i>(fluticasone - umeclindium - vilanterol)</i> 100-62.5-25 mcg breath activated device	Restriction: Long acting cholinergic/bronchodilator or ICS/bronchodilator required first.	
Respiratory - Mast Cell Stabilizer - Drugs for the lung	gs	
$ ightarrow 6$ INTAL $\ensuremath{\mathbb{R}}$ (cromolyn) 20 mg/2ml inhalation soln		
Respiratory - Mucolytic - Drugs for the lungs		
★ ♥ MUCOMYST® <i>(acetylcysteine)</i> 10%, 20% soln		
Respiratory - Nasal Antihistamine - Drugs for the lun	gs	
STELIN® ( <i>azelastine</i> ) 137 mcg/spray	Restriction: Trial and failure of nasal steroids required.	
Respiratory - Nasal Glucocorticoids - Drugs for the lu	ngs	
-		
FLONASE® ( <i>fluticasone</i> ) 50 mcg/spray		
<b>Flunisolide</b> 25 mcg/spray		
VASONEX® ( <i>mometasone</i> ) 50mcg/spray	Restriction: Allowed as first line for members age 2-4 years old.	

MEDICATIONS	RESTRICTIONS
Respiratory - Xanthine - Drugs for the lungs	
THEODUR, UNIPHYL® (theophylline) 80mg/15ml, 100mg, 200mg, 300mg, 400mg cr capsule, 100mg, 200mg, 300mg, 400mg, 450mg cr tablet	
Topical - Acne	
💔 RETIN-A® <i>(tretinoin)</i> 0.025%, 0.05%, 0.1% cream	Restriction: Restricted to plan dermatologists. 20g maximum. Secondary to trial and failure of Differin 0.1% gel OTC.
Topical - Anesthetic - Drugs for pain	
👽 XYLOCAINE® (viscous lidocaine) 2% gel	Restriction: Restricted to 100ml every 30 days.
Topical - Antifungal - Drugs for infection	
VELAMISIL® (terbinafine) 1% cream	Restriction: Restricted to members who have recently failed first line agents (Clotrimazole, Miconazole).
MYCOSTATIN® (nystatin) 100,000 units/gm cream & oint, powder	
NIZORAL AD® <i>(ketoconazole)</i> 1% OTC, 2% shampoo	
💔 NIZORAL® <i>(ketoconazole)</i> 2% cream	
OXISTAT® <i>(oxiconazole)</i> 1% cream	Restriction: Prior authorization required.
Vertical Spectrazole ( <i>econazole</i> ) 1% cream	Restriction: Restricted to members who have recently failed first line agents (Clotrimazole, Miconazole).
Topical - Anti-infective - Drugs for infection	
<b>V</b> BACTROBAN® <i>(mupirocin)</i> 2% oint	Efficacy of decolonization in preventing re-infection or transmission in the outpatient setting is not documented, and NOT routinely recommended. Consultation with an infectious disease specialist is recommended before eradication of colonization is initiated. Plan allows 1 tube per dispensing per infectious episode.
👽 CLEOCIN-T® <i>(clindamycin)</i> 1% soln, gel	
👽 erythromycin 2% soln	
SELSUN® ( <i>selenium</i> ) 2.5% shampoo	
SILVADENE® <i>(silver sulfadiazine)</i> 1% cream	

💔 Generic Available





MEDICATIONS	RESTRICTIONS
Topical - Antineoplastic - Drugs for cancer	
EFUDEX® <b>(fluorouracil)</b> 1%, 5% cream, 2%, 5% soln	
Topical - Antiviral - Drugs for infection	
VALDARA® <i>(imiquimod)</i> 5% cream	Restriction: 12 packets per 30 days. Preferred for genital warts.
CONDYLOX® (podofilox) 0.5% soln	Restriction: Consider second line to imiquimod.
Topical - Contraceptive - Drugs for women	
diaphragm	
NUVARING® (etonogestrel/ethinyl estradiol) 0.12-0.15 mg vaginal ring	
XULANE® <b>(norelgestromin- ethinyl estradiol)</b> 150mcg/20mcg/day patch	Restriction: Plan does not cover replacement patches. Limited to 3 patches/28 days or 6 patches/56 days.
Topical - Enzymes	
<b>hyaluronidase</b> various	Restriction: Used for skin test, dehydration, dispersion/absorption enhancement of injected drugs.
Topical - Estrogens- Drugs for women	
CLIMARA®, VIVELLE® (estradiol) Biweekly- 0.025mg, 0.0375mg, 0.075mg, 0.1mg patch Weekly- 0.025mg, 0.05mg, 0.06mg, 0.075mg, 0.1mg patch	
Topical - Glucocorticoid a Low Potency - Drugs for the	skin
CORDRAN® (flurandrenolide) 0.05% cream, oint, lotion	
hydrocortisone 0.5%, 1% cream, 2.5% cream, oint & lotion are also available OTC	
<b>VENALOG</b> ( <i>triamcinolone</i> ) 0.025% cream, oint, lotion	
SYNALAR® ( <i>fluocinolone</i> ) 0.01%, 0.025% cream, 0.01% soln	
VALISONE® <i>(betamethasone)</i> 0.05% cream, oint, lotion, 0.1% cream, 0.1% oint, 0.05%, 0.1% lotion	





MEDICATIONS	RESTRICTIONS
Topical - Glucocorticoid b Medium Potency - Drugs fo	or the skin
VELOCON® ( <i>mometasone</i> ) 0.1% cream, oint, lotion	Restriction: Prior authorization required.
VENALOG® ( <i>triamcinolone</i> ) 0.1% cream, oint, lotion	
Topical - Glucocorticoid c High Potency - Drugs for t	ne skin
DIPROSONE® (betamethasone dipropionate) 0.05% cream, oint	
VENALOG® ( <i>triamcinolone</i> ) 0.5% cream, oint	
💔 LIDEX® <i>(fluocinonide)</i> 0.05% cream, oint, soln, gel	
TEMOVATE® (clobetasol) 0.05% cream, oint, soln, lotion	Restriction: Prior authorization required.
Topical - Miscellaneous - Drugs for the skin	
👽 acetic acid 0.25% soln	
VOVONEX® <i>(calcipotriene)</i> 0.005% cream	Restriction: Member needs to fail topical steroids (triamcinolone, betamethasone). 120g maximum.
👽 DRITHOCREME HP® <i>(anthralin)</i> 1% cream	
* 💔 sodium chloride 0.9% soln	
Topical - Scabicide - Drugs for infection	
👽 ELIMITE® <i>(permethrin)</i> 5% cream	Restriction: Prior authorization required.
EURAX® (crotamiton) 10% cream and lotion	Restriction: Prior authorization required.
Urinary Tract - Drugs for bladder	
👽 DITROPAN® <i>(oxybutynin)</i> 5mg tablet	
👽 ELMIRON® <i>(pentosan)</i> 100mg capsule	
👽 potassium citrate- citric acid 1100-334/5 ml	Restriction: Plan nephrologists allowed, otherwise prior authorization required.
♥ PYRIDIUM® <i>(phenazopyridine)</i> 100 mg, 200 mg tablet	Restriction: Maximum therapy allowed is three days.

Vaccines play an important part in enhancing one's health. The plan allows the following

Continued on next page

Generic Available



**65** Should be avoided in the elderly

#### **MEDICATIONS**

#### RESTRICTIONS

#### Vaccines - Immune Globulin, continued • SEE PREVIOUS PAGE

vaccines without authorization. As many of these are covered under the Vaccines For Children program, the ingredient cost is carved out from the plan. They should be billed to the VFC program. Extensive documentation is required for reporting to the California Immunization Registry (CAIR), member consent, and provider notification. This documentation is required to be available. The vaccines below are billed to KHS for members over the age of 19 unless otherwise noted. In addition to age limits, limits exist on number per lifetime, and limits per injection. Vaccines needed for employment or travel are not covered benefits.

*ADACEL®, TENIVAC®, OTHERS ( <i>tetanus</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others).
<b>*</b> BOOSTRIX® ( <i>tdap</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others).
<b>*</b> ENGERIX-B®, HEPLISAV-B® ( <i>hepatitis b</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 3 per lifetime, 2 for Heplisav-B.
<b>*</b> FLUZONE®, FLUVIRIN®, FLUVARIX®, OTHERS ( <i>influenza</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 1 per flu season.
<b>*</b> GARDASIL® ( <i>papillomavirus</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 3 per lifetime. Maximum age 45 years.
<b>*</b> HAVRIX® (hepatitis a) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 2 per lifetime.
*HYPERRAB®, IMOGAM RABIES® ( <i>rabies</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others).
*M-M-R II® ( <i>measles, mumps, rubella</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 2 per lifetime.
* MENVEO®, MENOMUNE®, BEXSERO®, TRUMENBA®, OTHERS ( <i>menigitits</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others).
<b>*</b> PREVNAR 13®, PREVNAR 23® ( <i>pneumococcal</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others).
*SHINGRIX® (varicella-zoster) 50 mcg	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). >50 years. Limit 2 per lifetime.



DUS PAGE
Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 3 per lifetime.
Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 2 per lifetime.
Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 1 per lifetime. >50 years.
Restriction: Restricted to patients who have failed first line agents (Clotrimazole, Miconazole).
Restriction: Restricted to patients who have failed first line agents (Clotrimazole, Miconazole).
Restriction: Restricted to members who have recently failed first line agents (Clotrimazole, Miconazole).
Restriction: Prior authorization required.
Restriction: Prior authorization required.
Restriction: Restricted to documented deficiency. Consider sublingual supplementation.
Restriction: Pregnant women and those on MTX therapy.



MEDICATIONS	RESTRICTIONS
Vitamins - Dietary Supplements, continued • SEE PREVIOUS PAGE	
LURIDE® (sodium fluoride) 0.55mg(0.25mgF), 1.1mg(0.5mgF), 2.2mg(1mgF) chewable tablet, 0.125mg/drop, 0.275mg/drop, 0.55mg/drop, 1.1mg/ml drops	
POLY-VI-FLOR W/IRON®, TRI-VI-FLOR W/IRON® (pediatric vitamins w/fluoride & iron) 0.25mg-10mg/ml drops	Restriction: Restricted to members < 5 years old.
POLY-VI-FLOR®, TRI-VI-FLOR® (pediatric vitamins w/fluoride) 0.25mg/ml, 0.5mg/ml drops, 0.25mg, 0.5mg, 1mg chewable tablet	Restriction: Restricted to members < 5 years old.
prenatal vitamins w/minerals, iron & folic acid capsule or tablet	Restriction: Pregnant females only.
<b>ROCALTROL</b> ® <i>(calcitriol)</i> 0.25mcg, 0.5mcg capsule	







# THIS PAGE LEFT BLANK INTENTIONALLY

53

#### KFHC DRUG FORMULARY

Analgesics - Non-narcotic/OTC - Drugs for pain

## APAP for a patient who does not drink alcohol is 4000mg. Patients may also aggravate the problem by taking other OTC drugs with APAP or receiving prescriptions of other APAP combinations (Norco®, Tylenol #3). 👽 aspirin 81mg, 325mg, 650mg tablet & ec tablet, 325mg buffered tablet Restriction: FDA does not recommend in children < 6 months. MOTRIN® (ibuprofen) 100mg/5ml susp, 200mg tablet VTYLENOL® (acetaminophen) 325mg, 500mg, 650mg tablet, 100mg/ml, 160mg/5ml soln Cardiovascular - Antilipid/OTC - Drugs for the heart 👽 *niacin* 100mg, 250mg, 500mg tablet, 125mg cr capsule, 125mg, 250mg cr tablet Cardiovascular - Electrolyte/OTC Restriction: Limited to 3000 ml per dispensing. 👽 PEDIALYTE® (oral electrolyte soln) Soln **Contraceptive/OTC** condoms-male Restriction: Limited to 12 per 30 days. EMKO® (nonoxynol-9) 8%,12.5% foam, 2% gel Device - Supplies/OTC blood pressure monitor Restriction: One per member per 5 years. \$50 maximum per unit. Restriction: One per affected area per member per 12 months. braces various (knee, ankle, wrist) \$50 maximum per unit. crutches various Restriction: One pair per member per 12 months Restriction: One per member per 3 years. \$65 maximum per nebulizer various unit. tablet splitter Restriction: One per member per 12 months. Maximum \$15 thermometer per unit. vaporizer

#### **MEDICATIONS**

## RESTRICTIONS

Acetaminophen (APAP, Tylenol®) hepatotoxicity can result from frequent and/or high doses of those medications with an acetaminophen component. Maximum recommended daily dose of





\* Bill to Medicare Part B

54

MEDICATIONS	RESTRICTIONS
Gastrointestinal - Antacid/OTC - Drugs for the stome	ich
👽 calcium 500mg tablet	
<b>V</b> calcium acetate (12.5meq ca++/gm) 667mg tablet	
calcium gluconate (4.5meq ca++/gm) 500mg, 650mg, 1 gm tablet	
calcium lactate (6.5meq ca++/gm) 325mg, 650mg tablet	
GAVISCON® ( <i>aluminum hydroxide &amp; mag. trisilicate</i> ) 80mg-14.2mg chewable tablet	
GAVISCON® ( <i>aluminum hydroxide, mag. carbonate</i> ) 160mg-105mg chewable tablet, 31.7mg-119.3mg/5ml susp	
MAALOX® (aluminum & magnesium hydroxides) 200mg-200mg/5ml susp	
MYLANTA® (aluminum & magnesium hydroxides w/simethicone) 200mg-200mg-25mg chewable tablet, 400mg-400mg-40mg/ 5ml susp	
RIOPAN® (magaldrate) 540mg/5ml susp	
<b>V</b> TUMS® OS-CAL D® <i>(calcium carbonate (20 meq ca++/gm) calcium carbonate w/vitamin d)</i> 650mg tablet, 1250mg tablet or capsule, 500mg tablet	
Gastrointestinal - Antidiarrhea/OTC - Drugs for the s	tomach
IMODIUM® (loperamide) 2mg capsule, tablet, 1mg/5ml liquid	
Gastrointestinal - Antiemetic/OTC - Drugs for the sta	omach
👽 ANTIVERT® <i>(meclizine)</i> 25mg chewable tablet	
🚱 👽 doxylamine succinate 25mg tablet	Restriction: Restricted to plan OB/GYN only.
Gastrointestinal - H2 Antagonist/OTC - Drugs for the	e stomach
PEPCID AC® <i>(famotidine)</i> 10mg tablet	Restriction: Minimum of 30/package.





55

## KFHC DRUG FORMULARY

MEDICATIONS	RESTRICTIONS
Gastrointestinal - Laxative /OTC - Drugs for the stor	nach
COLACE® ( <i>docusate</i> ) 100mg, 250mg capsule, 10 mg/5 ml syrup for members < 6 years old NMT 240 ml/ rx, 20 mg/5 ml, 50 mg/5 ml liq	
ULCOLAX® <i>(bisacodyl)</i> 5mg tablet, 10mg supp	Restriction: Tablet for colon diagnostic testing only.
FLEETS® ( <i>mineral oil</i> ) enema	Restriction: For colon diagnostic testing only.
<b>F</b> magnesium citrate solution	Restriction: For colon diagnostic testing only.
Gastrointestinal - Protectant/OTC - Drugs for the sto	mach
PEPTO-BISMAL® (bismuth subsalicylate) 262mg tablet or chewable tablet, 525mg/15ml 527mg/30ml susp	
Hematinic/OTC - Drugs for the blood	
FER-IN-SOL® <i>(ferrous sulfate)</i> 75mg/ml soln, 300mg/5ml syrup, 324mg tablet, 325mg cr & ec tablet	
👽 VARIOUS <i>(ferrous gluconate)</i> 240mg, 324mg tablet	
Hormones - Antidiabetic/OTC - Drugs for diabetes	
<b>*</b> HUMULIN®, NOVOLIN® <i>(insulin, human)</i> 100 units/ml	
Ophthalmic - Antihistamine/OTC - Drugs for the eyes	
VADITOR® ( <i>ketotifen</i> ) 0.025% ophth soln	
Ophthalmic - Decongestant - Antihistamine/OTC Drug	s for the eyes
NAPHCON-A® (naphazoline & pheniramine) 0.025%-0.3% ophth soln	
Ophthalmic - Decongestant/OTC - Drugs for the eyes	
👽 ALBALON® <i>(naphazoline)</i> 0.1% ophth soln	
Ostomy Items/OTC	
ostomy supplies various	Restriction: Pouches are allowed 30 per 30 days.
Respiratory - Antihistamine - Decongestant - Antituss Restricted to members over 4 years.	ive/OTC - Drugs for the lungs
	Continued on next name



MEDICATIONS	RESTRICTIONS
Respiratory - Antihistamine - Decongestant - Antituss PREVIOUS PAGE	sive/OTC - Drugs for the lungs, continued • SEE
DIMETANE DX® (pseudoephedrine, brompheniramine & dextromethorphan) 30mg-2mg-10mg/5ml syrup	
PEDIACARE® (pseudoephedrine, chlorpheniramine & dextromethorphan) 15mg-1mg- 5mg/5ml, 15mg-1mg-7.5mg/5ml, 30mg-2mg-10mg/5ml liquid & syrup	
Respiratory - Antihistamine - Decongestant/OTC - Dr	ugs for the lungs
Restricted to members over 4 years.	
CONTAC® <i>(chlorpheniramine &amp; phenylephrine)</i> 1mg-2.5mg/5ml, 2mg-5mg/5ml, 4mg-10mg/5ml, syrup, 2mg-5mg tablet, 4mg-20mg cr tablet	
DIMETAPP® NEW FORMUALTION (brompheniramine & phenylephrine) 1mg-2.5mg/5ml elixir	
SUDAFED PLUS® (chlorpheniramine & pseudoephedrine) 2mg-30mg, 4mg-60mg tablet	
<b>Respiratory - Antihistamine/OTC - Drugs for the lung</b> The FDA does not recommend antihistamines are the age of 2 years old. These products are restrict single antihistamine product, the following are a	nd other cough/cold products in individuals under cted to members 2 years old and older. Unless a
BENADRYL® ( <i>diphenhydramine</i> ) 12.5mg/5ml elixir or syrup, 25mg, 50mg capsule or tablet	
<b>V</b> brompheniramine 2mg/5ml elixir	
CHLORTRIMETON® <i>(chlorpheniramine)</i> 1mg/5ml liquid, 2mg/5ml syrup, 2mg, 4mg chewable tablet, 4mg tablet, 8mg, 12mg cr tablet, 6mg, 8mg, 12mg cr capsule	
CLARITIN® <i>(loratadine)</i> 10mg quick dissolving tablet, 10mg tablet, 5mg/5ml syrup	Restriction: Liquid allowed < 5 years old.
VYRTEC® <i>(cetirizine)</i> 5 mg, 10 mg tablet, 1 mg/ml liq	Restriction: Limited to patients < 18 years old. Liquid allowed < 5 years old.





57

MEDICATIONS	RESTRICTIONS
Respiratory - Antitussive/OTC - Drugs for the lungs Restricted to members over 4 years.	
ROBITUSSIN PEDIATRIC® (dextromethorphan) 7.5mg/5ml, 10mg/5ml syrup	
Respiratory - Antitussive - Expectorant/OTC - Drugs Restricted to members over 4 years.	for the lungs
ROBITUSSIN DM® (dextromethorphan & guaifenesin) 10mg-100mg/5ml, 15mg-200mg/5ml, 30mg-200mg/ 5ml liquid, 3.33mg-33.3mg/5ml, 6.67mg-66.7mg/5ml syrup	
Respiratory - Decongestant/OTC - Drugs for the lung Restricted to members over 4 years.	S
SUDAFED® ( <i>pseudoephedrine</i> ) 30mg, 60mg, 120mg tablet, 15mg/5ml, 30mg/5ml liquid	
Respiratory - Expectorant/OTC - Drugs for the lungs Restricted to members over 4 years.	
<b>ROBITUSSIN®</b> (guaifenesin) 100mg/5ml, 200mg/5ml syrup	
Respiratory - Miscellaneous/OTC - Drugs for the lung	s
* 👽 <i>sodium chloride</i> 0.9% nebulizer soln	
Respiratory - Nasal Glucocorticoids/OTC - Drugs for	the lungs
NASACORT ALLERGY 24 HR OTC® (triamcinolone) 55 mcg mdi	
Supplies - /OTC	
Antiseptic solutions and hand wipes. One pack	ige allowed per 30 days.
alcohol 70%, 91% topical soln	
CA-REZZ® ( <i>triclosan</i> ) cream, washes	
ethyl alchohol solutions, creams, gels, foam, washes, wipes	
💔 HIBICLENS® (chlorhexidine gluconate) 4% liquid	





MEDICATIONS	RESTRICTIONS
Supplies - Diabetic/OTC	
* <sup>()</sup> KETO-DIASTIX®, KETOSTIX® ( <i>urine test strips</i> ) strip	
* lancets	
★ TRUE METRIX <sup>®</sup> (blood glucose strips) strip	Restriction: Restricted to True Metrix ® or Fora®. True Metrix® meters are billed with a special code from Trividia and are preferred. Fora® meters are ordered directly from the manufacturer. Please write prescriptions for strips, lancets, etc. The members should then have the pharmacy fill the meter and strips together so as to ensure the correct products are given. Plan allows up to #100/30 days for Type I, #100/90 days for Type II, and #150/30 days for gestational diabetics.
*TRUEPLUS® (syringes, syringes w/needles, pen needles)	Restriction: Requires insulin to clear. Coinsides with insulin vial pen. Limit up to 200 per 40 days.
Topical - Acne/OTC -Drugs for the skin	
💔 BENZAGEL® <i>(benzoyl peroxide)</i> 5%, 10% gel	
DIFFERIN® <i>(adapalene)</i> 0.1% gel	Restriction: Max 45 g per dispensing per 30 days.
Topical - Analgesics - Non-narcotic/OTC - Drugs for	pain
👽 ASPERCREME LIDOCAINE® <i>(lidocaine)</i> 4% patches	Restriction: 30 patches /month
♥ ICY HOT PATCHES® <i>(lidocaine/ menthol)</i> 4%/ 1% patches	Restriction: 30 patches/month
♥ VOLTAREN ARTHRITIS PAIN® <i>(diclofenac na)</i> 1% gel	Restriction: Maximum 350 gm per month
Topical - Antibiotic/OTC -Drugs for the skin	
👽 bacitracin ointment	
VEOSPORIN® ( <i>neomycin, bacitracin &amp; polymyxin</i> ) ointment	
Topical - Antifungal/OTC -Drugs for the skin	
👽 LOTRIMIN® <i>(clotrimazole)</i> 1% cream, oint, soln	Restriction: Solution allowed prescribed by ENT.
ICATIN® ( <i>miconazole</i> ) 2% cream	

58



59

MEDICATIONS	RESTRICTIONS
Topical - Antifungal/OTC -Drugs for the skin, continue	ed • SEE PREVIOUS PAGE
VINACTIN® (tolnaftate) 1% cream and soln	
Topical - Anti-Infective/OTC -Drugs for the skin	
👽 calamine plain, phenolated lotion	
Topical - Astringent/OTC -Drugs for the skin	
DOMEBORO'S SOLN® <i>(aluminum acetate)</i> Powder	
Topical - Glucocorticoid/OTC -Drugs for the skin	
<b>V</b> hydrocortisone 0.5%,1% cream, oint, lotion	
Topical - Scabicide/OTC	
VIX® (permethrin) 1% cream rinse	
💔 RID® (pyrethrins-piperonyl) 4%-0.33% liquid	
Vaginal - Anti-infective/OTC - Drugs for women	
GYNAZOLE 1® (butoconazole) 2% vaginal cream	
<b>GYNE-LOTRIMIN® (clotrimazole)</b> 1% vaginal cream	
MONISTAT® ( <i>miconazole</i> ) 2% vaginal cream, vaginal kit, 100mg vaginal supp	
Vitamins/OTC	
prenatal vitamins w/minerals, iron & folic acid 0.1mg, 1mg Folic Acid capsule, 0.4mg, 0.8mg, 1mg Folic Acid tablet	Restriction: Pregnant female members only.
prenatal vitamins w/minerals, iron & folic acid, w/dha 0.1mg, 1mg Folic Acid capsule, 0.4mg, 0.8mg, 1mg Folic Acid tablet	Restriction: Pregnant female members only.
👽 pyridoxine (vitamin b-6) 25mg, 50mg, 100mg tablet	
TRI-VI-SOL® (pediatric vitamins) ADC plain and w/iron drops	Restriction: Restricted to patients < 5 years old.
<b>Vitamin e</b> 400 international units, 1000 international unit capsule	





# THIS PAGE LEFT BLANK INTENTIONALLY

# **Appendix**

These medications are carved out by Medi-Cal as stated in the Medi-Cal bulletin. The prescriptions for any of the carved out medications are transmitted to Medi-Cal. If the claim for the listed drugs is rejected by EDS for a Kern Family Health Care patient with a message stating to bill the primary insurance it is likely the patient has insurance in addition to Kern Health Systems. Some prescriptions may require a TAR from Medi-Cal.

## **Psychotherapeutic Agents**

Amantadine	
Aripipazole	Abilify®
Asenapine	Saphris®
Benztropine	Cogentin®
Biperidin	
Brexpiprazole	Rexulti®
Cariprazine	Vraylar®
Chlorpromazine	Thorazine®
Clozapine	
Fluphenazine	Prolixin®
Haloperidol	Haldol®
lloperidone	Fanapt®
Isocarboxazid	Marplan®
Lithium	
Loxapine	Loxitane®
Lurasidone	Latuda®
Molindone	Moban®

Olanzapine	Zyprexa®
Olanzapine & fluoxetine	Symbyax®
Paliperidone	
Perphenazine	
Phenelzine	Nardil®
Pimozide	Orap®
Promazine	Sparine®
Quetiapine	
Risperidone	Risperdal®
Selegiline	Emsam®
Thioridazine	Mellaril®
Thiothixene	Navane®
Tranylcypromine	Parnate®
Trifluoperazine	Stelazine®
Trifluopromazine	Vesprin®
Trihexyphenidyl	Artane®
Ziprasidone	Geodon®

#### Alcohol, Heroin Detoxification and Dependency Treatement Drugs

Acamposate	Campral®
Buprenorphrine	Subutex®, Butrans®
Buprenorphrine/naloxone	Suboxone®

Disulfiram	Antabuse®
Naloxone	Narcan®
Naltrexone	Revia®

# Antiviral Agents


Abacavir	Ziagen®
Abacavir, dolutegravir	
& lamivudine	Trimeq®
Abacavir, lamivudine	Epzicom®
Abacavir, lamivudine	
& zidovudine	Trizivir®
Amprenavir	Agenerase®
Atazanivir	Reyataz®
Atazanivir & cobicistat	Evotaz®
Bictegravir, emtricitabine,	
tenofovir, alafenamide	Biktarvy®
Cobicistat	Tybost®
Darunavir	Prezista®
Darunavir & cobicistat	Prezcobix®
Darunavir, cobicistat,	
emtricitabine, tenofovir, alafenamide	Symtuza®
Delavirdine	Rescriptor®
Dolutegravir	T' '
	livicay®
Dolutegravir, rilpivirine	,
0	Juluca®
Dolutegravir, rilpivirine	Juluca® Pifeltro®
Dolutegravir, rilpivirine Doravine	Pifeltro® Delstrigo®
Dolutegravir, rilpivirine Doravine Doravine, lamivudine, tenofovir	Pifeltro® Delstrigo®
Dolutegravir, rilpivirine Doravine Doravine, lamivudine, tenofovir Efavirenz	Pifeltro® Delstrigo® Sustiva®
Dolutegravir, rilpivirine Doravine Doravine, lamivudine, tenofovir Efavirenz Efavirenz, emtricitabine	Pifeltro® Delstrigo® Sustiva®

Stribild®, Genvoya® Emitriva®
Complera®, Odefsey®
Descovy®
Fuzeon®
Itelence®
Levixa®
Trogarzo®
Crixivan®
Epivir HBR®, Epivir®
Combivir®
Kaletra®
Selzentry®
Viracept®
Viramune®
Isentress®
Edurant®
Norvir®
Invirase®
Zerit®
Viread®
Truvada®
Aptivus®

## **Blood Factors** Please refer to FFS Medi-Cal for full listing.

#### Management of Type 2 Diabetes Treatment

Algorithm for the metabolic management of Type 2 diabetes Tier 1: Well validated core therapies



# Type 2 Diabetes is treated in a step wise manner from the time of diagnosis:

Always included in the treatment is Lifestyle Intervention and Exercise. These components are always complementary to medication therapies and include medical nutrition therapy, weight loss and regular daily exercise. The most convincing long term data that weight loss effectively lowers glycemia have been generated in the follow up of type 2 diabetic patients who have had bariactric surgery. In this setting, with a mean sustained weight loss of > 20 kg, diabetes is virtually eliminated.

ntervention	A1C response (%)	Advantage	<u>S</u>	<u>Disadvantages</u>	
<ul> <li><b>IER 1: Well validated core Rx</b></li> <li><b>Step 1</b>: Initial Therapy Lifestyle to decrease weight &amp; increase</li> </ul>	1.0-2.0	Broad benefits		Insufficient for most in 1 year	
activity • Metformin	1.0-2.0	Weight neutral		GI side effects;	
 				contraindicated renal insufficiency	
	Titration o	f Metformin			
<ol> <li>Begin with low dose metformii (500 mg) taken once or twice per day with meals (breakfast and/or dinner) or 850 mgm once per day.</li> <li>After 5-7 days, if gastrointestinal side effects have not occurred, advance dose to 850 mg, or two 500 mg tablets, twice per day (medication to be taken before breakfast and/or dinner)</li> </ol>	appear as dose decrease to pre and try to adva later time. 4. The maximum e be up to 1,000 r but is often 850 Modestly grea effectiveness	s advanced, evious lower dose 5. nce the dose at a iffective dose can ng twice per day mg twice per day. iter has been doses up to ng/day.	be use Based gener choic acting in som given The m is to d gluco	imit the dose that can ed. d on cost consideration ric metformin is the first e of therapy. A longer g formulation is availab ne countries and can b once per day. ajor action of metformi ecrease hepatic se output and lower g glycemia.	
• Step 2: additional therapy	if A1C is 7 or greater	after 2-3 months of	step	one:	
Insulin (basal insulin-Lantus) Humalog, Apidra, Novolog	1.5-3.5	No dose limit; 1-4 inje Rapidly effective daily, Improved lipid profile. Monite Hypogly hypoglycem		1-4 injections daily, wt.+, Monitoring; Hypoglycemia hypoglycemia, Wt. gc	
Sulfonylurea	1.0-2.0			expensive med	
ER 2: less well validated. Or	Il therapy without insu	ılin	I		
TZDs	0.5-1.4	Improved lipid profile (actos) Potential decrease in MI (actos)		Fluid retention CHF, Wt. +, bone fxs; Potential MI increase (avandia)	
GLP-1 Agonist (exenatide) (Byetta)	0.5-1.0	Wt		2 injections daily frequent GI side effec Long term safety??? Expensive	
Other therapy (all expensive) DPP-4 inhibitor	nsive) nhibitor 0.5-0.8 Wt. neutral		   	Long term safety?	
(Januvia) Pramlintide (Amylin)	0.5-1.0	Wt		3 injections daily, Long term safety? Frequent GI side effe	

#### Management of Type 2 Diabetes Treatment, continued...

#### Management of Type 2 Diabetes Treatment, continued...

Step 2: Addition of a second medication. lf lifestyle intervention and the maximal tolerated dose of metformin fail to achieve or sustain the glycemic goals, another medication should be added within 2-3 months of the initiation of therapy or at any time the target A1C level is not Another medication may also be achieved. necessary if metformin is contraindicated or not tolerated. The consensus regarding the second medication was to choose either insulin or a sulfonylurea. The A1C level will determine in part which agent is selected next, with consideration given to the more effective glycemia-lowering agent, insulin, for patients with an A1C level >8.5% or with symptoms secondary to ehyperalycemia. Insulin may be initiated with a basal (intermediate to long acting) insulin. However, many newly diagnosed type 2 diabetic patients will usually respond to oral medications, even if symptoms of ehyperglycemia are present.

**Step 3:** Further adjustments. If lifestyle, metformin, and sulfonylurea or basal insulin do not result in achievement of target glycemia, the next step should be to start, or intensify, insulin therapy. Intensification of insulin therapy usually consists of additional injections that might include a short- or rapid-acting insulin given before selected meals

to reduce postprandial glucose excursions. When insulin injections are started, insulin secretagogues (sulfonylureas or glinides) should be discontinued, or tapered and then discontinued, since they are not considered to be synergistic. Although addition of a third agent can be considered, especially if the A1C level is close to target (A1C <8.0%), this approach is usually not preferred, as it is no more effective in lowering glycemia, and is more costly, than initiation or intensifying insulin.

**Special considerations/patients.** In the setting of severely uncontrolled diabetes with catabolism, defined as fasting plasma glucose levels > 13.9mmol/l (250 mg/dl), random glucose levels consistently above 16.7 mmol/l (300 mg/dl), A1C above 10%, or the presence of ketonuria, or as symptomatic diabetes with polyuria, polydipsia and weight loss, insulin therapy in combination with lifestyle intervention is the treatment of choice. Some patients with these characteristics will have unrecognized type 1 diabetes; others will have type 2 diabetes with severe insulin deficiency. Insulin can be titrated rapidly and is associated with the greatest likelihood of returning glucose levels rapidly to target levels. After symptoms are relieved and glucose levels decreased, oral agents can often be added and it may be possible to withdraw insulin, if preferred.

#### Insulin Therapy

Start with bedtime intermediate-acting insulin

Or bedtime or morning long-acting insulin (can Initiate with 10 units or 0.2 units per kg)

Check fasting glucose (fingerstick) usually daily and increase

dose, typically by 2 units every 3 days until fasting levels are

consistently in target range (3.9-7.2 mmol/l [70-130 mg/dl]). Can increase dose in larger increments, e.g., by 4 units every 3 days, if fasting glucose is >10 mmol/l (180mg/dl)

If hypoglycemia occurs, or if fasting glucose level < 3.9mmol/I [70mg/dl], Reduce bedtime dose by 4 units or 10% - whichever is greater.

If A1C is <7%, continue regimen and check A1C every 3 months.

If fasting bg is in target range (3.9 -7.2 mmol/l [70-130mg/dl], check bg before lunch, dinner, and bed. Depending on bg results, add second injection as below. Can usually begin with around 4 units and adjust by 2 units every 3 days until bg is in range

- Pre lunch bg out of range- Add rapid-acting insulin at breakfast
- Pre-dinner bg out of range-Add NPH insulin at breakfast or rapid-acting at lunch
- Pre-bed bg out of range- Add rapid-acting insulin at dinner

A1C >7% after 3 months

Recheck pre-meal bg levels and if out of range, may need to add another injection. If A1C continues to be out of range, check 2 h postprandial levels and adjust preprandial rapid acting insulin.

If A1C >7% after 2-3 months


#### Management of Type 2 Diabetes Treatment, continued...

#### **Insulin Types and Action Times**

There are five main types of insulin. They each work at different speeds. Most people who take insulin use two types of insulin and take at least two shots a day.

Type of Insulin/ Name	Letter on Bottle	Starts Working*	Works Hardest*	Stops Working*
Quick acting, Humalog Insulin	lispro H	5-15 minutes	45-90 minutes	3-4 hours
Short acting, Regular Insulin	R	30 minutes	2-5 hours	5-8 hours
Intermediate acting, NPH	Ν	1-3 hours	6-12 hours	16-24 hours
Long acting, Ultralente Insulin NPH and Regular Insulin	U	4-6 hours	8-20 hours	24-28 hours
mixtures (2 Insulins combined)	70/30 or 50/50	30 minutes	7-12 hours	16-24 hours

\*Action times of insulins are based on average responses. How insulin works in an individual body may vary. Work with your doctor and diabetes educator to understand how insulin works in each individual case.



#### Provided by Kern Health Systems

TREATMENT FOR INFANTS AND YOUNG CHILDREN (5 years or younger)					
Preferred treatments are in bold print. *Patient education is essential at every step					
	Long-Term Preventive	Quick-Relief			
<b>STEP 4</b> Severe Persistent	Daily medication: • Inhaled corticosteroid - MDI with spacer and face mask >1 mg daily or - Nebulized budesonide >1 mg bid - If needed, add oral steroids-lowest possible dose on an alternate-day, early morning schedule.	<ul> <li>Inhaled short-acting bronchodilator: inhaled Beta2- agonist or ipratropium bromide, or Beta2-agonist tablets or syrup as needed for symptoms, not to exceed 3-4 times in one day.</li> </ul>			
<b>STEP 3</b> Moderate Persistent	Daily medication: • Inhaled corticosteroid - MDI with spacer and face mask 400-800 mcg daily or - Nebulized budesonide <=1 mg bid	<ul> <li>Inhaled short-acting bronchodilator: inhaled Beta2- agonist or ipratropium bromide, or Beta2-agonist tablets or syrup as needed for symptoms, not to exceed 3-4 times in one day.</li> </ul>			
STEP 2 Mild Persistent	Daily medication: • Either <b>inhaled corticosteroid</b> , (200-400 mcg) or cromoglycate (use MDI with a spacer and face mask or use a nebulizer)	<ul> <li>Inhaled short-acting bronchodilator: inhaled Beta2- agonist or ipratropium bromide, or Beta2-agonist tablets or syrup as needed for symptoms, not to exceed 3-4 times in one day.</li> </ul>			
STEP 1 Intermittent	• None needed.	<ul> <li>Inhaled short-acting bronchodilator: inhaled Beta2-agonist or ipratropium bromide, as needed for symptoms, but not more than three times a week</li> <li>Intensity of treatment will depend on severity of attack (see figures on management of asthma attacks).</li> </ul>			

#### Stepdown

Review treatment every 3 to 6 months. If control is sustained for at least 3 months, a gradual stepwise reduction in treatment may be possible.



If control is not achieved, consider stepup. But first: review patient medication technique, compliance, and environmental control (avoidance of allergens or other trigger factors).

TREATMENT: ADULTS & CHILDREN OVER 5 YEARS OLD Preferred treatments are in bold print. * Patient education is essential at every step				
	Long-Term Preventive	Quick-Relief		
STEP 4 Severe Persistent	<ul> <li>Daily medications:</li> <li>Inhaled corticosteroid, 800-2,000 mcg or more, and</li> <li>Long-acting bronchodilator: either long-acting inhaled Beta2-agonist, and/or sustained-release theophylline, and/or long-acting Beta2-agonist tablets or syrup, and</li> <li>Corticosteroid tablets or syrup long term.</li> </ul>	<ul> <li>Short-acting bronchodilator: inhaled Beta<sub>2</sub>- agonist as needed for symptoms.</li> </ul>		
<b>STEP 3</b> Moderate Persistent	<ul> <li>Daily medications:</li> <li>Inhaled corticosteroid, ≥500 mcg AND, if needed</li> <li>Long-acting bronchodilator: either long-acting inhaled Beta2-agonist, sustained-release theophylline, or long-acting Beta2-agonist tablets or syrup. (Long-acting Beta2-agonist may provide more effective symptom control when added to low-medium dose steroid compared to increasing the steroid dose).</li> <li>Consider adding anti-leukotriene, especially for aspirinsensitive patients and for preventing exercise-induced bronchospasm.</li> </ul>	<ul> <li>Short-acting bronchodilator: inhaled Beta<sub>2</sub>- agonist as needed for symptoms, not to exceed 3-4 times in one day.</li> </ul>		
STEP 2 Mild Persistent	Daily medication: • Either Inhaled corticosteroid, 200-500 mcg, cromoglycate, nedocromil, or sustained-release theophylline. Antileukotrienes may be considered, but their position in therapy has not been fully established.	<ul> <li>Short-acting bronchodilator: inhaled Beta<sub>2</sub>- agonist as needed for symptoms, not to exceed 3-4 times in one day.</li> </ul>		
STEP 1 Intermittent	• None needed.	<ul> <li>Short-acting bronchodilator: inhaled Beta2-agonist as needed for symptoms, but less than once a week</li> <li>Intensity of treatment will depend on severity of attack (see figures on management of asthma attacks)</li> <li>Inhaled Beta2-agonist or cromoglycate before exercise or exposure to allergen.</li> </ul>		

#### Stepdown

Review treatment every 3 to 6 months. If control is sustained for at least 3 months, a gradual stepwise reduction in treatment may be possible.



Stepup

If control is not achieved, consider stepup. But first: review patient medication technique, compliance, and environmental control (avoidance of allergens or other trigger factors).

\*Dosage note: Steroid doses are for Beclomethasone Dipropionate (on the WHO list of "Essential Drugs"). Other preparations have equal effect, but adjust the dose because inhaled steroids are not equivalent on a microgram or per puff basis.

# **INDEX-GENERIC** and **BRAND**

# A

Acarbose 29 Accolate® 44 Accupril® 13 Acebutolol 16 Acetaminophen 53 Acetasol HC® 41 Acetazolamide 38 Acetic Acid 48 Acetylcysteine 45 Aciphex® 27 Actigall® 25 Actonel® 41 Actos® 31 Acular®, Acular LS 39 Acyclovir 8 Adacel®, Tenivac®, others 49 Adalat CC® 16 Adalimumab 13 Adapalene 58 Adderall®, Adderall XR® 22 Adlyxin® 29 Admelog®, Humalog® 30 Adrucil® 9 Advair®, Wixela Inhub®, AirDuo® 44 Aerospan® 43 Afinitor® 9 Agrylin® 27 Aimovig® 21 Albalon® 55 Albendazole 6 Albenza® 6 Albuterol 43 Albuterol HFA 43 Alcohol 57 Aldactone® 16 Aldara® 47 Aldomet® 13 Alendronate 41 Alesse® 39 Alitretinoin 10

Alkeran® 9 Allopurinol 12 Aloaliptin 28 Alogliptin/metformin 29 Alogliptin/pioglitazone 29 Alphagan® Alphagan P® 37 Altace® 13 Altretamine 10 Aluminum & Magnesium Hvdroxides 54 Aluminum & Magnesium Hydroxides w/Simethicone 54 Aluminum Acetate 59 Aluminum Hydroxide & Maa. Trisilicate 54 Aluminum Hydroxide, Mag. Carbonate 54 Amarvl® 31 Ambien® 22 Ambrisentan 17 Amerae® 22 Amiodarone 14 Amitriptyline 20 Amlodipine 16 Amoxicillin 4 Amoxicillin/Clavulanate 5 Amoxil® 4 Amphetamine Combination 22 Ampicillin 5 Amylase, Lipase, & Protease 25 Anafranil® 20 Anaarelide 27 Anastrozole 9 Anoro Ellipta® 45 Anthralin 48 Antibacterial/Antifungal Agents 34 Antivert® 54 Anusol-HC® 26 Anidra® 30 Apixaban 27 Apremilast 12 Aprepitant 24

Apresoline® 17

Aranesp® 28 Arava® 12 Aricept® 23 Arimidex<sup>®</sup> 9 Armonair Respiclick® 43 Armour® 33 Arnuity Ellipta® 43 Asacol®, Delzicol®, Lialda® 26 Aspercreme Lidocaine® 58 Aspirin 53 Astelin® 45 Atarax® 42 Atenolol 16 Ativan® 21 Atomoxetine 23 Atorvastatin 15 Atovaguone 6 Atropine 39 Atrovent HFA® 44 Augmentin® 5 Auranofin 12 Avalide® 14 Avapro® 14 Avsola® 13 Axicabtagene ciloleucel 11 Azathioprine 12, 34 Azelastine 45 Azelastine ophth soln 36 Azithromvcin 4 Azopt® 37 Azulfidine® 12, 26

# B

Bacitracin 36 Bacitracin & Polymyxin 37 Baclofen 35 Bactrim®/Septra® 5 Bactroban® 46 Balsalazide 26 Baraclude® 8 Beclomethasone 43 Benadryl® 56

Benazepril 13 Benazepril - HCTZ 14 Benemid® 12 Bentyl® 12 Benzagel® 58 Benznidazole 6 Benzonatate 42 Benzovl Peroxide 58 Besifloxacin 36 Besivance® 36 Betagan® 38 Betamethasone 47 Betamethasone dipropionate 48 Betapace® 14 Betaxolol 38 Bethanechol 12 Betopic® 38 Bevacizumab-bvzr 11 Bexarotene 10 Biaxin® 3 Bicalutamide 9 Bimatoprost 38 Bisacodyl 55 Bismuth Subsalicvlate 55 Bisoprolol - HCTZ 16 Blood Glucose Strips 58 Blood pressure monitor 53 Boostrix® 49 Bosentan 17 Braces 53 Brethine® 43 Brilinta® 27 Brimonidine 37 Brimonidine tartrate/timolol 38 Brinzolamide 37 Bromocriptine 32 Brompheniramine 56 Brompheniramine & Phenylephrine 56 Budesonide 43 Budesonide/formoterol 44 **Bupropion** 19 Buspar® 21

Buspirone 21 Butalbital, Caffeine, & Acetaminophen 21 Butalbital, Caffeine, & Aspirin 21 Butoconazole 50 Bydureon® 29

#### <u>(</u>

Co-Rezz® 57 Cabergoline 32 Cafergot® 21 Calamine 59 Calan®, Calan SR® 16 Calcipotriene 48 Calcitonin-salmon 41 Calcitriol 51 Calcium 54 Calcium Acetate 17 Calcium Carbonate (20 mEq Ca++/Gm) Calcium Carbonate w/Vitamin D 54 Calcium Gluconate (4.5mEg Ca++/Gm) 54 Calcium acetate (12.5mEq  $C_{a++}/G_{m}$ ) 54 Calcium lactate (6.5mEq  $C_{a++}/G_{m}$ ) 54 Camptosar® 9 Carafate® 26 Carbamazepine 19 Carbamide Peroxide 41 Carbidopa & Levodopa 12 Cardec-DM® 42 Cardizem® 16 Cardura® 13 Carnitor® 50 Carvedilol 15 Casodex® 9 Catapres® 13 Cefdinir 3 Cefuroxime 3 Celebrex® 36 Celecoxib 36 Celexa® 20

Cephalexin 3 Cephulac® 25 Cetirizine 56 Chantix® 23 Chemet® 41 Chlorambucil 10 Chloroguine 6 Chlorpheniramine 56 Chlorpheniramine & Phenylephrine 56 Chlorpheniramine & Pseudoephedrine 56 Chlorthalidone 16 Chlortrimeton® 56 Cholestvramine 15 Cilostazol 28 Ciloxan® 37 Cinacalcet 32 Ciprodex® 41 Ciprofloxacin 5 Ciprofloxacin- Dexamethasone 41 Cipro® 5 Citalopram 20 Clarithromycin 3 Claritin® 56 Cleocin-T® 46 Cleocin® 3, 50 Climara®, Vivelle® 47 Clindamycin 3, 50 Clinoril® 35 Clobetasol 48 Clomipramine 20 Clonazepam 18, 21 Clonidine 13 Clopidogrel 27 Clotrimazole 6 Codeine & Guaifenesin 43 Codeine sulfate 1 Codeine w/Acetaminophen 2 Codeine, Guaifenesin, Pseudoephedrine 43 ColBenemid® 12 Coloce® 55 Colazal® 26 Colchicine & Probenecid 12

Colestid® 15 Colestipol 15 Combiaan® 38 Combivent Respirat® 44 Compazine® 24 Comton® 11 Condoms-Male 53 Condvlox® 47 Contac® 56 Cordran® 47 Coreg® 15 Cortenema® 26 Cortisporin® 41 Cosentyx® 13 Cosopt® 38 Coumadin® 27 Cozaar® 14 Creon®, Zenpep® 25 Crestor® 15 Crinone® 33 Crolom® 38 Cromolyn 38 Crotamiton 48 Crutches 53 Cvanocobalamin 50 **Cvclobenzaprine 35** Cvcloavl® 39 **Cvclopentolate 39** Cvclophosphamide 9 Cvcloserine 7 Cyclosporine 39 Cyclosporine, Microemulsion 34 Cymbalta® 20 Cvproheptadine 42 Cvramza® 9 Cvtomel® 33 Cvtotec® 26 Cvtovene® 8 Cvtoxan® 9 chlorhexidine gluconate 57

#### D

DDAVP® 32 Danazol 28

Danocrine® 28 Dapaaliflozin 30 Dapagliflozin/metformin 31 Dapsone 8 Daraprim® 6 Darbepoetin 28 Dounorubicin 9 Debrox® 41 Decadron® 32 Demulen® 39 Depakote®, Depakote ER® 18 Depo-Testosterone® 28 Desipramine 20 Desmopressin 32 Desogen® 39 Desogestrel & Ethinyl Estradiol 39 Desyrel® 19 Dexamethasone 32 Dexedrine<sup>®</sup> 22 Dexmethylphenidate 22 Dextro-amphetamine 22 Dextromethorphan 57 Dextromethorphan & Guaifenesin 57 Diabeta® 31 Diamox® 38 Diaphraam 47 Diazepam 21, 35 Diclofenac 39 Diclofenac Na 35 Dicloxacillin 5 Dicvclomine 12 Differin® 58 Diflucan® 6 Difluprednate 38 Diaoxin 14 Dilantin®, Phenytek® 18 Dilaudid® 2 Diltiazem 16 Dimetane DX® 56 Dimetapp® new formulation 56 DiovanHCT® 14 Diovan® 14 Diphenhvdramine 56 Diphenoxylate & Atropine 24

Diprosone® 48 Dipyridamole 27 Disalcid® 36 Disopyramide 15 Ditropan® 48 Divalproex 18 Docusate 55 Domeboro's Soln® 59 Donepezil 23 Dorzolamide 38 Dorzolamide/timolol 38 Dovonex<sup>®</sup> 48 Doxazosin 13 Doxycycline hyclate 5 **Doxvlamine Succinate 54** Drisdol® 50 Drithocreme HP® 48 Dronabinol 25 **Drospirenone & Ethinyl Estradiol** 40 Dulaglutide 29 Dulcolax® 55 Duloxetine 20 Duragesic<sup>®</sup> 2 Durezol® 38 Dvazide®, Maxide® 16 Dvnapen® 5 Dyrenium® 16

#### E

E-Mycin® 3 EES® 4 Econazole 46 Effexor®, Effexor XR® 20 Effient® 27 Efudex® 47 Elagolix 33 Elbasvir/grazoprevir 8 Electrolyte Maintenance 34 Elimite® 48 Eliquis® 27 Elmiron® 48 Elocon® 48 Emcyt® 9 Emend® 24 Emko® 53 Empagliflozin 31 Empagliflozin/metformin 31 Enalapril 14 Enbrel® 13 Engerix-B®, Heplisav-B® 49 Enoxaparin 27 Entacapone 11 Entecavir 8 Epclusa® 8 Epinephrine 41 Epoetin, Alpha 28 Epoprostenol 17 Eraocalciferol 50 Eraotamine & Caffeine 21 Ergotamine Tartarate 21 Eribulin mesylate 10 Erivedae® 9 Ertugliflozin 31 Ertugliflozin/metformin 31 Erv-tab® 4 Ervthrocin® 4 Erythromycin 37 Erythromycin Base 3 Ervthromvcin Ethylsuccinate 4 Ervthromvcin Stearate 4 Escitalopram 20 Esidrix<sup>®</sup> 16 Esomeprazole 27 Esterified Estrogens & Methyltestosterone 32 Estrace® 32, 50 Estradiol 32, 50 Estramustine 9 Estratest® 32 Estrogen, Conjugated & Medroxyprogesterone 32 Estrogens, Conjugated 32 Estrostep® 40 Etanercept 13 Ethambutal 7 Ethosuximide 19 Ethynodiol & Ethinyl Estradiol 39 Etonogestrel/ethinyl estradiol 47 Etoposide 11 Eulexin® 9 Eurax® 48 Everolimus 9 Exenatide 29 Extavia® 13 Ezetimibe 15 erenumab - AOOE 21 ethyl alchohol 57

# F

FML® 38 Famotidine 25 Farxiga® 30 Femara® 9 Fenofibrate 15 Fentanyl 2 Fer-in-Sol® 55 Ferrous Gluconate 55 Ferrous Sulfate 55 Filfrastim - AAFI 28 Finasteride 13 Fioricet® 21 Fiorinal® 21 Firvang, ® Vancocin® 8 Flagyl® 8 Flecainide 15 Fleets® 55 Flolan® 17 Flomax® 13 Flonase® 45 Florinef® 32 Flovent HFA® 43 Floxin® Otic 41 Fluconazole 6 Flunisolide 43 Fluocinolone 47 Fluocinonide 48 Fluorometholone 38 Fluorouracil 9 Fluoxetine 20 Flurandrenolide 47 Flurocortisone 32 Flutamide 9

Fluticasone 43 Fluticasone - Umeclindium -Vilanterol 45 Fluticasone furoate 43 Fluticasone propionate 43 Fluticasone/salmeterol 44 Fluvoxamine 20 Fluzone<sup>®</sup>, Fluvirin<sup>®</sup>, Fluvarix<sup>®</sup>, others 49 Focalin®, Focalin XR® 22 Folic acid 50 Fosamax® 41 Fosfomycin tromethamine 4 Fosrenol® 17 Furadantin® 4 Furosemide 17

#### <u>G</u>

Gabapentin 18 Gabitril® 18 Ganciclovir 8 Garamycin® 37 Gardasil® 49 Gaviscon® 54 Gemfibrozil 15 Gemtuzumab ozogamicin 10 Gentamicin 37 Glatiramer acetate 13 Glatopa® 13 Gleevec® 9 Gleostine® 9 Glimepiride 31 Glipizide 31 Glucagon 30 Glucophage®, Glucophage XR® 29 Glucotrol® 31 Glyburide 31 Glycopyrrolate 12 Go-Lytely® 25 Granisetron 25 Griseofulvin 6 Guaifenesin 57 Guanfacine 13

Gynazole 1® 59 Gynazole-1® 50 Gyne-lotrimin® 59

# H

Halaven® 10 Havrix® 49 Hemorrhoidal Suppository w/Hydrocortisone 26 Heparin 27 Hepatitis A 49 Hepatitis A & B 50 Hepatitis B 49 Hexalen® 10 Hibiclens® 57 Homatropine 39 Humatin® 6 Humira® 13 Humulin® Novolin® 30 Humulin®, Novolin® 55 Hyaluronidase 47 Hydralazine 17 Hydrochlorothiazide 16 Hydrocodone/APAP 2 Hydrocortisone 32 Hydrocortisone & acetic acid 41 Hydrocortisone enema 26 Hydromorphone 2 Hydroxychloroguine 12 Hydroxyprogesterone Caproate 33 Hydroxyurea 10 Hydroxyzine 42 Hyoscyamine 12 Hyperrab<sup>®</sup>, Imogam rabies<sup>®</sup> 49 Hyrea<sup>®</sup> 10 Hvtrin® 13 Hyzaar® 14

#### 

INH® 7 IV solutions: Dextrose-water, Dextrose-saline, Dextrose and Lactated Ringer's 34 Ibuprofen 36, 53 Icy Hot Patches® 58 llotycin® 37 Imatinib mesvlate 9 Imdur® 18 Imipramine 20 Imiguimod 47 Imitrex® 22 Imodium® 54 Imuran® 12, 34 Incruse Ellipta® 45 Indapamide 17 Inderal® 15 Indocin® 35 Indomethacin 35 Infliximab-AXXQ 13 Influenza 49 Insulin aspart 30 Insulin dealudec 30 Insulin detemir 30 Insulin glargine 30 Insulin alaraine/lixisenatide 30 Insulin alulisine 30 Insulin lispro 30 Insulin, Human 30 Insulin, human 55 Intal® 45 Interferon alpha 8 Interferon beta -1B 13 Intravenous lipids 34 Ipilimumab 11 Ipratropium 44 Ipratropium - Albuterol 44 Ipratropium- albuterol Respimat 44 Irbesartan 14 Irbesartan-hctz 14 Irinotecan 9 Isoniazid 7 Isopto-Atropine® 39 Isopto-Carpine® 38 Isopto-Homatropine® 39 Isopto-Hyosine® 38 Isordil® 18 Isosorbide Dinitrate 18 Isosorbide Mononitrate 18

Isotretinoin 3 Itraconazole 6 Ivermectin 6 Ixabepilone 10 Ixempra® 10

# J

Jardiance® 31

# K

Kayexalate® 17 Kazano® 29 Keflex® 3 Kenalog® 47, 48 Keppra® 18 Keto-Diastix®, Ketostix® 58 Ketoconazole 46 Ketoprofen 36 Ketorolac 39 Ketotifen 55 Klonopin® 18, 21 Kytril® 25

# L

Labetolol 16 Lactulose 25 Lamictal® 18 Lamisil® 6, 46 Lamotriaine 18 Lancets 58 Lanoxin® 14 Lansoprazole 27 Lanthunum Carbonate 17 Lasix® 17 Latanoprost 38 Leflunomide 12 Lenalidomide 10 Letairis® 17 Letrozole 9 Leucovorin 41 Leukeron® 10 Leuprolide 10

Leuprolide/norethindrone 33 Levaquin® 5 Levemir® 30 Levetiracetam 18 Levlen® 39 Levo-Dromoran® 2 Levobunolol 38 Levocarnitine 50 Levodopa 11 Levofloxacin 5 Levonorgestrel 40 Levonorgestrel & Ethinyl Estradiol 39 Levorphanol 2 Levothvroxine 33 Levoxvl® 33 Levsin® 12 Lexapro® 20 Lidex® 48 Linagliptin 28 Linezolid 8 Liothyronine 33 Lipitor® 15 Liraglutide 29 Lisdexamfetamine 23 Lisinopril 14 Lisinopril - HCTZ 14 Lixisenatide 29 Lo-Ovral® 39 Loestrin 1.5/30<sup>®</sup>, 1.5/30 Fe<sup>®</sup> 40 Loestrin 1/20<sup>®</sup>, 1/20 Fe<sup>®</sup>, Lo Loestrin Fe® 40 Lomotil® 24 Lomustine 9 Loniten® 18 Loperamide 54 Lopid® 15 Lopressor® 16 Loratadine 56 Lorazepam 21 Losartan 14 Losartan-hctz 14 Lotemax® 38 Lotensin® 13

Loteprednol 38 Lotrimin® 58 Lovenox® 27 Lozol® 17 Lumigan® 38 Lupaneta® 33 Lupron® 10 Luride® 51 Luvox® 20 Lyrica® 18 Lysodren® 10 lidocaine 58 lidocaine/menthol 58

#### M

INDEX—GENERIC and BRANI

M-M-R II® 49 MS-Contin® 2 Maalox® 54 Macrobid® 4 Magaldrate 54 Magnesium citrate 55 Makena® 33 Marinol® 25 Matulane® 10 Maxalt® 22 Maxitrol® 37 Measles, Mumps, Rubella 49 Meclizine 54 Medrol® 33 Medroxyprogesterone 33 Megace® 10 Meaestrol 10 Meloxicam 36 Melphalan 9 Menigitits 49 Menveo®, Menomune®, Bexsero<sup>®</sup>, Trumenba<sup>®</sup>, others 49 Mephyton® 28 Mepron® 6 Mercaptopurine 10 Mesalamine 26 Mestinon® 12 Metformin 29

Methazolamide 38 Methergine® 33 Methimazole 33 Methocarbamol 35 Methotrexate 10 Methyldopa 13 Methylergonovine 33 Methylphenidate 23 Methylprednisolone 33 Metipranolol 38 Metoclopramide 26 Metolazone 17 Metoprolol tartrate 16 Metrogel® 50 Metronidazole 8 Mexiletine 14 Mexitil® 14 Miacalcin® 41 Micatin® 58 Miconazole 58 Micronor® 40 Mineral oil 55 Minipress<sup>®</sup> 13 Minocin® 5 Minocycline 5 Minoxidil 18 Miralax® 25 Mirapex<sup>®</sup> 11 Mircette® 39 Mirtazapine 19 **Misoprostol 26** Mitotane 10 Mobic® 36 Mometasone 45 Monistat® 59 Monitoring Device 44 Montelukast 44 Monurol® 4 Morphine 2 Motrin® 36, 53 Mucomvst® 45 Mupirocin 46 Muro® (128) 38 Mvambutal® 7 Mycelex® 6

Mycobutin® 7 Mycostatin® 6, 46, 50 Mylanta® 54 Mylotarg® 10 Mysoline® 18 mycophenolate 34

#### N

Nabumetone 36 Naphazoline 55 Naphazoline & Pheniramine 55 Naphcon-A® 55 Naprosyn® 36 Naproxen 36 Naratriptan 22 Nasacort Allergy 24 HR OTC® 57 Nasonex® 45 Natacyn® 36 Natamycin 36 Nateglinide 30 Nebulizer 53 Neo-Polycin® 37 Neomycin 4 Neomycin, Bacitracin & Polymyxin 37,58 Neomycin, Polymyxin & Dexamethasone 37 Neomycin, Polymyxin & Hydrocortisone 41 Neomycin, Polymyxin & Gramicidin 37 Neomycin, Polymyxin & Prednisolone 37 Neoral® 34 Neosporin® 37, 58 Neostigmine 12 Nepafanac 39 Neptazane® 38 Nesina® 28 Neurontin® 18 Nevanac® 39 Nexium 24HR (OTC) ® 27 Niacin 53

Nicorette®, Nicotrol®, Nicoderm (QR) 23Nicotine 23 Nifedipine 16 Nitrofurantoin 4 Nitroglycerin 18 Nitrostat® 18 Nivestym® 28 Nivolumab 10 Nix® 59 Nizoral AD® 46 Nizoral® 46 Nolvadex® 10 Nonoxynol-9 53 Norco® 2 Norelgestromin- ethinvl estradiol 47 Norethindrone 40 Norethindrone & Ethinvl Estradiol 39 Norethindrone & Mestranol 40 Norethindrone Acetate & Ethinvl Estradiol 40 Norgestimate & Ethinyl Estradiol 40 Norgestrel & Ethinyl Estradiol 39 Norlestrin 1/50<sup>®</sup>, 1/50 Fe<sup>®</sup> 40 Norpace® 15 Norpramin® 20 Nortriptyline 20 Norvasc® 16 Novolog® 30 Nuvarina® 47 Nystatin 6, 46, 50

#### 0

Ocuflox® 37 Ofloxacin 37 Olopatadine 36 Omeprazole 27 Omnicef® 3 Ondansetron 25 Opdivo® 10

Optipranolol® 38 Optivar® 36 Oral electrolyte Soln 53 Orilisso® 33 Ortho-Cvclen® 40 Ortho-Novum 1/35®, Demulen 1/50® 40 Ortho-Novum 1/50® 40 Ortho-Novum 10/11® 39 Ortho-Novum 7/14® 39 Ortho-Novum 7/7/7® 40 Ortho-Tricyclen Lo® 41 Ortho-Tricyclen® 41 Orudis® 36 Oseltamivir 8 Oseni<sup>®</sup> 29 Ostomy supplies 55 Otezla® 12 Ovral® 40 Oxcarbazepine 19 Oxiconazole 46 Oxistat® 46 Oxv-Contin® 2 Oxybutynin 48 Oxvcodone 2 Oxvcodone w/Acetaminophen 2 Ozempic® Rybelsus® 29

#### **P**

PEG 25 PEG-Electrolyte 25 Paclitaxel 10 Pamelor® 20 Panretin® 10 Pantoprazole 27 Papillomavirus 49 Paregoric 24 Parenteral Amino Acid Solutions and Combinations 34 Parlodel® 32 Paromomycin 6 Paroxetine 20 Patanol® 36 Patiromer 17

Paxil® 20 Pazopanib 11 Peak Flow Meter 44 Pediacare® 56 Pedialvte® 53 Pediatric Vitamins 59 Pediatric Vitamins w/Fluoride 51 Pediatric Vitamins w/Fluoride & Iron 51 Penicillin VK 5 Pentosan 48 Pentoxifvlline 28 Pepcid AC® 54 Pepcid® 25 Pepto-Bismal® 55 Percocet<sup>®</sup> 2 Periactin® 42 Permethrin 48 Perphenazine & Amitriptyline 19 Persontine<sup>®</sup> 27 Phenazopyridine 48 Pheneraan DM® 42 Pheneraan w/Codeine® 42 Phenergan-VC Codeine® 42 Phenergan-VC® 42 Pheneraan® 25 Phenobarbital 19 Phenylephrine, Promethazine & Codeine 42 Phenvtoin 18 PhosLo® 17 Photofrin® 10 Phytonadione 28 Pilocarpine 38 Pin-X® 6 Pioalitazone 31 Plan B One Step® 40 Plaquenil® 12 Plavix® 27 Pneumococcal 49 Podofilox 47 Polv-Pred® 37 Poly-Vi-Flor w/Iron®, Tri-Vi-Flor w/lron® 51 Poly-Vi-Flor®, Tri-Vi-Flor® 51

Polymyxin & Trimethaprim 37 Polysporin® 37 Polvtrim® 37 Porfimer sodium 10 Potassium Chloride 17 Potassium Replacement 34 Promalintide 28 Pramipexole 11 Prasugrel 27 Provochol® 15 Provastatin 15 Prazosin 13 Precose® 29 Pred Mild®, Pred Forte® 38 Prednisolone 33 Prednisone 33 Pregabalin 18 Prelone® 33 Premarin Vaginal Cream® 50 Premarin® 32 Premphase® 32 Prempro® 32 Prenatal Vitamins w/Minerals. Iron & Folic Acid 51 Prenatal Vitamins w/Minerals, Iron & Folic Acid, w/DHA 59 Prevacid® 27 Prevnar 13®. Prevnar 23® 49 Prilosec® 27 Primaguine 6 Primidone 18 Principen® 5 Pro-Banthine® 26 Probenecid 12 Procarbazine 10 Prochlorperazine 24 Progesterone miconized 33 Prograf® 34 Promethazine 25 Promethazine & Codeine 42 Promethazine & Dextromethorphan 42 Promethazine & Phenylephrine 42 Propafenone 15 Propantheline 26

Proparacaine 36 Propranolol 15 Propylthiouracil 32 Proscor® 13 Prostigmin® 12 Protein Replacement 34 Protonix® 27 Provera®, Depo-Provera® 33 Prozac® 20 Pseudoephedrine 57 Pseudoephedrine. Brompheniramine & Dextromethorphan 56 Pseudoephedrine, Chlorpheniramine & Dextromethorphan 42 Pulmicort<sup>®</sup> 43 Purinethol® 10 Pvrantel 6 Pyrazinamide 7 Pyrethrins-Piperonyl 59 Pvridium® 48 Pvridostiamine 12 Pyridoxine (Vitamin B-6) 59 Pvrimethamine 6 potassium citrate- citric acid 48

#### Q

Questran® 15 Quinapril 13 Qvar Redihaler® 43

#### R

Rabeprazole 27 Rabies 49 Ramipril 13 Ramucirumab 9 Ranitidine 25 Reglan® 26 Relafen® 36 Remeron® 19 Renvela® 17 Requip® 11

Restasis® 39 Restoril® 22 Retacrit® 28 Retin-A® 46 Retrovir® 8 Revatio® 17 Revlimid® 10 Ribavirin 8 Ridaura® 12 Rid® 59 Rifabutin 7 Rifampin 7 Rilutek® 1 Riluzole 1 Rimactane® 7 Riopan® 54 Risedronate 41 Ritalin® 23 Rituximab- PVVR 10 Rivaroxaban 27 Rizatriptan 22 Robaxin® 35 Robinul® 12 Robitussin AC® 43 Robitussin DAC® 43 Robitussin DM® 57 Robitussin Pediatric® 57 Robitussin® 57 Rocaltrol® 51 Ropinirole 11 Rosuvastatin 15 Ruxience® 10 Rythmol® 15

#### S

SSKI® 42 Salsalate 36 Saturated soln of potassium iodide 42 Scopolamine 38 Sectral® 16 Secukinumab 13 Segluromet® 31 Selenium 46

Selsun® 46 Semaglutide 29 Semglee®, Toujeo® 30 Sensipar® 32 Seromvcin® 7 Sertraline 20 Sevelamer Carbonate 17 Shinarix® 49 Sildenafil 17 Silvadene® 46 Silver Sulfadiazine 46 Simvastatin 15 Sinemet® 12 Singulair® 44 Sodium Chloride 38 Sodium Fluoride 51 Sodium Polystyrene Sulfonate 17 Sodium Sulfacetamide 37 Sodium and Saline Preparations 34 Sofosbuvir/velpatasvir 8 Soliaua® 30 Sotalol 14 Spacer Device 44 Spectazole® 46 Spiriva Respimat® 45 Spironolactone 16 Sporgnox® 6 Starlix® 30 Stealatro® 31 Stiolto Respimat® 45 Strattera® 23 Stromectol® 6 Succimer 41 Sucralfate 26 Sudafed Plus® 56 Sudafed® 57 Sulamvd® 37 Sulfamethoxazole & Trimethoprim 5 Sulfanilamide 50 Sulfasalazine 12, 26 Sulindac 35 Sultrin® 50 Sumatriptan 22

Symbicort® 44 Symlin® 28 Synalar® 47 Synjardy® 31 Syringes, Syringes w/Needles, Pen Needles 58

#### T

TDAP 49 TRUE Metrix® 58 TRUEplus® 58 Tablet Splitter 53 Tacrolimus 34 Tambocor® 15 Tamiflu® 8 Tamoxifen 10 Tamsulosin 13 Tapazole® 33 Targretin® 10 Tegretol® 19 Temazepam 22 Temodar® 11 Temovate® 48 Temozolomide 11 Tenex® 13 Tenormin® 16 Terazocin 13 Terazol® 50 Terbinafine 6, 46 Terbutaline 43 Terconazole 50 Tessalon® 42 Testosterone 28 Tetanus 49 Thalidomide 11 Thalomid® 11 Theodur, Uniphyl® 46 Theophylline 46 Thermometer 53 Thioguanine 11 Thyroid-dessicated 33 Tiagabine 18 Ticagrelor 27 Timolol 38

Timoptic® 38 Tinactin® 59 Tindamax® 8 Tinidazole 8 Tioconazole 50 Tiotropium bromide 45 Tiotropium bromide - Olodaterol 45 Tizanidine 35 Tobradex® 37 Tobramycin 37 Tobramyin & Dexamethasone 37 Tobrex® 37 Tofranil® 20 Tolnaftate 59 Topamax® 19 Topiramate 19 Tracleer® 17 Tradienta® 28 Tramadol 2 Trandate® 16 Trastuzumab-QYYP 11 Trazimera® 11 Trazodone 19 Trelegy Ellipta® 45 Trelstar® 11 Trental® 28 Tresiba® 30 Tretinoin 46 Tri-Vi-Sol® 59 Triamcinolone 47.48 Triamterene 16 Triamterene & Hydrochlorothiazide 16 Triavil® 19 Trifluridine 37 Trileptal® 19 Triphasil® 41 Triptorelin 11 Trulicity<sup>®</sup> 29 Trusopt® 38 Tums® Os-Cal D® 54 Twinrix® 50 Tylenol w/Codeine® 2 Tylenol® 53 triclosan 57

# INDEX—GENERIC and BRAND

# U

76

Ultram® 2 Umeclidinium 45 Umeclidinium - Vilanterol 45 Urecholine® 12 Urine Test Strips 58 Ursodiol 25

#### V

Vagistat 1® 50 Valisone® 47 Valium® 21, 35 Valsartan 14 Valsartan-hctz 14 Vancomycin 8 Vaporizer 53 Varenicline 23 Varicella 50 Varicella-zoster 49 Varivax® 50 Vasotec® 14 Veetids® 5 Veltassa® 17 Venlafaxine 20 Ventolin HFA®, ProAir HFA®, Proventil HFA® 43 Vepesid® 11 Verapamil 16 Vfend® 6 Vibramycin® 5 Victoza® 29 Vincristine 11 Viroptic® 37 Viscous lidocaine 46 Vismodegib 9 Vitamin E 59 Voltaren Arthritis Pain® 58 Voltaren® 35 Voriconazole 6 Vorinostat 11 Votrient® 11 Vyvanse® 23 various 8

#### W

Warfarin 27 Wellbutrin® 19

#### <u>X</u>

Xalatan® 38 Xarelto® 27 Xigduo XR® 31 Xulane® 47 Xylocaine® 46

#### Y

Yasmin®, Yaz® 40 Yervoy® 11 Yescarta® 11

#### <u>Z</u>

Zaditor® 55 Zafirlukast 44 Zaltrap® 11 Zanaflex® 35 Zantac® 25 Zarontin® 19 Zaroxolyn® 17 Zepatier® 8 Zestril® 14 Zetia® 15 Zidovudine 8 Zirabev® 11 Zirgan® 37 Zithromax® 4 Ziv-Aflibercept 11 Zocor® 15 Zofran® 25 Zolinza® 11 Zoloft® 20 Zolpidem 22 Zonegran® 19 Zonisamide 19 Zortress® 34 Zostavax® 50 Zoster 50

Zovirax® 8 Zyloprim® 12 Zyrtec® 56 Zyvox® 8



Kern Family Health Care complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.

Kern Family Health Care cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo.

ATTENTION: If you speak a language other than English, language assistance services, free of charge, are available to you. Call 1-800-391-2000 (TTY: 711).

ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-800-391-2000 (TTY: 711).

注意:如果您使用繁體中文,您可以免費獲得語言援助 服務。請致電1-800-391-2000 (TTY: 711)。

# **Drug Formulary**



2900 Buck Owens Boulevard Bakersfield, CA 93308-6316 1-800-391-2000 kernfamilyhealthcare.com



April 2021