

Rx prescribe  
generic first



Kern Family<sup>TM</sup>  
Health Care

This may be found online at  
<https://www.kernfamilyhealthcare.com/members/medication-search/>

Member handbook may be found online at  
<https://www.kernfamilyhealthcare.com/members/member-resources/member-handbook/>




# Drug Formulary

The formulary is updated regularly and is subject to change.  
All previous versions of the formulary are no longer in effect.

October 2021

*The Kern Family Health Care Drug Formulary includes information boxes prior to some of the major therapeutic categories. Please use these tools to assist with your care of our members.*



-  This symbol indicates some or all of the dosage forms are available generically. Prescribing generic brands of medication (and biosimilar and Follow Ons) is key to keeping the escalating medication costs down to a minimum.
-  This symbol indicates a drug identified by National Committee for Quality Assurance (NCQA) as a high risk medication for the elderly and should generally be avoided for this population. Please consider a formulary alternative.
-  This symbol indicates the drug should be billed to Medicare Part B as primary and Kern Family Health Care as a secondary payer.

## Table of Contents

Based on American Hospital Formulary Services (AHFS) Pharmacologic-Therapeutic Classification

### LEGEND MEDICATIONS

'Central Nervous System - Antipsychotic - Drugs for the nervous system..	1	Cardiovascular - Antilipid (HMG - CoA Reductase Inhibitors) - Drugs for the heart .....	15
Amyotrophic Lateral Sclerosis Agents.....	1	Cardiovascular - Antilipid - Fibrates - Drugs for the heart .....	15
Analgesics - Narcotics - Drugs for pain.....	1-2	Cardiovascular - Antilipid - Lipotropics - Drugs for the heart .....	15
Antiacne .....	3	Cardiovascular - Antilipid - Other Medications - Drugs for the heart.....	15
Anti-bacterial - Cephalosporin - Drugs for infection .....	3	Cardiovascular - Betablocker - Drugs for the heart .....	15-16
Anti-bacterial - Drugs for infection .....	3	Cardiovascular - Betablocker Thiazide Combination - Drugs for the heart	16
Anti-bacterial - Macrolide - Drugs for infection .....	3-4	Cardiovascular - Calcium Channel Blocker - Drugs for the heart.....	16
Anti-bacterial - Miscellaneous - Drugs for infection.....	4	Cardiovascular - Diuretic - Drugs for the heart .....	16-17
Anti-bacterial - Penicillin - Drugs for infection.....	4-5	Cardiovascular - Electrolyte Depleter - Drugs for the heart.....	17
Anti-bacterial - Penicillinase Resistant Penicillin - Drugs for infection .....	5	Cardiovascular - Pulmonary Arterial Hypertension Endothelin Receptor Antagonist - Drugs for the heart .....	17
Anti-bacterial - Quinolone - Drugs for infection.....	5	Cardiovascular - Pulmonary Arterial Hypertension Phosphodiesterase 5 Inhibitor - Drugs for the heart .....	17
Anti-bacterial - Sulfonilamide - Drugs for infection .....	5	Cardiovascular - Pulmonary Arterial Hypertension Prostacyclin type - Drugs for the heart .....	17
Anti-bacterial - Tetracycline - Drugs for infection.....	5	Cardiovascular - Vasodilator - Drugs for the heart .....	17-18
Anti-infective - Antifungal - Drugs for infection .....	6	Central Nervous System - Anticonvulsant - Drugs for the nervous system	18-19
Anti-infective - Anthelmintic - Drugs for infection .....	6	Central Nervous System - Antidepressant - Antipsychotic - Drugs for the nervous system .....	19
Anti-infective - Antimalarial - Drugs for infection.....	6	Central Nervous System - Antidepressant - Norepinephrine Antagonist and Serotonin Antagonist Antidepressants - Drugs for the nervous system.	19
Anti-infective - Antiprotozoal - Drugs for infection.....	6	Central Nervous System - Antidepressant - Norepinephrine-Dopamine Reuptake Inhibitors (NDRI) - Drugs for the nervous system .....	19
Anti-infective - Anti-tubercular - Drugs for infection .....	7	Central Nervous System - Antidepressant - Selective Serotonin Reuptake Inhibitors (SSRI) - Drugs for the nervous system.....	19-20
Anti-infective - Anti-viral - Drugs for infection .....	7-8	Central Nervous System - Antidepressant - Tricyclics (TCA) - Drugs for the nervous system .....	20
Anti-infective - Drugs for infection .....	8	Central Nervous System - Antidepressant-Serotonin - Norepinephrine Reuptake Inhibitors (SNRI) - Drugs for the nervous system.....	20
Anti-infective - Leprosy - Drugs for infection .....	8	Central Nervous System - Anxiolytic - Drugs for the nervous system.....	21
Antineoplastic - Drugs for Cancer .....	9-11	Central Nervous System - Migraine - Drugs for the nervous system.....	21
Anti-Parkinsonism .....	11-12	Central Nervous System - Migraine-Triptan - Drugs for the nervous system	21-22
Antirheumatiod and Disease Modifiers - Drugs for the immune system..	12	Central Nervous System - Sedative - Drugs for the nervous system .....	22
Antihypertensive - Drugs for gout.....	12	Central Nervous System - Stimulant - Drugs for the nervous system.	22-23
Autonomic - Anticholinergic - Drugs to reduce GI motility.....	12	Cholinesterase Inhibitors - Drugs for memory loss .....	23
Autonomic - Cholinergic - Drugs to improve GI motility .....	12	Drug Dependency Therapy .....	23
Benign Prostate Hypertrophy - Drugs for the prostate.....	13		
Biologics & Biosimilars .....	13		
Cardiovascular - Alphablocker - Drugs for the heart .....	13		
Cardiovascular - Angiotensin Converting Enzyme Inhibitors - Drugs for the heart.....	13-14		
Cardiovascular - Angiotensin Converting Enzyme Inhibitors Combination - Drugs for the heart .....	14		
Cardiovascular - Angiotensin II Receptor Blocker - Drugs for the heart ...	14		
Cardiovascular - Angiotensin II Receptor Blocker Thiazide Combination - Drugs for the heart .....	14		
Cardiovascular - Antiarrhythmic - Drugs for the heart .....	14-15		

Enterals.....	23	Hormone - Thyroid.....	33-34
Gastrointestinal - Antidiarrheal - Drugs for the stomach.....	24	Immunosuppressant -Drugs for the immune system .....	34
Gastrointestinal - Antiemetic - Drugs for the stomach .....	24-25	Intravenous Solutions.....	34
Gastrointestinal - Digestant - Drugs for the stomach.....	25	Muscle Relaxant.....	35
Gastrointestinal - H2 Antagonist - Drugs for the stomach .....	25	NSAID - Acetic Acids - Drugs for pain.....	35
Gastrointestinal - Helicobacter Pylori Treatment - Drugs for the stomach	25	NSAID - COX-2 Agents - Drugs for pain.....	35-36
Gastrointestinal - Laxative - Drugs for the stomach .....	25	NSAID - Other - Drugs for pain .....	36
Gastrointestinal - Miscellaneous - Drugs for the stomach.....	26	NSAID - Oxicam - Drugs for pain .....	36
Gastrointestinal - Proton Pump Inhibitor - Drugs for the stomach .....	26-27	NSAID - Propionic Acids - Drugs for pain .....	36
Hematology - Anticoagulant - Drugs for the blood.....	27	NSAID - Salicylate - Drugs for pain.....	36
Hematology - Antiplatelet - Drugs for the blood.....	27-28	Ophthalmic - Anesthetic - Drugs for the eyes .....	36
Hematology - Coagulant - Drugs for the blood.....	28	Ophthalmic - Anti-fungal - Drugs for the eyes.....	36
Hematology - Hematopoietic - Drugs for the blood .....	28	Ophthalmic - Antihistamine - Drugs for the eyes.....	36
Hematology - Miscellaneous - Drugs for the blood .....	28	Ophthalmic - Anti-infective - Drugs for the eyes.....	37
Hormone - Androgen - Drugs for hormones.....	28	Ophthalmic - Anti-infective - Glucocorticoid - Drugs for the eyes .....	37
Hormone - Antidiabetic - Amylin Analog - Drugs for diabetes.....	28	Ophthalmic - Anti-viral - Drugs for the eyes .....	37
Hormone - Antidiabetic - Dipeptidyl Peptidase-4 - Drugs for diabetes	28-29	Ophthalmic - Glaucoma - Drugs for the eyes.....	38
Hormone - Antidiabetic - Dipeptidyl Peptidase-4 - Metformin - Drugs for	diabetes .....	Ophthalmic - Glucocorticoid - Drugs for the eyes .....	38
diabetes .....	29	Ophthalmic - Miscellaneous - Drugs for the eyes.....	39
Hormone - Antidiabetic - Dipeptidyl Peptidase-4 - Thiazolidinedione - Drugs	for diabetes.....	Ophthalmic - Mydriatic - Drugs for the eyes.....	39
for diabetes.....	29	Ophthalmic - NSAID - Drugs for the eyes .....	39
Hormone - Antidiabetic Alpha-glucosidase Inhibitor - Drugs for diabetes ..	29	Oral Contraceptive - Biphasic - Drugs for women.....	39
Hormone - Antidiabetic Biguanide - Drugs for diabetes .....	29	Oral Contraceptive - Drugs for women.....	39-40
Hormone - Antidiabetic GLP-1 Agonists - Drugs for diabetes.....	29-30	Oral Contraceptive - Progestin Only - Drugs for women .....	40
Hormone - Antidiabetic GLP-1 Agonists glargine combination - Drugs for	diabetes .....	Oral Contraceptive - Triphasic - Drugs for women .....	40-41
diabetes .....	30	Osteoporosis Drugs for bone loss .....	41
Hormone - Antidiabetic Insulin - Drugs for diabetes .....	30	Otic - Drugs for the ears.....	41
Hormone - Antidiabetic Meglitinide - Drugs for diabetes.....	30	Otic/ OTC - Drugs for the ears.....	41
Hormone - Antidiabetic Other Agents - Drugs for diabetes .....	30	Rescue Agents - Antidotes.....	41-42
Hormone - Antidiabetic SGLT-2 Inhibitors - Drugs for diabetes.....	31	Respiratory - Antihistamine - Antitussive - Decongestant - Drugs for the	lungs .....
Hormone - Antidiabetic SGLT-2 Inhibitors Combination - Drugs for diabetes	31	lungs .....	42
Hormone - Antidiabetic Sulfonylureas - Drugs for diabetes.....	31	Respiratory - Antihistamine - Antitussive - Drugs for the lungs.....	42
Hormone - Antidiabetic Thiazolidinedione - Drugs for diabetes .....	31-32	Respiratory - Antihistamine - Decongestant - Drugs for the lungs.....	42
Hormone - Anti-thyroid.....	32	Respiratory - Antihistamine - Drugs for the lungs.....	42
Hormone - Endocrine - Drugs for hormones .....	32	Respiratory - Antiserotonin - Drugs for the lungs.....	42
Hormone - Estrogen - Androgen - Drugs for hormones .....	32	Respiratory - Antitussive - Drugs for the lungs.....	43
Hormone - Estrogen - Drugs for hormones.....	32	Respiratory - Antitussive - Expectorant - Drugs for the lungs .....	43
Hormone - Estrogen - Progestin - Drugs for hormones.....	32	Respiratory - Asthma - Drugs for the lungs .....	43
Hormone - Glucocorticoid - Drugs for hormones.....	33	Respiratory - Asthma - Step 1 -Short Acting Bronchodilator - Drugs for the	lungs.....
Hormone - Oxytocic - Drugs for hormones.....	33	lungs.....	43
Hormone - Progestin - Drugs for hormones .....	33	Respiratory - Asthma - Step 2 -Glucocorticoid - Drugs for the lungs... 43-44	

Respiratory - Asthma - Step 3 - Antileukotriene - (Step 2 Alternative) - Drugs for the lungs.....	44	Urinary Tract - Drugs for bladder .....	48-49
Respiratory - Asthma - Steps 3 & 4 - ICS/Long Acting Bronchodilator - Drugs for the lungs.....	44	Vaccines - Immune Globulin .....	49-50
Respiratory - Asthma Device .....	44	Vaginal - Anti-infective - Drugs for women .....	50
Respiratory - COPD - Anticholinergic bronchodilator - Drugs for the lungs 44		Vaginal - Estrogens - Drugs for women.....	50
Respiratory - COPD - Anticholinergic Bronchodilator Combination - Drugs for the lungs .....	45	Vitamins - Dietary Supplements .....	51
Respiratory - COPD - Anticholinergic Bronchodilator Long Acting - Drugs for the lungs .....	45		
Respiratory - COPD - Anticholinergic Bronchodilator Long Acting Combination - Drugs for the lungs .....	45	<b>OVER THE COUNTER MEDICATIONS</b>	
Respiratory - COPD - Long Acting Anticholinergic - Long Acting Bronchodilator - ICS Combination - Drugs for the lungs .....	45	Analgesics - Non-narcotic/OTC - Drugs for pain.....	53
Respiratory - Mast Cell Stabilizer - Drugs for the lungs.....	45	Cardiovascular - Antilipid/OTC - Drugs for the heart.....	53
Respiratory - Mucolytic - Drugs for the lungs .....	45	Cardiovascular - Electrolyte/OTC .....	53
Respiratory - Nasal Antihistamine - Drugs for the lungs.....	45	Contraceptive/OTC.....	53
Respiratory - Nasal Glucocorticoids - Drugs for the lungs .....	45-46	Device - Supplies/OTC .....	53
Respiratory - Xanthine - Drugs for the lungs.....	46	Gastrointestinal - Antacid/OTC - Drugs for the stomach.....	54
Topical - Acne .....	46	Gastrointestinal - Antidiarrhea/OTC - Drugs for the stomach .....	54
Topical - Anesthetic - Drugs for pain.....	46	Gastrointestinal - Antiemetic/OTC - Drugs for the stomach .....	54
Topical - Antifungal - Drugs for infection .....	46	Gastrointestinal - H2 Antagonist/OTC - Drugs for the stomach .....	54
Topical - Anti-infective - Drugs for infection .....	46-47	Gastrointestinal - Laxative /OTC - Drugs for the stomach .....	55
Topical - Antineoplastic - Drugs for cancer.....	47	Gastrointestinal - Protectant/OTC - Drugs for the stomach.....	55
Topical - Antiviral - Drugs for infection.....	47	Hematinic/OTC - Drugs for the blood.....	55
Topical - Contraceptive - Drugs for women.....	47	Hormones - Antidiabetic/OTC - Drugs for diabetes .....	55
Topical - Enzymes .....	47	Ophthalmic - Antihistamine/OTC - Drugs for the eyes .....	55
Topical - Estrogens- Drugs for women .....	47	Ophthalmic - Decongestant - Antihistamine/OTC Drugs for the eyes ....	55
Topical - Glucocorticoid a Low Potency - Drugs for the skin.....	47-48	Ophthalmic - Decongestant/OTC - Drugs for the eyes.....	55
Topical - Glucocorticoid b Medium Potency - Drugs for the skin .....	48	Ostomy Items/OTC .....	55
Topical - Glucocorticoid c High Potency - Drugs for the skin .....	48	Respiratory - Antihistamine - Decongestant - Antitussive/OTC - Drugs for the lungs.....	55-56
Topical - Miscellaneous - Drugs for the skin .....	48	Respiratory - Antihistamine - Decongestant/OTC - Drugs for the lungs..	56
Topical - Scabicide - Drugs for infection .....	48	Respiratory - Antihistamine/OTC - Drugs for the lungs .....	56
		Respiratory - Antitussive/OTC - Drugs for the lungs .....	57
		Respiratory - Antitussive - Expectorant/OTC - Drugs for the lungs .....	57
		Respiratory - Decongestant/OTC - Drugs for the lungs .....	57
		Respiratory - Expectorant/OTC - Drugs for the lungs.....	57
		Respiratory - Miscellaneous/OTC - Drugs for the lungs.....	57

Respiratory - Nasal Glucocorticoids/OTC - Drugs for the lungs.....	57	Topical - Anti-Infective/OTC -Drugs for the skin.....	59
Supplies - /OTC.....	57	Topical - Astringent/OTC -Drugs for the skin.....	59
Supplies - Diabetic/OTC.....	58	Topical - Glucocorticoid/OTC -Drugs for the skin .....	59
Topical - Acne/OTC -Drugs for the skin .....	58	Topical - Scabicide/OTC .....	59
Topical - Analgesics - Non-narcotic/OTC - Drugs for pain .....	58	Vaginal - Anti-infective/OTC - Drugs for women.....	59
Topical - Antibiotic/OTC -Drugs for the skin .....	58	Vitamins/OTC.....	59
Topical - Antifungal/OTC -Drugs for the skin .....	58-59		

### **Abbreviations**

cr	continuous release	oint	ointment
conc	concentrate	ophth	ophthalmic
ec	enteric coated	sl	sublingual
inh	inhalation	soln	solution
liq	liquid	supp	suppository
mdi	metered dose inhaler	susp	suspension
NMT	not more than		

**APPENDIX**  
**DIABETIC TREATMENT CHARTS**  
**ASTHMA TREATMENT CHARTS**  
**CARVE OUT LIST**  
**INDEX—GENERIC and BRAND**



# Preface

## FORMULARY

Members wishing to obtain a formulary or having general questions please call 1-800-391-2000 or visit kernfamilyhealthcare.com.

**The member identification number will be the CIN number. This is a number assigned by the state and is not the social security number.**

### **Kern Family Health Care (KHS Medi-Cal)**

BIN 600428

PCN 04970000

Pt. Number is CIN Number

Formulary OTC's Covered

Formulary Prenatal Vitamins Covered (OTC included)

Formulary Contraceptives Covered

No copayments

TAR's allowed for OTC and legend

## DEFINITIONS

"Brand name drug" is a drug that is marketed under a proprietary, trademark protected name. The brand name drug shall be listed in all CAPITAL letters.

"Enrollee" is a person enrolled in a health plan who is entitled to receive services from the plan. All references to enrollees in this this formulary template shall also include subscriber as defined in this section below.

"Exception request" is a request for coverage of a prescription drug. If an enrollee, his or her designee or prescribing health care provider submits an exception request for coverage of a prescription drug, the health plan must cover the prescription drug when the drug is determined to be medically necessary to treat the enrollee's condition.

"Exigent circumstances" are when an enrollee is suffering from a health condition that may seriously jeopardize the enrollee's life, health, or ability to regain maximum function or when an enrollee is undergoing a current course of treatment using a nonformulary drug.

"Formulary" is the complete list of drugs preferred for use and eligible for coverage under a health plan product, and includes all drugs covered under the outpatient prescription drug benefit of the health plan product. Formulary is also known as a prescription drug list.

"Generic drug" is the same drug as its brand name equivalent in dosage, safety, strength, how it is taken, quality, performance, and intended use. A generic drug is listed in ***bold and italicized*** lowercase letters.

“Nonformulary drug” is a prescription drug that is not listed on the health plan’s formulary.

“Prescribing provider” is a health care provider authorized to write a prescription to treat a medical condition for a health plan enrollee.

“Prescription” is an oral, written, or electronic order by a prescribing provider for a specific enrollee that contains the name of the prescription drug, the quantity of the prescribed drug, the date of issue, the name and contact information of the prescribing provider, the signature of the prescribing provider if the prescription is in writing, and if requested by the enrollee, the medical condition or purpose for which the drug is being prescribed.

“Prescription drug” is a drug that is prescribed by the enrollee’s prescribing provider and requires a prescription under applicable law.

“Prior Authorization” is a health plan’s requirement that the enrollee or the enrollee’s prescribing provider obtain the health plan’s authorization for a prescription drug before the health plan will cover the drug. The health plan shall grant a prior authorization when it is medically necessary for the enrollee to obtain the drug.

“Step therapy” is a process specifying the sequence in which different prescription drugs for a given medical condition and medically appropriate for a particular patient are prescribed. The health plan may require the enrollee to try one or more drugs to treat the enrollee’s medical condition before the health plan will cover a particular drug for the condition pursuant to a step therapy request. If the enrollee’s prescribing provider submits a request for step therapy exception, the health plans shall make exceptions to step therapy when the criteria is met.

#### PHARMACY AND THERAPEUTICS COMMITTEE

The Pharmacy and Therapeutics Committee is composed of Physician and Pharmacist community providers, as well as staff from Kern Health Systems. We have primary care providers, specialty physicians, and community based pharmacists (both chain and independent). Meetings are usually held quarterly. Issues you feel could improve our formularies or systems can be forwarded to the Director of Pharmacy at the plan offices, 2900 Buck Owens Blvd, Bakersfield, CA, 93308, phone 661-664-5101, fax 661-664-5191. Input from providers is welcomed. If you would like to serve on the Pharmacy & Therapeutics Committee please advise our Director of Pharmacy or Medical Director.

#### NON-FORMULARY REQUESTS

Requests for non-formulary medications or supplies or those needing a prior authorization must be submitted online by the provider or its designee. Please include the CIN number, medication failures, and non-formulary item requested as well as information on the patient. One drug per form please. You may telephone Kern Health Systems about non-formulary requests but State Law does require information to be submitted in writing.

#### SAMPLE MEDICATIONS

Providers are discouraged from providing samples; however, if samples are given to the member, the entire course of therapy must be covered by the samples in accordance to Policy 2.24, Pharmaceutical Guidelines. Medications provided as samples do not establish continuity precedent; and, therefore do not obligate coverage by KHS.



## TRIAL PERIOD

Barring any medically adverse responses from the member, the trial period of a medication shall be determined per the recommended dosing titration guidelines presented to the FDA.

## EMERGENCY DISPENSING

During weekends, holidays, and non-business hours a pharmacy may choose to dispense enough medication (72 hours supply maximum) as an emergency supply as defined by Title 22 Section 51056 to the member until the next working day, at the dispensing pharmacist's discretion according to pharmacy policy and procedures. If the medication is not on the Plan Formulary, a request must be submitted to payment processing stating the emergency and medication dispensed. TAR approval is not needed for reimbursement before dispensing of 72 hour emergency supply of non-formulary drugs.

## BRAND NAME MEDICATIONS WHEN EQUIVALENT GENERIC BRAND IS AVAILABLE

If a medication is available as an AB rated generic, then the brand name version will become non-Formulary. If a generic brand becomes available during a patient's treatment, the patient will be expected to switch to the generic brand and must fail the generic brand prior to KHS granting authorization for the brand name. Providers with patients having untoward effects from a generic brand will be required to submit a completed FDA MedWatch form to KHS as part of the authorization for a request to allow a brand name version instead of a generic brand. In a few instances, a brand may be the preferred drug even though a generic version exists. These are extremely rare and will be clearly identified to the effect.

Biosimilars and drugs considered as Follow Ons will be treated in the same fashion as if they were a traditional generic of the innovator drug. Per FDA rules, they are not automatically substitutable, but from clinical perspectives they are viewed as a generic version.

## PHARMACEUTICAL INDUSTRY SOLICITATION

If a representative would like something to be considered by the P&T committee they need to submit the request and supporting documents to KHS. KHS permits contact from the pharmaceutical industry only in written form. All correspondence is to be directed to the KHS Pharmacy Department. Material may be submitted by fax, US mail, or via e-mail. Unless specifically requested by KHS, face to face presentations, phone solicitations or any other means of communication are not allowed. KHS values the P&T committee members' time and effort dedicated to the plan and its members. They should not be contacted for committee considerations and requests.

## TIER STATUS

As a Medicaid plan, there are no tiers. All medications listed in the KHS Formulary are covered if there is no restriction or the restriction(s) is/are met. Any medication authorized through the Prior Authorization process for coverage purposes will be handled like a Formulary drug. Please note that claims may reject at the pharmacy point of service for reasons not listed in the KHS Formulary, such as refill too soon, drug interactions and therapeutic duplications.

## IV SOLUTIONS

Please see Formulary section for IV solution categories covered. KHS covers the stated infused agents in the categories listed. These are typically covered under the medical benefit as part of a per diem case rate.

## FORMULATIONS AND STRENGTHS

Medications listed in the KHS formulary are identified by the stated formulations and strengths. A drug may have only certain strengths or formulations covered. Non stated formulations would require a TAR.

## LOCATING A DRUG

A drug may be located in the formulary in a couple of ways. One may search the therapeutic category in the table of contents. Another is to look in the alphabetical index. Both brand and generic names are listed in the index. When locating the drug in the body of the Formulary, identifiers will indicate if a generic is available, the strengths and forms covered, and any restrictions that apply. Further clarity may be communicated in dialogue boxes associated to the categories they apply.

## UTILIZATION MANAGEMENT

The health plan uses a variety of methods to provide medically necessary drugs while being cost effective. These methods are called utilization management. Some of these methods include edits that will limit a coverage of a drug due to: prior authorizations, step therapy, quantity limits, refill too soon, therapeutic duplication, drug interaction, age limits, provider limits.

## MEDICAL VS PRESCRIPTION BENEFIT

Medications are covered by either the pharmacy benefit or medical benefit or in some cases both, such as vaccines. Most drugs listed here are considered to be a pharmacy benefit unless otherwise indicated.

## FORMULARY CHANGES

The Formulary may be changed throughout the year. The latest version will display the month and year it applies. Earlier versions should be discarded.

## FORMULARY LISTING VS IT BEING PRESCRIBED

Even if a drug is on the Formulary, that does not guarantee the provider will prescribe it. There are some limitations that may apply to the listed drugs, such as the reason your doctor prescribed it, your age, or other medical conditions you may have.

## PHARMACIES

Prescriptions may only be filled at pharmacies contracted with Kern Family Health Care. The Provider Directory will help you find a pharmacy. These are mainly in Kern County. If traveling within the state of California, a prescription may be filled at CVS, Rite Aid, Savon-Alberton's-Vons, or Walgreens. Outside the state, or if one of the mentioned pharmacies are not available, the pharmacy will need to contact Kern Family Health Care for prior authorization.

**MEDICATIONS**

**RESTRICTIONS**

**'Central Nervous System - Antipsychotic - Drugs for the nervous system**

*For Kern Family Health Care (KHS Medi-Cal) most of the straight antipsychotic agents are carved out to Medi-Cal. Please see Appendix.*

**Amyotrophic Lateral Sclerosis Agents**

 **RILUTEK® (riluzole) 50mg tablet**

**Restriction: Allowed for amyotrophic lateral sclerosis.**

**Analgesics - Narcotics - Drugs for pain**

*Medications in this category may be restricted in one or more ways. The restrictions are noted under the individual medications. Those patients who require additional quantities, fills or restricted medications will need to have their physician provide monitoring tools such as prescription drug monitoring programs (CURES), urine drug screens, and others as appropriate, along with physician's progress notes and treatment plan accompanying the request. This will help KHS staff determine how to properly encode the prior authorization. A good resource for guidelines may be found at C.A.R.E.S Alliance, caresalliance.org. The CDC has issued guidance as well. The recommendations entail evaluating the need of an opioid versus other pharmacologic and non-pharmacologic alternatives. Members should be started on as low a dose and as short a duration as clinically appropriate. KHS members who are opioid naive are allowed up to **seven** days therapy. Regimens longer than that require prior authorization. Recently, focus on total daily dose based on morphine equivalents has been instituted by Medicare and Medicaid. The health plan limits to 120 mg MED for non-malignant pain. New opioid therapy regimens are limited to a **seven** day supply. **Concurrent use with benzodiazepines, sedatives, and/or muscle relaxants is not recommended.***

*Acetaminophen (APAP, Tylenol®) hepatotoxicity can result from frequent and/or high doses of those medications with an acetaminophen component. Maximum recommended daily dose of APAP for a patient who does not drink alcohol is 4000mg. Patients may also aggravate the problem by taking other OTC drugs with APAP or receiving prescriptions of other APAP combinations.*

*It should be noted that the commonly prescribed Hydrocodone/APAP combinations are very limited on the KHS Formulary. KHS offers Oxycodone/APAP combinations such as Percocet® equivalents. Tramadol (Ultram®) although on the KHS formulary has many clinical limitations, including increasing risk of serotonin syndrome in addition to other centrally acting concerns. The FDA has recently added a new warning. Medications containing either codeine or tramadol are not to be prescribed to those under 18 years of age. Please consider morphine preparations before oxycodone or fentanyl formulations.*

 **codeine sulfate 15 mg, 30 mg, 60 mg tablet**










**Restriction: Limited to cancer patients or plan Pain Specialist Physicians. Authorization required for other diagnoses. Allowed for members > 18 years old.**

Continued on next page

## MEDICATIONS








## RESTRICTIONS

**Analgesics - Narcotics - Drugs for pain, continued • SEE PREVIOUS PAGE**

 DILAUDID® ( <i>hydromorphone</i> ) 2mg, 4mg tablet, 3mg supp	Restriction: Limited to cancer patients or plan Pain Specialist Physicians. Authorization required for other diagnoses. NMT 120 per month.
 DURAGESIC® ( <i>fentanyl</i> ) 12 mcg, 25 mcg, 50 mcg, 75 mcg, 100 mcg patches	Restriction: Limited to cancer patients or plan Pain Specialist Physicians. Authorization required for other diagnoses. Allow 10 patches per 30 days. Allowed for members failing morphine sulfate ER or unable to take solid dosage forms. 12 mcg patches are not recommended as starting doses.
 LEVO-DROMORAN® ( <i>levorphanol</i> ) 2 mg tablet	Restriction: Limited to cancer patients or plan Pain Specialist Physicians. Authorization required for other diagnoses.
 MS-CONTIN® ( <i>morphine</i> ) 10mg/5ml, 20mg/5ml oral soln, 20mg/ml conc, 15mg, 30mg tablet, 15mg, 30mg, 60mg cr tablet	Restriction: Limited to cancer patients or plan Pain Specialist Physicians. Authorization required for other diagnoses. NMT 90 per month.
 NORCO® ( <i>hydrocodone/apap</i> ) 5mg/325mg, 10mg/325mg tablet, 7.5-325/15ml liq	Restriction: 5/325 mg, NMT 60 tablets per month, NMT 3 dispensings per 90 days. 10/325mg -- Limited to cancer patients or plan Pain Specialist Physicians. NMT 120 tablets per month, NMT 3 dispensings per 90 days. Liquid is limited to members < 18 years old and maximum of 3 day supply.
 OXY-CONTIN® ( <i>oxycodone</i> ) 5mg, 10mg tablet, 10mg, 15mg, 20mg, 40mg cr tablet	Restriction: Restricted to use by KHS plan Oncologists or Pain Specialist Physicians. Member needs to fail morphine ER. NMT 90 per month of immediate release, 60 per month of time release formulations.
 PERCOCET® ( <i>oxycodone w/acetaminophen</i> ) 5mg-325mg tablet	Restriction: Limited to cancer patients or plan Pain Specialist Physicians. Authorization required for other diagnoses. NMT 120 per month.
 TYLENOL W/CODEINE® ( <i>codeine w/acetaminophen</i> ) 15mg-300mg, 30mg-300mg tablet, 12mg-120mg/5ml soln	Restriction: NMT 60 tablets per month, NMT 3 dispensings per 90 day period. Allowed for members > 18 years old.
 ULTRAM® ( <i>tramadol</i> ) 50 mg tablet	Restriction: Not indicated for members with abuse potential. Contraindicated with alcohol, hypnotics, centrally acting analgesics, opioids, and psychotropic agents. Seizures and serotonin syndrome may occur with antidepressants, triptans, lithium, enzyme inducing medications, and some antibiotics. Allowed for members > 18 years old.

## MEDICATIONS

## RESTRICTIONS





Antiacne		
 <b>isotretinoin</b> 20 mg, 40 mg capsule	Restriction: Prior authorization required. Allowed for Dermatologists.	
Anti-bacterial - Cephalosporin - Drugs for infection		
 <b>cefuroxime</b> 250mg, 500mg tablet	Restriction: Prior authorization required.	
 KEFLEX® ( <b>cephalexin</b> ) 125mg/5ml, 250mg/5ml susp, 250mg, 500mg capsule		
 OMNICEF® ( <b>cefdinir</b> ) 125 mg/5 ml susp, 250 mg/5 ml susp	Restriction: Restricted to members with Otitis Media < 8 years old failing 1st line antibiotics or documented penicillin allergy. Documented ICD-10 code with provider's office required for online submission otherwise submit TAR with documentation.	
Anti-bacterial - Drugs for infection		
<i>Inappropriate use of antibiotics is a concern nationwide. Resistance to antibiotics is growing nationally. Additionally, antibiotics are ineffective on viral infections. Uncomplicated bronchitis and viral infections do not warrant antibiotic use. Please reference <a href="http://www.AWARE.md">www.AWARE.md</a> or 916-779-6620 for more information on appropriate use of antibiotics. KHS has limits on days supply and number of fills per month on many antibiotics to help ensure appropriate use. A 10 day supply every 30 days is in place for the cephalosporins, macrolides, penicillins, and quinolone classes. Prior authorization justifying the necessity for longer or more frequent dosing will be needed for therapies exceeding those limits.</i>		
Anti-bacterial - Macrolide - Drugs for infection		
<i>Zithromax® 250mg tablets have a maximum of 6 (5 days therapy) as the drug continues working for a number of additional days.</i>		
<b>Therapy</b>	<b>Days Supply</b>	<b>Cost</b>
Erythromycin 500mg QID	10	\$678
Azithromycin® 500mg x1, 250mg QD	5	\$5
Clarithromycin® 500mg ii QD	10	\$8
 BIAXIN® ( <b>clarithromycin</b> ) 125 mg/5 ml, 250 mg/5 ml susp, 250 mg, 500 mg tablet	Restriction: Susp restricted to members < 8 years old w/Otitis Media who have recently failed first line antibiotics. 500mg tablets recommended for members who cannot tolerate or failed azithromycin.	
 CLEOCIN® ( <b>clindamycin</b> ) 75mg/5ml susp, 75mg, 150mg, 300mg capsule		
 E-MYCIN® ( <b>erythromycin base</b> ) 250mg, 333mg, 500mg ec tablet, 250mg ec particles capsule	Restriction: Prior authorization required.	

Continued on next page







## MEDICATIONS

## RESTRICTIONS

## Anti-bacterial - Macrolide - Drugs for infection, continued • SEE PREVIOUS PAGE

 EES® ( <i>erythromycin ethylsuccinate</i> ) 200mg/5ml, 400 mg/5 ml, 400mg tablet	Restriction: Prior authorization required.
 ERY-TAB® ( <i>erythromycin base</i> ) 250mg, 333mg, 500mg ec tablet, 250mg ec particles capsule	Restriction: Prior authorization required.
 ERYTHROCIN® ( <i>erythromycin stearate</i> ) 250mg, 500mg tablet	Restriction: Prior authorization required.
 ZITHROMAX® ( <i>azithromycin</i> ) 100mg/5ml, 200mg/5ml susp, 250mg, 600mg tablet, 1 gm powder pack	Restriction: 600mg Tablets – Restricted to members with MAC.


## Anti-bacterial - Miscellaneous - Drugs for infection

  FURADANTIN® ( <i>nitrofurantoin</i> ) 25mg/5ml susp	Restriction: Limited to members <6 years old.
  MACROBID® ( <i>nitrofurantoin</i> ) 100mg monohydrate macrocrystalline capsule	Restriction: Limit to 10 day supply unless prescribed by ID or urologist.
 MONUROL® ( <i>fosfomycin tromethamine</i> ) 3 gm pckt	Restriction: Limit to ID or urologist for ESBL urinary infections.
 <i>neomycin</i> 125mg/5ml soln, 500mg tablet	

## Anti-bacterial - Penicillin - Drugs for infection

*Augmentin® is restricted to children under 8 years of age. It will be approved for animal and human bites and severe sinusitis with prior authorization. Augmentin® is available in generic brands and there will be some cost savings by using the generic brands. Formulary strengths will be allowed to clear as first line up to age 8. Pneumonia, otitis media, and sinusitis are dosed at 45mg/kg/day divided twice daily and skin and UTIs are dosed at 25mg/kg/day divided twice a day. Instead of dosing three times a day, the plan recommends using a twice daily dosing schedule of 200mg and 400mg and 600mg, per AAP guidelines. Please prescribe the twice a day regimen.*

		Costs
<i>Amoxicillin 250mg/5ml</i>	<i>150ml</i>	<i>\$5</i>
<i>Amoxicillin-clavulanate 250mg/5ml</i>	<i>150ml</i>	<i>\$89</i>
<i>Amoxicillin-clavulanate 400mg/5ml</i>	<i>200ml</i>	<i>\$21</i>

 AMOXIL® ( <i>amoxicillin</i> ) 50 mg/ml drops, 125 mg/5 ml, 250 mg/5 ml, 200 mg/5 ml, 400 mg/5 ml susp, 125mg, 250mg, 500mg capsule	
---	--


Continued on next page



## MEDICATIONS


## RESTRICTIONS

**Anti-bacterial - Penicillin - Drugs for infection, continued • SEE PREVIOUS PAGE**

 AUGMENTIN® (**amoxicillin/clavulanate**) 200 mg/5 ml, 400 mg/5 ml, 600 mg/5 ml susp, 500 mg, 875 mg tablet

Restriction: Restricted to children < 8 years old with Otitis Media. First line treatment for animal bites. 10 days maximum therapy. Documented ICD-10 code with provider's office required for online submission otherwise submit TAR with documentation. Available first line for prescriptions written by ENT.

 PRINCIPEN® (**ampicillin**) 100mg/ml, 125mg/5ml, 250mg/5ml susp, 250mg, 500mg capsule

 VEETIDS® (**penicillin vk**) 125mg/5ml, 250mg/5ml oral soln, 125mg, 250mg, 500mg tablet

**Anti-bacterial - Penicillinase Resistant Penicillin - Drugs for infection**

 DYNAPEN® (**dicloxacillin**) 62.5mg/5ml susp, 125mg, 250mg, 500mg capsule

**Anti-bacterial - Quinolone - Drugs for infection**

*The medications in this category are limited to 10 days therapy. Patients who require therapy beyond that limit require prior authorization. **Restricted in patients less than 18 years of age.** Levofloxacin (Levaquin®) probably has less resistance than ciprofloxacin (Cipro®) since Cipro® has been used in so many patients. A 28 day supply will be allowed of ciprofloxacin or levofloxacin for the management of prostatitis.*

 CIPRO® (**ciprofloxacin**) 250mg, 500mg, 750mg tablet

Restriction: Urologists allowed 28 day supply.

 LEVAQUIN® (**levofloxacin**) 250mg, 500mg, 750mg tablet

Restriction: Urologists allowed 28 day supply.

**Anti-bacterial - Sulfonilamide - Drugs for infection**

 BACTRIM®/SEPTA®  
(**sulfamethoxazole & trimethoprim**) 400mg-80mg, 800mg-160mg tablet, 200mg-40mg/5ml susp

**Anti-bacterial - Tetracycline - Drugs for infection**

 MINOCIN® (**minocycline**) 50mg, 75mg, 100mg capsule








 VIBRAMYCIN® (**doxycycline hyclate**) 50mg, 100mg capsule, 100mg tablet

## MEDICATIONS


## RESTRICTIONS

**Anti-infective - Antifungal - Drugs for infection**

*Prior authorization will not be allowed for cosmetic purposes. Maximum therapy is 6 weeks for fingernails, 12 weeks for toenails. Sanford, et al, suggest that Terbinafine (Lamisil®) 250mg QD has one of the highest effectiveness rates (70-81%) of the FDA approved treatments. Sanford recommends ascertaining the ALT & AST levels prior to initiation of therapy since these drugs should not be used in chronic or active liver disease. KOH or positive culture required. Members with vaginal candidiasis, please use the fluconazole 200 mg tablet.*

 DIFLUCAN® ( <b>fluconazole</b> ) 50mg, 100mg, 200mg tablet	Restriction: If needing the 150 mg dose, please use 200 mg.
 <b>griseofulvin</b> 125mg/5ml susp (microsize)	Restriction: Suspension is for children < 12 years old.
 LAMISIL® ( <b>terbinafine</b> ) 250mg tablet	Restriction: 12 week therapy maximum duration.
 MYCELEX® ( <b>clotrimazole</b> ) 10mg troche	
 MYCOSTATIN® ( <b>nystatin</b> ) 100,000 units/ml susp, 500,000 unit tablet	
 SPORANOX® ( <b>itraconazole</b> ) 100mg capsule	Restriction: Trial and failure of fluconazole.
 VFEND® ( <b>voriconazole</b> ) 50mg, 200mg tablet, 200mg/5 ml susp	Restriction: Prior authorization required.





**Anti-infective - Antihelminthic - Drugs for infection**

ALBENZA® ( <b>albendazole</b> ) 200 mg tablet	Restriction: Prior authorization required.
PIN-X® ( <b>pyrantel</b> ) 50mg/ml susp, 250mg chewable tablet	
 STROMECTOL® ( <b>ivermectin</b> ) 3 mg tablet	Restriction: Prior authorization required. FDA indications and dosing only.

**Anti-infective - Antimalarial - Drugs for infection**

 <b>chloroquine</b> 250 mg tablet	Restriction: Prior authorization required.
 <b>primaquine</b> 26.3 mg tablet	







**Anti-infective - Antiprotozoal - Drugs for infection**

 <b>benznidazole</b> 12.5mg, 100mg tablet	Restriction: Prior authorization required.
 DARAPRIM® ( <b>pyrimethamine</b> ) 25 mg tablet	Restriction: Prior authorization required.
 HUMATIN® ( <b>paromomycin</b> ) 250mg capsule	
 MEPRON® ( <b>atovaquone</b> ) 750mg/5ml susp	Restriction: Prior authorization required. Sulfa allergy and diagnosis of PCP.

## MEDICATIONS

## RESTRICTIONS

## Anti-infective - Anti-tubercular - Drugs for infection




 INH® ( <i>isoniazid</i> ) 50mg/5ml syrup, 50mg, 100mg, 300mg tablet	
 MYAMBUTAL® ( <i>ethambutal</i> ) 100mg, 400mg tablet	
 MYCOBUTIN® ( <i>rifabutin</i> ) 150mg capsule	Restriction: Restricted to prevention of MAC in patients with advanced HIV.
 pyrazinamide 500 mg tablet	Restriction: Prior authorization required.
 RIMACTANE® ( <i>rifampin</i> ) 150mg, 300mg capsule	
 SEROMYCIN® ( <i>cycloserine</i> ) 250mg capsule	

## Anti-infective - Anti-viral - Drugs for infection

*Anti-viral agents for HIV related cases, with the exception of Zidovudine and Didanosine, are covered by fee for service Medi-Cal. Bill EDS, not KHS, for these patients. The carved out anti-viral agents are listed in the Appendix.*

*Anti-virals for Hepatitis, both B and C are covered, but require prior authorization. Adherence to treatment is essential. These are generally restricted to specialists, and monitoring is required. Current guidelines for Hepatitis B suggest the use of tenofovir. Keep in mind that is billed to EDS. The state Medicaid program has outlined criteria that all Medicaid plans, including the managed care will follow for coverage of Hepatitis C medications. If a patient has Hepatitis C refer to Hepatitis C program as they case manage the KHS Hepatitis C patients. At minimum, the initial referral needs to include the viral load, genotype, lab results, liver function tests, CBC, Child-pugh assessment, Metavir score (or equivalent), biopsy results (if performed), and others as outlined by the DHCS criteria. A 4 week viral load is needed for determination if further treatment would be authorized. All medications require prior authorization. DHCS requires all current therapies to be considered based on current professional guidelines.*

*Acyclovir is the only Formulary medication for Genital Herpes Therapy: Sanford, et al, in Guide to Anti-microbial Therapy - suggests there is little difference between antiviral agents for genital herpes. Valacyclovir is the prodrug of acyclovir; isolates resistant to acyclovir although low, (<1% in immunocompromised patients) are also resistant to valacyclovir. KHS only allows acyclovir at this time. An example of costs for these drugs for recurrent treatment is as follows:*

<b>Medication &amp; Days Therapy</b>	<b>Cost</b>
 Acyclovir 400mg TID x 5 days	\$6
 Valtrex® 500mg BID x 3 days (non-formulary)	\$36
 Famvir® 125mg BID x 5 days (non-formulary)	\$47

Continued on next page











## MEDICATIONS

## RESTRICTIONS

**Anti-infective - Anti-viral - Drugs for infection, continued • SEE PREVIOUS PAGE**

*KHS requires failure of Acyclovir before the other agents would be allowed on prior authorization.*

**Topical Antiviral Therapy requires prior authorization:** Topical agents for antiviral therapy (Zovirax™, Abreva®) require prior authorization because of their limited effect. Usually topical products will only slightly decrease the duration of infection (3.4 vs. 4.1 days). Severe infections may benefit more from systemic therapy.








 BARACLUDE® ( <i>entecavir</i> ) 0.5 mg, 1 mg tablet	Restriction: Prior authorization required.
CYTOVENE® ( <i>ganciclovir</i> ) 250 mg, 500 mg capsule	Restriction: Prior authorization required.
 EPCLUSA® ( <i>sofosbuvir/velpatasvir</i> ) 400mg-100mg tablet	Restriction: Prior authorization required.
 RETROVIR® ( <i>zidovudine</i> ) 50mg/5 ml syrup, 100mg capsule	
 TAMIFLU® ( <i>oseltamivir</i> ) 30 mg, 45 mg, 75 mg capsule, 6 mg/ml susp	Restriction: Members that are clinically eligible are strongly encouraged to receive the flu vaccine. Exceeding 2 fills within one flu season will require confirmation of infection.
VARIOUS ( <i>interferon alpha</i> ) injection	Restriction: Prior authorization required.
VARIOUS ( <i>ribavirin</i> ) tablet	Restriction: Prior authorization required.
ZEPATIER® ( <i>elbasvir/grazoprevir</i> ) 50-100 mg tablet	Restriction: Prior authorization required.
 ZOVIRAX® ( <i>acyclovir</i> ) 200mg/5ml susp, 200mg capsule, 200mg, 400mg, 800mg tablet	
<b>Anti-infective - Drugs for infection</b>	
 FIRVANQ, ® VANCOCIN® ( <i>vancomycin</i> ) 25 mg/ml, 50 mg/ml soln, various vials	Restriction: Prior authorization required. Use Firvanq® for oral administrations.
 FLAGYL® ( <i>metronidazole</i> ) 250mg, 500mg tablet	
 TINDAMAX® ( <i>tinidazole</i> ) 500 mg tablet	Restriction: Prior authorization required.
 ZYVOX® ( <i>linezolid</i> ) 600mg tablet	Restriction: Prior authorization required. Reserved for members with VRE.
<b>Anti-infective - Leprosy - Drugs for infection</b>	
 <i>dapsone</i> 25 mg, 100 mg tablet	

## MEDICATIONS

## RESTRICTIONS

**Antineoplastic - Drugs for Cancer**

*Kern Family Health Care covers all therapeutic categories of neoplastic agents. Many require authorization to ensure appropriate use in accordance with professional guidelines such as the National Comprehensive Cancer Network (NCCN) and FDA indications. Some sub-classes are covered through per diem or infusion arrangements and are not billed through the PBM. Many newer drugs are targeted therapies for very specific conditions. Proper documentation demonstrating the member is a candidate is required. Not every drug is listed in each category. The medications listed are representative only of the class/mechanism of action. Unless otherwise indicated, require prior authorization.*

*  <b>ADRUCIL® (fluorouracil)</b> 500 mg/ml, 2.5 G/50 ml, 5G/100 ml, various	Restriction: Prior authorization required.
* <b>AFINITOR® (everolimus)</b> 2.5 mg, 5 mg, 7.5 mg capsule	Restriction: Prior authorization required.
* <b>ALKERAN® (melphalan)</b> 2mg tablet	
*  <b>ARIMIDEX® (anastrozole)</b> 1mg tablet	
* <b>CAMPTOSAR® (irinotecan)</b> 100 mg/ 5 ml, 40 mg/2 ml, 300 mg/15 ml IV	Restriction: Prior authorization required.
*  <b>CASODEX® (bicalutamide)</b> 50 mg tablet	
* <b>CYRAMZA® (ramucirumab)</b> 100 mg/10 ml, 500 mg/50 ml IV	Restriction: Prior authorization required.
*  <b>CYTOXAN® (cyclophosphamide)</b> 25 mg, 50 mg capsule	Restriction: Prior authorization required.
*  <b>daunorubicin</b> 5 mg, 20 mg IV	Restriction: Prior authorization required.
* <b>EMCYT® (estramustine)</b> 140mg capsule	
* <b>ERIVEDGE® (vismodegib)</b> 150 mg capsule	Restriction: Prior authorization required.
*  <b>EULEXIN® (flutamide)</b> 125mg capsule	
*  <b>FEMARA® (letrozole)</b> 2.5mg tablet	
*  <b>GLEEVEC® (imatinib mesylate)</b> 100 mg, 400 mg tablet	Restriction: Prior authorization required.
* <b>GLEOSTINE® (lomustine)</b> 10mg, 40mg, 100mg capsule	

Continued on next page

## MEDICATIONS

## RESTRICTIONS

## Antineoplastic - Drugs for Cancer, continued • SEE PREVIOUS PAGE

* HALAVEN® ( <i>eribulin mesylate</i> ) 1 mg/2 ml IV	Restriction: Prior authorization required.
* HEXALEN® ( <i>altretamine</i> ) 50mg capsule	
*  HYREA® ( <i>hydroxyurea</i> ) 500mg capsule	
* IXEMPRA® ( <i>ixabepilone</i> ) 15 mg, 45 mg IV	Restriction: Prior authorization required.
*  LEUKERAN® ( <i>chlorambucil</i> ) 2mg tablet	
* LUPRON® ( <i>leuprolide</i> ) 3.75-5 mg, 11.25-5 mg, 22.5 mg syringe	Restriction: Prior authorization required.
* LYSODREN® ( <i>mitotane</i> ) 500mg tablet	
* MATULANE® ( <i>procarbazine</i> ) 50mg capsule	
*  MEGACE® ( <i>megestrol</i> ) 40mg/ml susp, 20mg, 40mg tablet	
*  <i>methotrexate</i> 2.5mg tablet, 25mg/ml vial	
* MYLOTARG® ( <i>gemtuzumab ozogamicin</i> ) 4.5 mg IV	Restriction: Prior authorization required.
*  NOLVADEX® ( <i>tamoxifen</i> ) 10mg, 20mg tablet	
* OPDIVO® ( <i>nivolumab</i> ) 40mg/4 ml, 100mg/10 ml IV	Restriction: Prior authorization required.
*  <i>paclitaxel</i> 6 mg/ml vial	Restriction: Prior authorization required.
* PANRETIN® ( <i>alitretinoin</i> ) 0.1% gel	Restriction: Prior authorization required.
* PHOTOFRIN® ( <i>porfimer sodium</i> ) 75 mg IV	Restriction: Prior authorization required.
*  PURINETHOL® ( <i>mercaptopurine</i> ) 50mg tablet	
* REVLIMID® ( <i>lenalidomide</i> ) 2.5 mg, 5 mg, 10 mg, 15 mg, 20 mg, 25 mg capsule	Restriction: Prior authorization required.
*  RUXIENCE® ( <i>rituximab-pvvr</i> ) 10mg IV	Restriction: Prior authorization required.
* TARGRETIN® ( <i>bexarotene</i> ) 75 mg capsule	Restriction: Prior authorization required.







Continued on next page







## MEDICATIONS

## RESTRICTIONS

**Antineoplastic - Drugs for Cancer, continued • SEE PREVIOUS PAGE**

*  TEMODAR® ( <i>temozolomide</i> ) 5mg, 20mg, 100mg, 140mg, 180mg, 250mg capsule	Restriction: Prior authorization required.
* THALOMID® ( <i>thalidomide</i> ) 50 mg, 100 mg, 150 mg, 200 mg capsule	Restriction: Prior authorization required.
*  thioguanine 40mg tablet	
*  TRAZIMERA® ( <i>trastuzumab-qyyp</i> ) 150 mg, 440 mg IV	Restriction: Prior authorization required.
* TRELSTAR® ( <i>triptorelin</i> ) 3.75 mg, 11.25 mg, 22.5 mg IV	Restriction: Prior authorization required.
*  VEPESID® ( <i>etoposide</i> ) 50mg capsule	
*  vincristine 1 mg/1 ml, 2 mg/ 2 ml IV	Restriction: Prior authorization required.
* VOTRIENT® ( <i>pazopanib</i> ) 200 mg tablet	Restriction: Prior authorization required.
* YERVOY® ( <i>ipilimumab</i> ) 50mg/10 ml, 200 mg/40 ml IV	Restriction: Prior authorization required.
* YESCARTA® ( <i>axicabtagene ciloleucel</i> ) plastic bag	Restriction: Prior authorization required.
* ZALTRAP® ( <i>ziv-aflibercept</i> ) 100 mg/ 4 ml, 200 mg/8 ml IV	Restriction: Prior authorization required.
*  ZIRABEV® ( <i>bevacizumab-bvzr</i> ) 25 mg IV	Restriction: Prior authorization required.
* ZOLINZA® ( <i>vorinostat</i> ) 100 mg capsule	Restriction: Prior authorization required.

**Anti-Parkinsonism**


 COMTAN® ( <i>entacapone</i> ) 200 mg tablet	Restriction: Required trial and failure of carbidopa/levodopa alone. Works only in combination with levodopa.
 levodopa 250mg, 500mg capsule	
 MIRAPEX® ( <i>pramipexole</i> ) 0.125mg, 0.25mg, 0.5mg, 1mg, 1.5mg tablet	Restriction: Restricted to Parkinsons only. Requires failure of levadopamine therapy.
 REQUIP® ( <i>ropinirole</i> ) 0.25mg, 0.5mg, 1mg, 2mg, 3mg, 4mg, 5mg tablet	Restriction: Restricted to Parkinsons only. Requires failure of levadopamine therapy.

Continued on next page

## MEDICATIONS

## RESTRICTIONS

**Anti-Parkinsonism, continued • SEE PREVIOUS PAGE**

 SINEMET® (*carbidopa & levodopa*) 10mg-100mg, 25mg-100mg, 25mg-250mg tablet, 25mg-100mg, 50mg-200mg cr tablet

**Antirheumatoid and Disease Modifiers - Drugs for the immune system**

 ARAVA® (*leflunomide*) 10mg, 20mg tablet

Restriction: Plan rheumatologists only.

 AZULFIDINE® (*sulfasalazine*) 250mg/5ml susp, 500mg tablet & ec tablet

  IMURAN® (*azathioprine*) 50mg tablet

 *methotrexate* 2.5mg tablet, 25mg/ml vial

OTEZLA® (*apremilast*) 30 mg tablet

Restriction: Prior authorization required.

 PLAQUENIL® (*hydroxychloroquine*) 200 mg tablet

Restriction: Prior authorization required.

 RIDAURA® (*auranofin*) 3 mg capsule

Restriction: Prior authorization required.

**Antiuricosuric - Drugs for gout**

 BENEMID® (*probenecid*) 500mg tablet

 COLBENEMID® (*colchicine & probenecid*) 0.5mg-500mg tablet

 ZYLOPRIM® (*allopurinol*) 100mg, 300mg tablet

**Autonomic - Anticholinergic - Drugs to reduce GI motility**

  BENTYL® (*dicyclomine*) 10mg/5ml syrup, 10mg, 20mg capsule, 20mg tablet

 LEVSIN® (*hyoscyamine*) 0.125mg/ml drops

 ROBINUL® (*glycopyrrolate*) 1mg, 2mg tablet

**Autonomic - Cholinergic - Drugs to improve GI motility**

 MESTINON® (*pyridostigmine*) 60 mg tablet

 PROSTIGMIN® (*neostigmine*) 15 mg tablet

 URECHOLINE® (*bethanechol*) 5mg, 10mg, 25mg, 50mg tablet

## MEDICATIONS

## RESTRICTIONS

Benign Prostate Hypertrophy - Drugs for the prostate	
 FLOMAX® ( <i>tamsulosin</i> ) 0.4mg capsule	Restriction: Trial and failure of formulary alpha blockers.
 PROSCAR® ( <i>finasteride</i> ) 5 mg tablet	Restriction: Plan urologists only.
Biologics & Biosimilars	
 AVSOLA® ( <i>infliximab-axxq</i> ) 100 mg vial	Restriction: Prior authorization required.
COSENTYX® ( <i>secukinumab</i> ) 150 mg, 300 mg injection	Restriction: Prior authorization required.
 ENBREL® ( <i>etanercept</i> ) 25 mg, 50 mg	Restriction: Prior authorization required.
 EXTAVIA® ( <i>interferon beta -1b</i> ) 0.3 mg injection	Restriction: Prior authorization required. Trial and failure of Glatopa.
 GLATOPA® ( <i>glatiramer acetate</i> ) 20 mg/ml, 40 mg/ml syringe	Restriction: Prior authorization required. Allowed for Neurologist and failure of steroid therapy.
 HUMIRA® ( <i>adalimumab</i> ) 40mg/0.8ml	Restriction: Prior authorization required.
Cardiovascular - Alaphblocker - Drugs for the heart	
 ALDOMET® ( <i>methyldopa</i> ) 125mg, 250mg, 500mg tablet	
 CARDURA® ( <i>doxazosin</i> ) 1 mg, 2mg, 4mg, 8mg tablet	
 CATAPRES® ( <i>clonidine</i> ) 0.1 mg, 0.2mg, 0.3mg tablet	
 HYTRIN® ( <i>terazosin</i> ) 1 mg, 2mg, 5mg, 10mg tablet or capsule	
 MINIPRESS® ( <i>prazosin</i> ) 1 mg, 2mg, 5mg capsules	
 TENEX® ( <i>guanfacine</i> ) 1 mg, 2mg tablet; 3mg ER tablet	
Cardiovascular - Angiotensin Converting Enzyme Inhibitors - Drugs for the heart	
 ACCUPRIL® ( <i>quinapril</i> ) 10mg, 20mg, 40mg tablet	
 ALTACE® ( <i>ramipril</i> ) 1.25mg, 2.5mg, 5mg, 10mg capsule	
 LOTENSIN® ( <i>benazepril</i> ) 5mg, 10mg, 20mg, 40mg tablet	

Continued on next page

## MEDICATIONS


## RESTRICTIONS


**Cardiovascular - Angiotensin Converting Enzyme Inhibitors - Drugs for the heart, continued • SEE PREVIOUS PAGE**

 VASOTEC® (*enalapril*) 5mg, 10mg, 20mg tablet

 ZESTRIL® (*lisinopril*) 10mg, 20mg, 30 mg, 40mg tablet

**Cardiovascular - Angiotensin Converting Enzyme Inhibitors Combination - Drugs for the heart**

 *benazepril - hctz* 5mg-6.25mg, 10mg-12.5mg, 20mg-12.5mg, 20mg-25mg tablet

 *lisinopril - hctz* 10mg-12.5mg, 20mg-12.5mg, 20mg-25mg tablet

**Cardiovascular - Angiotensin II Receptor Blocker - Drugs for the heart**

 AVAPRO® (*irbesartan*) 150mg, 300 mg tablet


 COZAAR® (*losartan*) 50 mg, 100 mg tablet

 DIOVAN® (*valsartan*) 80mg, 160mg, 320mg tablet

**Cardiovascular - Angiotensin II Receptor Blocker Thiazide Combination - Drugs for the heart**


 AVALIDE® (*irbesartan-hctz*) 150-12.5mg, 300-25mg tablet

 DIOVANHCT® (*valsartan-hctz*) 160-12.5mg, 160-25mg, 320-12.5mg, 320-25mg tablet

 HYZAAR® (*losartan-hctz*) 50-12.5mg, 100-12.5mg, 100-50mg tablet

**Cardiovascular - Antiarrhythmic - Drugs for the heart**

 *amiodarone* 200mg tablet

 BETAPACE® (*sotalol*) 80mg, 120mg, 160mg, 240mg tablet

 LANOXIN® (*digoxin*) 0.05mg/ml elixir, 0.125mg, 0.25mg tablet




 MEXITIL® (*mexiletine*) 150mg, 200mg, 250mg capsule

Continued on next page

## MEDICATIONS





## RESTRICTIONS

**Cardiovascular - Antiarrhythmic - Drugs for the heart, continued • SEE PREVIOUS PAGE**



 NORPACE® ( <i>disopyramide</i> ) 100mg, 150mg capsule, 100mg, 150 cr capsule	Restriction: Restricted to plan cardiologists only, others require prior authorization.
 RYTHMOL® ( <i>propafenone</i> ) 150mg, 225mg, 300mg tablet	Restriction: plan cardiologists only, others require prior authorization.
 TAMBOCOR® ( <i>flecainide</i> ) 50mg, 100mg, 150 mg tablet	Restriction: Restricted to plan cardiologists only, others require prior authorization.

**Cardiovascular - Antilipid (HMG - CoA Reductase Inhibitors) - Drugs for the heart**

*KHS currently has the "Statin" drugs listed below on the Formulary. Half tablet dosing is required on statins.*

 CRESTOR® ( <i>rosuvastatin</i> ) 10mg, 20mg, 40mg tablet	
 LIPITOR® ( <i>atorvastatin</i> ) 20mg, 40mg, 80mg tablet	
 PRAVACHOL® ( <i>pravastatin</i> ) 20mg, 40mg tablet	
 ZOCOR® ( <i>simvastatin</i> ) 10mg, 20mg, 40mg, 80mg tablet	



**Cardiovascular - Antilipid - Fibrates - Drugs for the heart**

 <i>fenofibrate</i> 54mg, 145mg, 160mg tablet	Restriction: Trial and failure of gemfibrozil. Ok first line if on statin therapy.
 LOPID® ( <i>gemfibrozil</i> ) 600mg tablet	


**Cardiovascular - Antilipid - Lipotropics - Drugs for the heart**

 ZETIA® ( <i>ezetimibe</i> ) 10mg tablet	Restriction: Prior authorization required. Should be adjunct to statin therapy.
---	---

**Cardiovascular - Antilipid - Other Medications - Drugs for the heart**

 COLESTID® ( <i>colestipol</i> ) 1g tablet	
 QUESTRAN® ( <i>cholestyramine</i> ) Powder (bulk can only)	

**Cardiovascular - Betablocker - Drugs for the heart**

 COREG® ( <i>carvedilol</i> ) 3.125mg, 6.25mg, 12.5mg tablet	
 INDERAL® ( <i>propranolol</i> ) 20mg/5ml, 40mg/5ml oral soln, 10mg, 20mg, 40mg, 60mg, 80mg tablet	

Continued on next page

## MEDICATIONS

## RESTRICTIONS

**Cardiovascular - Betablocker - Drugs for the heart, continued • SEE PREVIOUS PAGE**

 LOPRESSOR® (*metoprolol tartrate*) 50mg, 100mg tablet

 SECTRAL® (*acebutolol*) 200mg, 400mg capsule

 TENORMIN® (*atenolol*) 25mg, 50mg, 100mg tablet

 TRANDATE® (*labetolol*) 100mg, 200mg, 300mg tablet


**Cardiovascular - Betablocker Thiazide Combination - Drugs for the heart**

 *bisoprolol - hctz* 2.5-6.25 mg, 5-6.25 mg, 10-6.25 mg tablet

**Cardiovascular - Calcium Channel Blocker - Drugs for the heart**

  ADALAT CC® (*nifedipine*) 30mg, 60mg, 90mg cr tablet

 CALAN®, CALAN SR® (*verapamil*) 40mg, 80mg, 120mg tablet, 120mg cr tablet, 180mg cr tablet, 240mg cr tablet

 CARDIZEM® (*diltiazem*) 30mg, 60mg, 90mg, 120mg tablet, 120mg/24hr, 180mg/24hr, 240mg/24hr, 300mg/24hr, 360mg/24hr cr capsule

 NORVASC® (*amlodipine*) 2.5mg, 5mg, 10mg tablet

**Cardiovascular - Diuretic - Drugs for the heart**

 ALDACTONE® (*spironolactone*) 25mg, 50mg, 100mg tablet

 *chlorthalidone* 15mg, 25mg tablet

 DYAZIDE®, MAXIDE® (*triamterene & hydrochlorothiazide*) 37.5mg-25mg capsule, 75mg-50mg tablet

 DYRENIUM® (*triamterene*) 50mg, 100mg capsule

 ESIDRIX® (*hydrochlorothiazide*) 25mg tablet


Continued on next page



## MEDICATIONS

## RESTRICTIONS

**Cardiovascular - Diuretic - Drugs for the heart, continued • SEE PREVIOUS PAGE**

 LASIX® (*furosemide*) 8mg/ml, 10mg/ml soln, 20mg, 40mg, 80mg tablet

 LOZOL® (*indapamide*) 1.25mg, 2.5mg tablet

 ZAROXOLYN® (*metolazone*) 2.5 mg, 5 mg, 10 mg tablet

Restriction: Restricted to members on furosemide therapy.

**Cardiovascular - Electrolyte Depletter - Drugs for the heart**

 FOSRENOL® (*lanthunum carbonate*) 500mg, 750mg, 1000mg chewable tablet

Restriction: Max 3000mg/day.

 KAYEXALATE® (*sodium polystyrene sulfonate*) 25% susp only

 PHOSLO® (*calcium acetate*) 667mg capsule

Restriction: For renal patients only.

 *potassium chloride* 8mEq, 10mEq, 20mEq cr tablet, 10%, 20% liquid

 RENVELA® (*sevelamer carbonate*) 800mg tablet

Restriction: Maximum of 12 tablets daily if prescribed by a nephrologist. Higher doses require prior authorization, support with lab values.

VELTASSA® (*patiromer*) 8.4 g, 16.8g, 25.2 gm powder

Restriction: Prior authorization required.

**Cardiovascular - Pulmonary Arterial Hypertension Endothelin Receptor Antagonist - Drugs for the heart**

 LETAIRIS® (*ambrisentan*) 5 mg, 10 mg tablet

Restriction: Prior authorization required.

 TRACLEER® (*bosentan*) 62.5 mg, 125 mg tablet

Restriction: Prior authorization required.

**Cardiovascular - Pulmonary Arterial Hypertension Phosphodiesterase 5 Inhibitor - Drugs for the heart**

 REVATIO® (*sildenafil*) 20mg tablet

Restriction: Prior authorization required.

**Cardiovascular - Pulmonary Arterial Hypertension Prostacyclin type - Drugs for the heart**

 FLOLAN® (*epoprostenol*) 0.5 mg, 1.5 mg vial

Restriction: Prior authorization required.

**Cardiovascular - Vasodilator - Drugs for the heart**

 APRESOLINE® (*hydralazine*) 10mg, 25mg, 50mg, 100mg tablet


Continued on next page

## MEDICATIONS


## RESTRICTIONS

## Cardiovascular - Vasodilator - Drugs for the heart, continued • SEE PREVIOUS PAGE

 **IMDUR® (isosorbide mononitrate)** 60mg, 120mg tablet


 **ISORDIL® (isosorbide dinitrate)** 5mg, 10mg, 20mg, 30mg tablet, 2.5mg, 5mg sl tablet, 5mg, 10mg chewable tablet

 **LONITEN® (minoxidil)** 2.5mg, 10mg tablet

 **nitroglycerin** 0.1 mg/hr, 0.2 mg/hr, 0.3 mg/hr, 0.4 mg/hr, 0.6 mg/hr, 0.8 mg/hr patch

 **NITROSTAT® (nitroglycerin)** 0.3mg, 0.4mg, 0.6mg sl tablet

## Central Nervous System - Anticonvulsant - Drugs for the nervous system

 **DEPAKOTE®, DEPAKOTE ER® (divalproex)** 125mg ec capule, 125mg, 250mg, 500mg ec tablet, 500mg cr tablet, 250mg/5ml soln

 **DILANTIN®, PHENYTEK® (phenytoin)** 50mg chewable tablet, 30mg, 100mg capsule, 30mg/5ml, 125mg/5ml susp


 **GABITRIL® (tiagabine)** 2mg, 4mg, 12mg, 16mg tablet

Restriction: Restricted to plan Neurologists.

 **KEPPRA® (levetiracetam)** 500mg, 750mg, 1000mg tablet, 500mg XR, 750mg XR tablet

 **KLONOPIN® (clonazepam)** 0.5mg, 1mg, 2mg tablet

 **LAMICTAL® (lamotrigine)** 5mg, 25mg chewable tablet, 100mg, 150mg, 200mg tablet

 **LYRICA® (pregabalin)** 25mg, 50mg, 75mg, 100mg, 150mg, 200mg, 225mg, 300mg capsule

 **MYSOLINE® (primidone)** 250mg/5ml susp, 50mg, 250mg tablet


 **NEURONTIN® (gabapentin)** 100mg, 300mg, 400mg capsule, 600mg, 800mg tablet

Continued on next page


## MEDICATIONS

## RESTRICTIONS

**Central Nervous System - Anticonvulsant - Drugs for the nervous system, continued • SEE PREVIOUS PAGE**

 **phenobarbital** 20mg/5ml elixir, 15mg, 30mg, 60mg, 100mg tablet

 **TEGRETOL® (carbamazepine)** 100mg chewable tablet, 200mg tablet, 100mg/5ml susp

 **TOPAMAX® (topiramate)** 15mg, 25mg sprinkle capsule, 25mg, 50 mg, 100mg, 200mg tablet

Restriction: Capsules allowed for children < 10 years old.

 **TRILEPTAL® (oxcarbazepine)** 300mg, 600mg tablet

 **ZARONTIN® (ethosuximide)** 250mg/5ml syrup, 250mg capsule

 **ZONEGRAN® (zonisamide)** 25mg, 50mg, 100mg capsule

**Central Nervous System - Antidepressant - Antipsychotic - Drugs for the nervous system**

 **TRIAVIL® (perphenazine & amitriptyline)** 2-10mg, 2-25mg, 4-10mg, 4-25mg tablet

Restriction: Prior authorization required.

**Central Nervous System - Antidepressant - Norepinephrine Antagonist and Serotonin Antagonist Antidepressants - Drugs for the nervous system**

 **REMERON® (mirtazapine)** 15mg, 30mg, 45mg tablet

**Central Nervous System - Antidepressant - Norepinephrine-Dopamine Reuptake Inhibitors (NDRI) - Drugs for the nervous system**

 **DESYREL® (trazodone)** 50mg, 100mg, 150mg tablet

 **WELLBUTRIN® (bupropion)** 100 mg, 150 mg, 200 mg cr tablet, 150 mg, 300 mg xl tablet

Restriction: Restricted to Depression formulation designation.

**Central Nervous System - Antidepressant - Selective Serotonin Reuptake Inhibitors (SSRI) - Drugs for the nervous system**

*Fluoxetine is the least expensive of the SSRIs. KHS recommends the generic Fluoxetine as the economic SSRI of choice. Only the 20mg capsules will be covered since they are so inexpensive compared to the 40mg. DHCS has age restrictions on use in pediatrics. Please consult FDA on specific guidelines.*

*KHS formulary requires half tablet dosing for all tablets in this class except for citalopram. All generic formulations must be tried and considered before branded, non-formulary medications*

Continued on next page







## MEDICATIONS

## RESTRICTIONS






**Central Nervous System - Antidepressant - Selective Serotonin Reuptake Inhibitors (SSRI) - Drugs for the nervous system, continued • SEE PREVIOUS PAGE**

*will be considered.*



*Tablet splitters are covered for KHS patients.*

 CELEXA® ( <i>citalopram</i> ) 10mg, 20mg, 40mg tablet	Restriction: Allowed > 12 years old.
 LEXAPRO® ( <i>escitalopram</i> ) 5mg, 10mg, 20mg tablet	Restriction: Allowed > 12 years old.
 LUVOX® ( <i>fluvoxamine</i> ) 50mg, 75mg, 100mg tablet, 100mg, 150mg er capsule	Restriction: 100mg and 150 mg ER capsule PA required. Allowed > 8 years old.
 PAXIL® ( <i>paroxetine</i> ) 20mg, 30mg, 40mg tablets	Restriction: Allowed > 18 years old.
 PROZAC® ( <i>fluoxetine</i> ) 10mg, 20mg capsule, 20mg/5ml soln	Restriction: Restricted to 10mg NMT 1 daily, 20mg NMT 4 daily. Allowed > 7 years old.
 ZOLOFT® ( <i>sertraline</i> ) 50mg, 100mg tablet	Restriction: Allowed > 6 years old.

**Central Nervous System - Antidepressant - Tricyclics (TCA) - Drugs for the nervous system**

 <i>amitriptyline</i> 10mg, 25mg, 50mg, 75mg, 100mg, 150mg tablet	
 ANAFRANIL® ( <i>clomipramine</i> ) 25mg, 50mg, 75mg capsule	Restriction: Prior authorization required.
 NORPRAMIN® ( <i>desipramine</i> ) 10mg, 25mg, 50mg, 75mg, 100mg, 150mg tablet	
 PAMELOR® ( <i>nortriptyline</i> ) 10mg, 25mg, 50mg, 75mg capsule, 10mg/5ml soln	
 TOFRANIL® ( <i>imipramine</i> ) 10mg, 25mg, 50mg tablet, 75mg, 100mg, 150mg capsule (pamoate)	

**Central Nervous System - Antidepressant-Serotonin - Norepinephrine Reuptake Inhibitors (SNRI) - Drugs for the nervous system**

 CYMBALTA® ( <i>duloxetine</i> ) 20mg, 30mg, 60mg capsule	
 EFFEXOR®, EFFEXOR XR® ( <i>venlafaxine</i> ) 25mg, 37.5mg, 50mg, 75mg, 100mg tablet, 37.5mg, 75mg, 150mg cr capsule	

**MEDICATIONS**






**RESTRICTIONS**

**Central Nervous System - Anxiolytic - Drugs for the nervous system**




The **Benzodiazepine anxiolytic medications are restricted** to prevent patients becoming habituated or addicted to them. Doses for physicians who are not mental health specialists are also restricted. Diazepam and lorazepam are restricted to an initial 90 days supply and have the following daily maximums. The SSRI's are recommended for long term antianxiety therapy.

**Caution should be used when combining with opioids.**

Medication	Daily Maximum Dose
Diazepam	10mg
Lorazepam	2mg

 ATIVAN® ( <b>lorazepam</b> ) 0.5mg, 1mg, 2mg tablet	Restriction: Restricted to 90 days therapy and 2mg maximum daily dose.
 BUSPAR® ( <b>bupirone</b> ) 5mg, 10mg, 15mg tablet	
 KLONOPIN® ( <b>clonazepam</b> ) 0.5mg, 1mg, 2mg tablet	
  VALIUM® ( <b>diazepam</b> ) 2mg, 5mg, 10mg tablet	Restriction: Restricted to 90 days therapy and 10mg maximum daily dose.

**Central Nervous System - Migraine - Drugs for the nervous system**

AIMOVIG® ( <b>erenumab - aooe</b> ) 70 mg/ml, 140 mg/ml injection	Restriction: PA required.
CAFERGOT® ( <b>ergotamine &amp; caffeine</b> ) 1mg-100mg tablet, 2mg-100mg supp	Restriction: 20 doses per month.
 <b>ergotamine tartarate</b> 2 mg sl tablet	
 FIORICET® ( <b>butalbital, caffeine, &amp; acetaminophen</b> ) 50mg-40mg-325mg tablet	Restriction: 50 tablets maximum per month.
 FIORINAL® ( <b>butalbital, caffeine, &amp; aspirin</b> ) 50mg-40mg-325mg capsule/tablet	Restriction: 50 capsules maximum per month.

**Central Nervous System - Migraine-Triptan - Drugs for the nervous system**

The **Triptan** medications are the largest expense category of the anti-migraine drugs. The Triptan medications are maximally restricted to 9 tablets per 30 day period and 3 dispensings in a 365 day period. Patients whose demand exceeds the 3 fills are recommended to be considered for prophylactic medications and for a Neurology referral.

Continued on next page




## MEDICATIONS

## RESTRICTIONS

**Central Nervous System - Migraine-Triptan - Drugs for the nervous system, continued • SEE PREVIOUS PAGE**



<i>Medication</i>	<i>Cost/9 tablets</i>
Sumatriptan (Imitrex®) 50-100mg	\$9
Naratriptan (Amerge®) 2.5mg	\$25
Rizatriptan (Maxalt®) 5mg	\$19
Zolmitriptan (Zomig®) 5mg	\$57

 AMERGE® ( <b>naratriptan</b> ) 1mg, 2.5mg tablet	Restriction: 9 tablets in 30 days with a maximum of 3 fills in a 12 month period.
 IMITREX® ( <b>sumatriptan</b> ) 50mg, 100mg tablet only	Restriction: Restricted to 9 tablets in 30 days with a maximum of 3 fills in a 12 month period.
 MAXALT® ( <b>rizatriptan</b> ) 5mg, 10mg tablet	Restriction: 12 tablets in 40 days with a maximum of 2 fills in a 12 month period.




**Central Nervous System - Sedative - Drugs for the nervous system**

*Many references on insomnia recommend against prescribing sedative medication on a nightly basis. KHS will promote this utilization. These medications will be restricted to the treatment of insomnia and 15 per 30 days. For those patients experiencing morning drowsiness from the regular strengths of the Formulary medications low dose Temazepam (Restoril® 7.5mg) is offered. The FDA has issued recommendations for lower doses for women. **Caution should be used in combination with opioids.***

 AMBIEN® ( <b>zolpidem</b> ) 5mg, 10mg tablet	Restriction: Allow 15 tablets in 30 days. 5mg daily maximum allowed for women.
 RESTORIL® ( <b>temazepam</b> ) 15mg, 30mg capsule	Restriction: Allow 15 capsules in 30 days.

**Central Nervous System - Stimulant - Drugs for the nervous system**

*Restricted to members between the ages of 4 and 16 years old with ADD/ADHD. ER formulations limited to once daily dosing in accordance to FDA dosing guidelines.*

 ADDERALL®, ADDERALL XR® ( <b>amphetamine combination</b> ) 5mg, 7.5mg, 10mg, 20mg, 30mg tablet, 5mg, 10mg, 15mg, 20mg, 25mg, 30mg cr tablet	
 DEXEDRINE® ( <b>dextro-amphetamine</b> ) 5mg, 10mg tablet, 10mg, 15mg, cr capsule	
 FOCALIN®, FOCALIN XR® ( <b>dexmethylphenidate</b> ) 5mg, 10mg tablet, 5mg, 10mg, 15mg, 20mg, 30mg capsule	

Continued on next page




## MEDICATIONS

## RESTRICTIONS

**Central Nervous System - Stimulant - Drugs for the nervous system, continued • SEE PREVIOUS PAGE**

 RITALIN® (*methylphenidate*) 5mg, 10mg, 20mg tablet, 20mg cr tablet

 STRATTERA® (*atomoxetine*) 10 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg, 100 mg capsule

VYVANSE® (*lisdexamfetamine*) 20mg, 30mg, 40mg, 50mg, 60mg, 70mg capsule

Restriction: Psychiatrist only.

Restriction: Must fail generic amphetamines first.


**Cholinesterase Inhibitors - Drugs for memory loss**

 ARICEPT® (*donepezil*) 5mg, 10mg tablet

Restriction: Prior authorization required. MMSE

**Drug Dependency Therapy**

 CHANTIX® (*varenicline*) 0.5mg, 1mg tablet

 NICORETTE®, NICOTROL®, NICODERM CQ® (*nicotine*) 2mg, 4mg gum, 2mg, 4 mg lozenge, 10mg cartridge, 10mg/ml spray, 7mg, 14 mg, 21 mg patches

**Enterals**

*Enterals are covered by KHS following the Medi-Cal guidelines for coverage and exclusion. Only products listed on the Fee-For-Service product list are covered. The products are grouped by the following product categories:*

- *Elemental and Semi-Elemental*
- *Metabolic*
- *Specialized*
- *Specialty Infant*
- *Standard*

*KHS members must meet the medical criteria for the product category specific to the product requested.*

*Enteral nutrition products may be covered upon authorization when used as a therapeutic regimen to prevent serious disability or death in patients with medically diagnosed conditions that preclude the full use of regular food (California Code of Regulations [CCR], Title 22, Section 51313.3).*

*Enteral nutrition products covered are subject to the Medi-Cal List of Enteral Nutrition Products and utilization controls (Welfare and Institutions Code [W&I Code], Sections 14132.86, 14105.8 and 14105.395).*

Continued on next page

## MEDICATIONS

## RESTRICTIONS

### Enterals, continued • SEE PREVIOUS PAGE

*Enteral nutrition products provided to inpatients receiving inpatient hospital services are included in the hospital's reimbursement made under the CCR, Title 22, Section 51536. These products are not separately reimbursable. Enteral nutrition products provided to inpatients receiving Nursing Intermediate Care Facilities Facility Level A services or Nursing Facility Level B services are not separately reimbursable.*

*Enteral nutrition products provided to patients in an Intermediate Care Facility for the Developmentally Disabled (ICF/DD), Intermediate Care Facility for the Developmentally Disabled/Habilitative (ICF/DD-H) or Intermediate Care Facility for the Developmentally Disabled/Nursing ICF/DD-N are reimbursed as part of the facility's daily rate and are not separately reimbursable (CCR, Title 22, Sections 51510.1, 51510.2 and 51510.3).*

*The following nutrition products are not covered by Medi-Cal:*



- *Regular food, including solid, semi-solid, blenderized and pureed foods*
- *Common household items*
- *Regular infant formula as defined in the Federal Food, Drug and Cosmetic Act (FD&C Act)*
- *Shakes, cereals, thickened products, puddings, bars, gels and other non-liquid products*
- *Thickeners*
- *Products for assistance with weight loss*
- *Vitamin and/or mineral supplements, except for pregnancy and birth up to 5 years of age (Refer to the appropriate contract drugs list section in this manual for more information).*
- *Enteral nutrition products used orally as a convenient alternative to preparing and/or consuming regular solid or pureed foods*

### Gastrointestinal - Antidiarrheal - Drugs for the stomach

  LOMOTIL® (**diphenoxylate & atropine**)  
2.5mg/5ml liq, 2.5mg tablet

 **paregoric** 2mg/5ml liq

### Gastrointestinal - Antiemetic - Drugs for the stomach

  COMPAZINE® (**prochlorperazine**) 5mg, 10mg  
tablet, 15mg cr capsule, 2.5mg, 5mg, 10mg supp, 5mg/5ml  
syrup

EMEND® (**aprepitant**) 40mg, 80mg, 125mg, 125-80mg,  
150mg vial






Restriction: Restricted to highly emetic chemotherapy such as 'platinum' therapy. Allow up to 3 days per treatment.

Continued on next page

## MEDICATIONS

## RESTRICTIONS

**Gastrointestinal - Antiemetic - Drugs for the stomach, continued • SEE PREVIOUS PAGE**

*  KYTRIL® ( <i>granisetron</i> ) 1 mg tablet	Restriction: Prior authorization required.
 MARINOL® ( <i>dronabinol</i> ) 2.5 mg, 5 mg, 10 mg capsule	Restriction: Restricted to use by KHS plan Oncologist.
*   PHENERGAN® ( <i>promethazine</i> ) 6.25mg/5ml, 25mg/5ml syrup, 12.5mg, 25mg, 50mg tablet or supp	Restriction: Restricted to members > 2 years old.
*  ZOFRAN® ( <i>ondansetron</i> ) 4mg, 8mg tablet, ODT	Restriction: Allow up to 3 days of therapy per oncology treatment.

**Gastrointestinal - Digestant - Drugs for the stomach**

 ACTIGALL® ( <i>ursodiol</i> ) 250 mg, 500 mg tablet	Restriction: Prior authorization required.
CREON®, ZENPEP® ( <i>amylase, lipase, &amp; protease</i> ) varying strengths -capsule, tablet, chewable tablet, ec tablet	Restriction: Prior authorization required.

**Gastrointestinal - H2 Antagonist - Drugs for the stomach**

*If the patient is on a PPI there is usually no advantage of also prescribing an H2 Antagonist. Some patients experiencing break through symptoms at night with a morning PPI may benefit from a night dose of an H2 Antagonist. If the drugs are given at the same time it may lessen the effectiveness of the PPI. Note that the OTC H2 Antagonists require a package size of 30 or more.*

 PEPCID® (*famotidine*) 10mg, 20mg, 40mg tablet

**Gastrointestinal - Helicobacter Pylori Treatment - Drugs for the stomach**

*Preferred Therapy according to the American College of Gastroenterology, 2017, is quadruple therapy. **Quadruple Therapy** PO for 10-14 days: bismuth subsalicylate 262mg QID + metronidazole 500mg TID-QID + doxycycline 100mg BID + PPI **Concomitant Quadruple Therapy** PO for 10-14 days: clarithromycin 500 mg BID + amoxicillin 1 g BID + metronidazole 500 mg BID + PPI **Triple therapy** PO x 7-14 days: clarithromycin 500 mg bid + amoxicillin 1 g bid (or metronidazole 500 mg bid) + a PPI\**

*\*PPI's omeprazole 20 mg bid, pantoprazole 20mg bid*










**Gastrointestinal - Laxative - Drugs for the stomach**

 CEPHULAC® ( <i>lactulose</i> ) 10mg/15ml syrup	
 GO-LYTELY® ( <i>peg-electrolyte</i> ) powder for soln	
 MIRALAX® ( <i>peg</i> ) powder	

## MEDICATIONS

## RESTRICTIONS

**Gastrointestinal - Miscellaneous - Drugs for the stomach**

 ANUSOL-HC® (hemorrhoidal suppository w/hydrocortisone) supp	Restriction: Max 2/day, and 7 days every 30 days.
 ASACOL®, DELZICOL®, LIALDA® (mesalamine) 800mg er tablet, 400mg tablet, 1.2 g DR tablet	Restriction: Try and fail balsalazide therapy before considering mesalamine.
 AZULFIDINE® (sulfasalazine) 500mg tablet & ec tablet	
 CARAFATE® (sucralfate) 1gm tablet	Restriction: Restricted to members with duodenal ulcer, NMT 90 days therapy.
 COLAZAL® (balsalazide) 750mg capsule	
 CORTENEMA® (hydrocortisone enema) 100mg/60ml susp	
 CYTOTEC® (misoprostol) 100mg, 200mg tablet	
 PRO-BANTHINE® (propantheline) 15mg tablet	Restriction: plan gastroenterologists only.
 REGLAN® (metoclopramide) 5mg/5ml syrup, 5mg, 10mg tablet	

**Gastrointestinal - Proton Pump Inhibitor - Drugs for the stomach**

*Proton Pump Inhibitors (PPIs) are one of the highest expense medication categories for most health plans. The Plan PPIs of choice are omeprazole and pantoprazole. Other PPIs will only be allowed with a fair trial of up to BID dosing of the preferred PPIs. Prescription strength PPIs will be allowed in order of escalating cost. It is important to guide patients with life style changes to eliminate possible causes of GERD. Long term use of PPIs in management of GERD should be used with caution. KHS offers triple therapy for the treatment of Helicobacter Pylori (H. Pylori). See H. pylori section. While bedtime dosing of an H2 antagonist for break through reflux may be tried, usually taking a PPI and H2 antagonist together is not clinically justified and may actually make the PPI less effective.*










**Cost of PPI per patient month to KHS**

<b>Medication</b>	<b>Drug Cost for 30</b>
Omeprazole	\$4
Pantoprazole	\$5
Lansoprazole	\$19
Rabeprazole	\$19

Continued on next page

## MEDICATIONS

## RESTRICTIONS

<b>Gastrointestinal - Proton Pump Inhibitor - Drugs for the stomach, continued • SEE PREVIOUS PAGE</b>		
<i>Non-Formulary Prescription PPIs Dexilent®</i>	<i>Monthly Additional Cost \$271</i>	<i>Annual Additional Cost \$3252</i>
 ACIPHEX® ( <i>rabeprazole</i> ) 20mg tablet		Restriction: Must fail omeprazole and pantoprazole therapy.
 NEXIUM 24HR (OTC)® ( <i>esomeprazole</i> ) 20mg capsule		Restriction: Must fail omeprazole and pantoprazole therapy.
 PREVACID® ( <i>lansoprazole</i> ) 30mg capsule		Restriction: Must fail omeprazole and pantoprazole therapy.
 PRILOSEC® ( <i>omeprazole</i> ) 20mg, 40 mg capsule		
 PROTONIX® ( <i>pantoprazole</i> ) 20mg, 40mg tablet		
<b>Hematology - Anticoagulant - Drugs for the blood</b>		
 COUMADIN® ( <i>warfarin</i> ) 1mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg, 10mg tablet		
ELIQUIS® ( <i>apixaban</i> ) 2.5mg, 5mg tablet, Starter pack		
 heparin 1000 units/ml, 5000 units/ml, 10,000 units/ml (bovine), 1000 units/ml, 5000 units/ml, 10,000 units/ml, 20,000 units/ml, 40,000 units/ml, 100 units/ml lock flush (porcine)		Restriction: Lock flush billed as Medical claim.
 LOVENOX® ( <i>enoxaparin</i> ) 30mg/0.3ml, 40mg/0.4ml, 60mg/0.6ml, 80mg/0.8ml, 100mg/1ml, 120mg/1ml, 150mg/1ml injection		Restriction: Restricted to a 14 day supply. Authorization is required for additional amounts.
SAVAYSA® ( <i>edoxaban tosylate</i> ) 15 mg, 30 mg, 60 mg tablet		Restriction: Plan cardiologists allowed, otherwise prior authorization required.
XARELTO® ( <i>rivaroxaban</i> ) 10mg, 15mg, 20mg tablet, Starter pack		
<b>Hematology - Antiplatelet - Drugs for the blood</b>		
AGRYLIN® ( <i>anagrelide</i> ) 1mg capsule		Restriction: Prior authorization required.
BRILINTA® ( <i>ticagrelor</i> ) 60mg, 90mg tablet		Restriction: Prior authorization required. Available first line if written by cardiologist. Up to 12 month therapy allowed.
 EFFIENT® ( <i>prasugrel</i> ) 5mg, 10mg tablet		Restriction: Prior authorization required. Available first line if written by cardiologist. Up to 12 month therapy allowed.

Continued on next page

## MEDICATIONS

## RESTRICTIONS

**Hematology - Antiplatelet - Drugs for the blood, continued • SEE PREVIOUS PAGE**

  PERSANTINE® (*dipyridamole*) 25mg, 50mg, 75mg tablet

 PLAVIX® (*clopidogrel*) 75mg tablet

**Hematology - Coagulant - Drugs for the blood**


 MEPHYTON® (*phytonadione*) 5mg tablet

**Hematology - Hematopoietic - Drugs for the blood**

\* ARANESP® (*darbepoetin*) 25mcg/ml, 40mcg/ml, 60mcg/ml, 100mcg/ml and 200mcg/ml.

\*  NIVESTYM® (*filgrastim - aafi*) 300 mcg/0.5/ml, 480 mcg/0.8 ml syringe, vial

Restriction: Prior authorization required. Quantity and lab values required.

\*  RETACRIT® (*epoetin, alpha*) 2000 units/ml, 3000 units/ml, 4000 units/ml, 10,000 units/ml, 20,000 units/ml, 40,000 units/ml injection

Restriction: Restricted to patients with anemia from Zidovudine therapy or CRF.

**Hematology - Miscellaneous - Drugs for the blood**

 cilostazol 50mg, 100mg tablet

Restriction: Restricted to members > 65 years old with intermittent claudication or diabetic of any age with intermittent claudication.

 TRENAL® (*pentoxifylline*) 400mg tablet

Restriction: Restricted to members > 65 years old with intermittent claudication or diabetic of any age with intermittent claudication.

**Hormone - Androgen - Drugs for hormones**

DANOCRINE® (*danazol*) 50 mg, 100 mg, 200 mg capsule

Restriction: Prior authorization required.

DEPO-TESTOSTERONE® (*testosterone*) 100mg/ml, 200mg/ml vial


Restriction: Prior authorization required.

**Hormone - Antidiabetic - Amylin Analog - Drugs for diabetes**

SYMLIN® (*pramalintide*) Pen injector

Restriction: Prior authorization required.

**Hormone - Antidiabetic - Dipeptidyl Peptidase-4 - Drugs for diabetes**

 NESINA® (*alogliptin*) 6.25mg, 12.5mg, 25mg tablet

Restriction: Restricted to members on metformin or cannot take or failed metformin. Please consider when initiating DPP-4 therapy.

Continued on next page



## MEDICATIONS

## RESTRICTIONS

**Hormone - Antidiabetic - Dipeptidyl Peptidase-4 - Drugs for diabetes, continued • SEE PREVIOUS PAGE**TRADJENTA® (*linagliptin*) 5mg tablet

Restriction: Restricted to members adherent on metformin or cannot take or failed metformin. PA required. DPP-4 therapy is expected to use Alogliptin unless CHF contraindications exist demonstrated by supporting documentation.

**Hormone - Antidiabetic - Dipeptidyl Peptidase-4 - Metformin - Drugs for diabetes**♥ KAZANO® (*alogliptin/metformin*) 12.5-500mg, 12.5-1000mg tablet

Restriction: Restricted to members on metformin.

**Hormone - Antidiabetic - Dipeptidyl Peptidase-4 - Thiazolidinedione - Drugs for diabetes**♥ OSENI® (*alogliptin/pioglitazone*) 12.5-15mg, 12.5-30mg, 12.5-45mg, 25-15mg, 25-30mg, 25-45mg tablet

Restriction: Restricted to members on metformin or cannot take or failed metformin.

**Hormone - Antidiabetic Alpha-glucosidase Inhibitor - Drugs for diabetes**♥ PRECOSE® (*acarbose*) 25mg, 50mg, 100 mg tablet

Restriction: Restricted to endocrinologists.

**Hormone - Antidiabetic Biguanide - Drugs for diabetes**

*Metformin is a valuable medication for the treatment of diabetes. A specific advantage of Metformin is that it can help minimize weight gain. Patients who try generic Metformin and have nausea may be considered for Glucophage XR®.*

♥ GLUCOPHAGE®, GLUCOPHAGE XR® (*metformin*) 500mg, 850mg, 1000mg tablet, 500mg cr tablet**Hormone - Antidiabetic GLP-1 Agonists - Drugs for diabetes**ADLYXIN® (*lixisenatide*) 20 mcg pen, starter

Restriction: Restricted to members adherent to &gt; 90 of SGLT-2 therapy or members seen by endocrinologists with history of SGLT-2 therapy.

BYDUREON® (*exenatide*) 2 mg vial, pen, Bcise

Restriction: Restricted to members adherent to &gt; 90 of SGLT-2 therapy or members seen by endocrinologists with history of SGLT-2 therapy. Grandfathered only. New GLP-1 therapy consider Adlyxin or Trulicity if cardiac (heart) disease.

OZEMPIC® RYBELSUS® (*semaglutide*) 3 mg, 7 mg, 14 mg tablet, 1 mg pen, starter

Restriction: Restricted to members seen by endocrinologists on SGLT-2 therapy of any duration.

TRULICITY® (*dulaglutide*) 0.75 mg/0.5, 1.5 mg/0.5, 3 mg/0.5 ml, 4.5 mg/0.5 ml pen

Restriction: Restricted to members adherent to &gt; 90 of SGLT-2 therapy or members seen by endocrinologists with history of SGLT-2 therapy. Preferred for those with cardiovascular (heart) disease.

Continued on next page

## MEDICATIONS

## RESTRICTIONS

**Hormone - Antidiabetic GLP-1 Agonists - Drugs for diabetes, continued • SEE PREVIOUS PAGE**VICTOZA® (*liraglutide*) 18 mg/1 ml pen

Restriction: Restricted to members seen by endocrinologists on SGLT-2 therapy of any duration also demonstrating concurrent atherosclerotic cardiovascular (heart) disease with supporting clinical documentation.

**Hormone - Antidiabetic GLP-1 Agonists glargine combination - Drugs for diabetes**SOLIQUA® (*insulin glargine/lixisenatide*) 100-33/ml pen

Restriction: Restricted to members currently on insulin glargine or GLP-1.

**Hormone - Antidiabetic Insulin - Drugs for diabetes**\*  ADMELOG®, HUMALOG® (*insulin lispro*) 100 units/ml, 50-50 mix, 75-25 mix

Restriction: Admelog allowed for single ingredient formulation.

\* APIDRA® (*insulin glulisine*) 100 units/ml\* LEVEMIR® (*insulin detemir*) 100 units/ml

Restriction: Restricted to adverse reactions to glargine or for use in pregnant women.

\* NOVOLIN® (*insulin, human*) 100 units/ml Regular, Lente, NPH, 50-50, 70-30 mix, 500 unit/ml Regular

Restriction: U-500 restricted to endocrinology.

\*  NOVOLOG® (*insulin aspart*) 100 units/ml, 70-30 mix\* SEMGLEE®, TOUJEO MAX® (*insulin glargine*) 100 units/ml, 300 units/ml

Restriction: Toujeo therapy reserved for endocrinologist for members failing maximum dosed Semglee.

\* TRESIBA® (*insulin degludec*) 100 units/ml, 200 units/ml

Restriction: Restricted to endocrinologists.

**Hormone - Antidiabetic Meglitinide - Drugs for diabetes** STARLIX® (*nateglinide*) 60mg, 120mg tablet

Restriction: Restricted to plan endocrinologists.

**Hormone - Antidiabetic Other Agents - Drugs for diabetes** glucagon 1 mg kit

Restriction: Limit 2 per dispensing, 2 dispensings per 12 months.

## MEDICATIONS

## RESTRICTIONS




**Hormone - Antidiabetic SGLT-2 Inhibitors - Drugs for diabetes**

FARXIGA® ( <i>dapagliflozin</i> ) 5 mg, 10 mg tablet	Restriction: Restricted to members adherent to > 90 days of metformin therapy. PA required. Steglatro is expected for initiating SGLT-2 therapy unless demonstrating concurrent atherosclerotic cardiovascular disease with supporting clinical documentation.
JARDIANCE® ( <i>empagliflozin</i> ) 10 mg, 25 mg tablet	Restriction: Restricted to members adherent to > 90 days of metformin therapy. PA required. Steglatro is expected for initiating SGLT-2 therapy unless demonstrating concurrent atherosclerotic cardiovascular disease with supporting clinical documentation.
STEGLATRO® ( <i>ertugliflozin</i> ) 5 mg, 15 mg tablet	Restriction: Restricted to members adherent to > 90 days of metformin therapy. Preferred SGLT-2. Please consider when initiating SGLT-2 therapy.

**Hormone - Antidiabetic SGLT-2 Inhibitors Combination - Drugs for diabetes**

SEGLUROMET® ( <i>ertugliflozin/metformin</i> ) 2.5-500 mg, 7.5-500 mg, 2.5-1000 mg, 7.5-1000 mg tablet	Restriction: Restricted to members adherent to > 90 days of metformin therapy. Preferred SGLT-2/metformin combination.
SYNJARDY® ( <i>empagliflozin/metformin</i> ) 5mg-500mg, 5mg-1000mg, 12.5mg-500mg, 12.5mg-1000mg tablet	Restriction: Restricted to members adherent to > 90 days of metformin therapy. PA required. Segluromet is expected for initiating SGLT-2 therapy unless demonstrating concurrent atherosclerotic cardiovascular disease with supporting clinical documentation.
XIGDUO XR® ( <i>dapagliflozin/metformin</i> ) 5-500 mg, 5-1000 mg, 10-500 mg, 10-1000 mg tablet	Restriction: Restricted to members adherent to > 90 days of metformin therapy. PA required. Segluromet is expected for initiating SGLT-2 therapy unless demonstrating concurrent atherosclerotic cardiovascular disease with supporting clinical documentation.

**Hormone - Antidiabetic Sulfonylureas - Drugs for diabetes**

 AMARYL® ( <i>glimepiride</i> ) 1 mg, 2mg, 4mg tablet	
 DIABETA® ( <i>glyburide</i> ) 1.25mg, 2.5mg, 5mg tablet	
 GLUCOTROL® ( <i>glipizide</i> ) 5mg, 10mg tablet	

**Hormone - Antidiabetic Thiazolidinedione - Drugs for diabetes**

*These agents are reserved for patients who fail or cannot take Metformin. KHS recommends using Metformin prior to "Glitazone" therapy for diabetic patients since it helps patients*

Continued on next page

## MEDICATIONS

## RESTRICTIONS

**Hormone - Antidiabetic Thiazolidinedione - Drugs for diabetes, continued • SEE PREVIOUS PAGE**

*minimize weight gain. Prior authorization will be considered for patients who cannot tolerate Metformin or should not take Metformin (renal patients and those over 80 years old).*

 ACTOS® (*pioglitazone*) 15mg, 30mg, 45mg tablet

Restriction: Restricted to members on metformin or cannot take or have failed metformin.

**Hormone - Anti-thyroid**

 *propylthiouracil* 50mg tablet

**Hormone - Endocrine - Drugs for hormones**

  *cabergoline* 0.5 mg tablet

Restriction: Restricted to plan endocrinologists.

 DDAVP® (*desmopressin*) 0.1mg, 0.2mg tablet

Restriction: Prior authorization required. Not covered for enuresis.



 PARLODEL® (*bromocriptine*) 2.5 mg tablet, 5 mg capsule

Restriction: Restricted to patients with amenorrhea, galactorrhea, or acromegaly.

 SENSIPAR® (*cinacalcet*) 30 mg, 60 mg, 90 mg, tablet


Restriction: Prior authorization required.

**Hormone - Estrogen - Androgen - Drugs for hormones**


  ESTRATEST® (*esterified estrogens & methyltestosterone*) 6.25mg-1.2mg, 1.25mg-2.5mg tablet


**Hormone - Estrogen - Drugs for hormones**

 ESTRACE® (*estradiol*) 0.5mg, 1 mg, 2mg tablet

 PREMARIN® (*estrogens, conjugated*) 0.3mg, 0.45mg, 0.625mg, 0.9mg, 1.25mg, 2.5mg tablet















**Hormone - Estrogen - Progestin - Drugs for hormones**

 PREMPHASE® (*estrogen, conjugated & medroxyprogesterone*) 0.625mg Estrogen (14) & 0.625mg-5mg Estrogen-Medroxyprogesterone (14) tablet

 PREMPRO® (*estrogen, conjugated & medroxyprogesterone*) 0.625mg-5mg, 0.3mg-1.5 mg, 0.45mg-1.5 mg tablet

## MEDICATIONS

## RESTRICTIONS


Hormone - Glucocorticoid - Drugs for hormones	
 DECADRON® ( <i>dexamethasone</i> ) 0.5mg, 0.75mg, 1mg, 1.5mg, 2mg, 4mg, 6mg tablet	
 FLORINEF® ( <i>flurocortisone</i> ) 0.1mg tablet	
 <i>hydrocortisone</i> 5mg, 10mg, 20mg tablet, 25mg supp, 100mg/60ml enema	
  MEDROL® ( <i>methylprednisolone</i> ) 4mg tablet in dosepack	
  <i>prednisone</i> 1mg/1ml oral soln or syrup, 5mg/ml conc, 1mg, 2.5mg, 5mg, 10mg, 20mg, 25mg, 50mg tablet 5mg, 10mg dose pack	
  PRELONE® ( <i>prednisolone</i> ) 5mg/5ml, 6.7mg/5ml, 15mg/5ml soln, 5mg tablet	
Hormone - Oxytocic - Drugs for hormones	
METHERGINE® ( <i>methylergonovine</i> ) 0.2mg tablet	
Hormone - Progestin - Drugs for hormones	
CRINONE® ( <i>progesterone miconized</i> ) 4%, 8% vaginal gel	Restriction: Restricted to plan OB/GYN.
LUPANETA® ( <i>leuprolide/norethindrone</i> ) 3.75-5 mg, 11.25-5 mg syringe-tab	Restriction: Prior authorization required.
 MAKENA® ( <i>hydroxyprogesterone caproate</i> ) 250mg/ml	Restriction: Prior authorization required--FDA indication only for singleton pregnancies. Not FDA indicated for incompetent cervix.
ORLISSA® ( <i>elagolix</i> ) 150 mg, 200 mg tablet	Restriction: Prior authorization required.
 PROVERA®, DEPO-PROVERA® ( <i>medroxyprogesterone</i> ) 2.5mg, 10mg tablet, 150mg/ml depo injection	Restriction: Depo-Provera® allowed for maximum of 24 months.
Hormone - Thyroid	
  ARMOUR® ( <i>thyroid--dessicated</i> ) 15mg, 30mg, 60mg, 90mg, 120mg, 180mg, 240mg, 300mg tablet	Restriction: Plan endocrinologists. Prior authorization required.
 CYTOMEL® ( <i>liothyronine</i> ) 5 mcg, 25 mcg, 50 mcg tablet	Restriction: Prior authorization required.

Continued on next page

## MEDICATIONS

## RESTRICTIONS

**Hormone - Thyroid, continued • SEE PREVIOUS PAGE**

 LEVOXYL® (**levothyroxine**) 0.025mg, 0.05mg, 0.075mg, 0.088mg, 0.1mg, 0.112mg, 0.125mg, 0.137mg, 0.15mg, 0.175mg, 0.2mg, 0.3mg tablet

 TAPAZOLE® (**methimazole**) 5mg, 10mg tablet

**Immunosuppressant -Drugs for the immune system**

  IMURAN® (**azathioprine**) 50mg tablet

  **mycophenolate** 500 mg tablet

Restriction: Prior authorization required.

  NEORAL® (**cyclosporine, microemulsion**) 25mg, 100mg capsule

  PROGRAF® (**tacrolimus**) 0.5mg, 1mg, 5 mg capsule

Restriction: Prior authorization required.

 ZORTRESS® (**everolimus**) 0.25mg, 0.5mg, 0.75mg tablet

Restriction: Prior authorization required.

**Intravenous Solutions**

*The following intravenous solutions are available to plan members. These solutions are covered under per diem arrangements and typically not billed through the PBM. Authorization is required to coordinate with the infusion services and centers.*

 **antibacterial/antifungal agents** various

Restriction: Prior authorization required. Bill per diem.

 **electrolyte maintenance** various

Restriction: Prior authorization required. Bill per diem.

 **intravenous lipids** various

Restriction: Prior authorization required. Bill per diem.

 **iv solutions: dextrose-water, dextrose-saline, dextrose and lactated ringer's** various

Restriction: Prior authorization required. Bill per diem.

 **parenteral amino acid solutions and combinations** various

Restriction: Prior authorization required. Bill per diem.

 **potassium replacement** various

Restriction: Prior authorization required. Bill per diem.

 **protein replacement** various

Restriction: Prior authorization required. Bill per diem.

 **sodium and saline preparations** various

Restriction: Prior authorization required. Bill per diem.











## MEDICATIONS




## RESTRICTIONS

**Muscle Relaxant**

*Methocarbamol (Robaxin®) and Diazepam (Valium®) can be habituating and should be given with caution to patients with abuse potential. Diazepam is restricted to patients with cerebral palsy or severe spinal column injury. Diazepam is limited to 90 days' supply and 10mg daily maximum dose without prior authorization. Limited to FDA maximum daily dosing guidelines. **Caution in use with combination with opioids.** FDA and other professional societies provide guidance statements of the usefulness of muscle relaxants for short periods of time, typically 2-3 weeks. Beyond that the effectiveness seems to diminish. The plan will allow up to 90 days of antispasmodics. Medications treating spasticity will not have this limitation.*

 <b>baclofen</b> 10mg, 20mg tablet	
  <b>cyclobenzaprine</b> 10mg tablet	Restriction: Restricted to 90 days therapy.
  <b>ROBAXIN® (methocarbamol)</b> 500mg, 750mg tablet	Restriction: Restricted to 90 days therapy.
  <b>VALIUM® (diazepam)</b> 2mg, 5mg, 10mg tablet	Restriction: Restricted to 90 days therapy and 10mg maximum daily dose.
 <b>ZANAFLEX® (tizanidine)</b> 2 mg, 4 mg tablet	

**NSAID - Acetic Acids - Drugs for pain**

 <b>CLINORIL® (sulindac)</b> 150mg, 200mg tablet	Restriction: Restricted to members with RA.
 <b>INDOCIN® (indomethacin)</b> 25mg, 50mg capsule	
 <b>VOLTAREN® (diclofenac na)</b> 50mg, 75mg ec tablet	Restriction: Restricted to members with RA.

**NSAID - COX-2 Agents - Drugs for pain**

*Celecoxib (Celebrex®) is allowed without prior authorization for patients over the age of 65 or who are currently taking Warfarin (Coumadin®). Other indications require prior authorization. Only one daily is allowed - Celebrex® 100mg or 200mg. KHS requires that patients start at the lowest dose possible. Patients who fail a reasonable trial of two other Formulary NSAIDs will be considered for a COX-2 agent.*

*Effectiveness: COX-2 medications are not more effective than other NSAIDs. NSAIDs cannot provide an unlimited amount of pain relief. While NSAIDs do provide pain relief and have anti-inflammatory ability, they do not alter the course of arthritis or prevent joint destruction.*

*Safety: COX-2 medications are not risk free. Data does seem to reflect a lower incidence of GI toxicity but that may be diminished by concurrent aspirin therapy.*

*Vioxx® had been allowed by the FDA to add to their product insert a statement of safety for GI*

Continued on next page

## MEDICATIONS

## RESTRICTIONS

**NSAID - COX-2 Agents - Drugs for pain, continued • SEE PREVIOUS PAGE**

*problems. Celebrex® was denied a similar request. Adding another NSAID such as aspirin to COX-2 therapy will probably increase risk. (CLASS Study)*

*COX-2 agents have renal liability as other NSAIDs. This risk may be less, but there is some potential for renal problems. These drugs can cause sodium and fluid retention like other NSAIDs. Cardiovascular safety with COX-2 drugs is being questioned.*

 CELEBREX® (*celecoxib*) 100mg, 200mg capsule

Restriction: Restricted to members > 65 years old or members on warfarin. Limited to one dose daily. Members not at risk are required to fail two other Formulary NSAIDs first. Other members and doses require prior authorization.

**NSAID - Other - Drugs for pain**

 RELAFEN® (*nabumetone*) 500mg, 750mg tablet


**NSAID - Oxicam - Drugs for pain**

 MOBIC® (*meloxicam*) 7.5mg, 15mg tablet

**NSAID - Propionic Acids - Drugs for pain**

 MOTRIN® (*ibuprofen*) 100mg/5ml susp, 400mg, 600mg, 800mg tablet

Restriction: FDA does not recommend in children < 6 months.

 NAPROSYN® (*naproxen*) 125mg/5ml susp, 250mg, 375mg, 500mg tablet

 ORUDIS® (*ketoprofen*) 25mg, 50mg, 75mg capsule

Restriction: Restricted to members with RA.

**NSAID - Salicylate - Drugs for pain**

 DISALCID® (*salsalate*) 500mg capsule, tablet or cr tablet, 750mg tablet

**Ophthalmic - Anesthetic - Drugs for the eyes**

 *proparacaine* 0.5% ophth soln

Restriction: Prior authorization required.

**Ophthalmic - Anti-fungal - Drugs for the eyes**

 NATACYN® (*natamycin*) 5% ophth susp

**Ophthalmic - Antihistamine - Drugs for the eyes**

 OPTIVAR® (*azelastine ophth soln*) 0.05% ophth soln


Restriction: Trial and failure of Zaditor required.

 PATANOL® (*olopatadine*) 0.1% ophth soln

Restriction: Restricted to plan ophthalmologists only.
















## MEDICATIONS

## RESTRICTIONS

Ophthalmic - Anti-infective - Drugs for the eyes	
 <b>bacitracin</b> ophth oint	
BESIVANCE® ( <b>besifloxacin</b> ) 0.6% ophth susp	Restriction: Patients must have recently failed first line ophth antibiotics. Allow 1st line for ophthalmologists.
 CILOXAN® ( <b>ciprofloxacin</b> ) 0.3% ophth soln	
 GARAMYCIN® ( <b>gentamicin</b> ) 0.3% ophth oint & soln	
 ILOTYCIN® ( <b>erythromycin</b> ) 0.5% ophth oint	
 NEO-POLYCIN® ( <b>neomycin, bacitracin &amp; polymyxin</b> ) 3.5mg-400 units (or 500 units)-10000 units ophth oint	
 NEOSPORIN® ( <b>neomycin, polymyxin &amp; gramicidin</b> ) ophth soln	Restriction: Prior authorization required.
 OCUFLOX® ( <b>ofloxacin</b> ) 0.3% ophth soln	
 POLYSPORIN® ( <b>bacitracin &amp; polymyxin</b> ) ophth oint	
 POLYTRIM® ( <b>polymyxin &amp; trimethaprim</b> ) ophth soln	
 SULAMYD® ( <b>sodium sulfacetamide</b> ) 10% ophth soln & oint	
 TOBREX® ( <b>tobramycin</b> ) 0.3% ophth soln	
Ophthalmic - Anti-infective - Glucocorticoid - Drugs for the eyes	
 MAXITROL® ( <b>neomycin, polymyxin &amp; dexamethasone</b> ) ophth susp, ophth oint	
 POLY-PRED® ( <b>neomycin, polymyxin &amp; prednisolone</b> ) ophth susp	
 TOBRADEX® ( <b>tobramycin &amp; dexamethasone</b> ) 0.3%-0.1% ophth susp	Restriction: Consider second line to neomycin/steroid preparations.
Ophthalmic - Anti-viral - Drugs for the eyes	
 VIROPTIC® ( <b>trifluridine</b> ) 1% ophth soln	
ZIRGAN® ( <b>ganciclovir</b> ) 0.15% gel	Restriction: Restricted to plan ophthalmologists only.

## MEDICATIONS

## RESTRICTIONS

Ophthalmic - Glaucoma - Drugs for the eyes	
 ALPHAGAN® ALPHAGAN P® ( <i>brimonidine</i> ) 0.2% ophth soln	
AZOPT® ( <i>brinzolamide</i> ) 1% ophth susp	Restriction: Prior authorization required.
 BETAGAN® ( <i>levobunolol</i> ) 0.25% ophth soln	
 BETOPIC® ( <i>betaxolol</i> ) 0.25%, 0.5% ophth soln or susp	
 COMBIGAN® ( <i>brimonidine tartrate/timolol</i> ) 0.2%-0.5% ophth drops	
 COSOPT® ( <i>dorzolamide/timolol</i> ) 2%-0.5% ophth drops	
 DIAMOX® ( <i>acetazolamide</i> ) 125mg, 250mg tablet, 500mg cr capsule	
 ISOPTO-CARPINE® ( <i>pilocarpine</i> ) 1%, 2%, 4% ophth soln	
ISOPTO-HYOSINE® ( <i>scopolamine</i> ) 0.25% ophth soln	
 LUMIGAN® ( <i>bimatoprost</i> ) 0.01%, 0.03% ophth soln	Restriction: Limited to 2.5ml size only. 1 bottle per dispensing.
 NEPTAZANE® ( <i>methazolamide</i> ) 25mg, 50 mg tablet	
 OPTIPRANOLOL® ( <i>metipranolol</i> ) 0.3% ophth soln	
 TIMOPTIC® ( <i>timolol</i> ) 0.25%, 0.5% ophth soln	
 TRUSOPT® ( <i>dorzolamide</i> ) 2% ophth soln	
 XALATAN® ( <i>latanoprost</i> ) 0.005% ophth soln	
Ophthalmic - Glucocorticoid - Drugs for the eyes	
DUREZOL® ( <i>difluprednate</i> ) 0.05% ophth susp	Restriction: Restricted to plan ophthalmologists only.
 FML® ( <i>fluorometholone</i> ) 0.1%, 0.25% ophth susp	
LOTEMAX® ( <i>loteprednol</i> ) 0.5% ophth susp	Restriction: Prior authorization required.
 PRED MILD®, PRED FORTE® ( <i>prednisolone</i> ) 0.12%, 1% ophth susp	

## MEDICATIONS

## RESTRICTIONS












Ophthalmic - Miscellaneous - Drugs for the eyes	
 CROLOM® ( <i>cromolyn</i> ) 4% ophth drops	
 MURO® (128) ( <i>sodium chloride</i> ) 2% ophth soln, 5% ophth oint or soln	
 RESTASIS® ( <i>cyclosporine</i> ) 0.05% ophth emulsion	Restriction: Prior authorization required.
Ophthalmic - Mydriatic - Drugs for the eyes	
 CYCLOGYL® ( <i>cyclopentolate</i> ) 0.5%, 1%, 2% ophth soln	
 ISOPTO-ATROPINE® ( <i>atropine</i> ) 1% ophth soln	
ISOPTO-HOMATROPINE® ( <i>homatropine</i> ) 2%, 5% ophth soln	
Ophthalmic - NSAID - Drugs for the eyes	
 ACULAR®, ACULAR LS ( <i>ketorolac</i> ) 0.4%, 0.5% ophth soln	Restriction: Restricted to plan ophthalmologist only.
NEVANAC® ( <i>nepafanac</i> ) 0.1% ophth susp	Restriction: Restricted to plan ophthalmologist only.
 VOLTAREN® ( <i>diclofenac</i> ) 0.1% ophth drops	
Oral Contraceptive - Biphasic - Drugs for women	
 MIRCETTE® ( <i>desogestrel &amp; ethinyl estradiol</i> ) 0.15mg/20mcg (21), 10mcg (7) tablet	
 ORTHO-NOVUM 10/11® ( <i>norethindrone &amp; ethinyl estradiol</i> ) 0.5mg-35mcg (10), 1mg-35mcg (11) tablet	
 ORTHO-NOVUM 7/14® ( <i>norethindrone &amp; ethinyl estradiol</i> ) 0.5mg-35mcg (7), 1mg-35mcg(14) tablet	
Oral Contraceptive - Drugs for women	
 ALESSE® ( <i>levonorgestrel &amp; ethinyl estradiol</i> ) 0.1mg-20mcg tablet	
 DEMULEN® ( <i>ethynodiol &amp; ethinyl estradiol</i> ) 1mg-35mcg tablet	
 DESOGEN® ( <i>desogestrel &amp; ethinyl estradiol</i> ) 0.15mg-30mcg tablet	

Continued on next page

## MEDICATIONS

## RESTRICTIONS

## Oral Contraceptive - Drugs for women, continued • SEE PREVIOUS PAGE

 LEVLEN® ( <i>levonorgestrel &amp; ethinyl estradiol</i> ) 0.15mg-30mcg tablet	
 LO-OVRAL® ( <i>norgestrel &amp; ethinyl estradiol</i> ) 0.3mg-30mcg tablet	
 LOESTRIN 1.5/30®, 1.5/30 FE® ( <i>norethindrone acetate &amp; ethinyl estradiol</i> ) 1.5mg-30mcg tablet, 1.5mg-30mcg w/iron tablet	
 LOESTRIN 1/20®, 1/20 FE®, LO LOESTRIN FE® ( <i>norethindrone acetate &amp; ethinyl estradiol</i> ) 1mg-20mcg, 1mg-20mcg, 1mg-10mcg w/iron tablet	Restriction: Lo Loestrin prior authorization required.
 NORLESTRIN 1/50®, 1/50 FE® ( <i>norethindrone acetate &amp; ethinyl estradiol</i> ) 1mg-50mcg tablet, 1mg-50mcg w/iron tablet	
 ORTHO-CYCLEN® ( <i>norgestimate &amp; ethinyl estradiol</i> ) 0.25mg-35mcg tablet	
 ORTHO-NOVUM 1/35®, DEMULEN 1/50® ( <i>norethindrone &amp; ethinyl estradiol</i> ) 35mcg-1mg, 50mcg-1mg tablet	
 ORTHO-NOVUM 1/50® ( <i>norethindrone &amp; mestranol</i> ) 1mg-50mcg tablet	
 OVRAL® ( <i>norgestrel &amp; ethinyl estradiol</i> ) 0.5mg-50mcg tablet	
 YASMIN®, YAZ® ( <i>drospirenone &amp; ethinyl estradiol</i> ) 0.03-3mg, 0.02-3mg tablet	Restriction: Prior authorization required.
<b>Oral Contraceptive - Progestin Only - Drugs for women</b>	
 MICRONOR® ( <i>norethindrone</i> ) 0.35mg tablet	
PLAN B ONE STEP® ( <i>levonorgestrel</i> ) 1.5 mg tablet	Restriction: Maximum of 2 fills in 30 days.
<b>Oral Contraceptive - Triphasic - Drugs for women</b>	
ESTROSTEP® ( <i>norethindrone &amp; ethinyl estradiol</i> ) 1mg-20mcg(5), 1mg-30mcg(7), 1mg-35mcg(9) tablet	


Continued on next page





## MEDICATIONS


## RESTRICTIONS

**Oral Contraceptive - Triphasic - Drugs for women, continued • SEE PREVIOUS PAGE**

 ORTHO-NOVUM 7/7/7® (*norethindrone & ethinyl estradiol*) 0.5mg-35mcg(7), 0.75mg-35mcg(7), 1mg-35mcg(7) tablet

 ORTHO-TRICYCLEN LO® (*norgestimate & ethinyl estradiol*)  
0.18mg-25mcg/0.215mg-25mcg/0.25mg-25mcg tablet

 ORTHO-TRICYCLEN® (*norgestimate & ethinyl estradiol*)  
0.18mg-35mcg/0.215mg-35mcg/0.25mg-35mcg tablet

 TRIPHASIL® (*levonorgestrel & ethinyl estradiol*)  
0.05mg-30mcg, 0.075mg-40mcg, 0.125mg-30mcg tablet

**Osteoporosis Drugs for bone loss**

 ACTONEL® (*risedronate*) 35 mg tablet

Restriction: Prior authorization required.

 FOSAMAX® (*alendronate*) 35mg, 70mg weekly tablet only

Restriction: Restricted to members > 61 years old or having T-score < - 2.5.

 MIACALCIN® (*calcitonin-salmon*) 200unit/spray


Restriction: Allowed for osteoporosis failing bisphosphonates.

**Otic - Drugs for the ears**

 ACETASOL HC® (*hydrocortisone & acetic acid*) otic soln

CIPRODEX® (*ciprofloxacin- dexamethasone*) 0.3%-0.4% otic susp

Restriction: Restricted to plan ENT providers. If the patient recently failed Cortisporin® or Floxin® Otic, consideration will be given to a prior authorization request.

 CORTISPORIN® (*neomycin, polymyxin & hydrocortisone*) otic susp

 FLOXIN® OTIC (*ofloxacin*) 0.3% otic soln

Restriction: Restricted to 5 mls per dispensing.

**Otic/ OTC - Drugs for the ears**

 DEBROX® (*carbamide peroxide*) 6.5% soln

**Rescue Agents - Antidotes**

CHEMET® (*succimer*) 100mg capsule

Continued on next page

## MEDICATIONS

## RESTRICTIONS

## Rescue Agents - Antidotes, continued • SEE PREVIOUS PAGE



 **epinephrine** 0.15mg/0.3, 0.3mg/0.3 auto injection

 **leucovorin** 5mg, 25mg tablet

## Respiratory - Antihistamine - Antitussive - Decongestant - Drugs for the lungs

 **CARDEC-DM® (pseudoephedrine, chlorpheniramine & dextromethorphan)** 15mg-12.5mg-4mg syrup

Restriction: Only for patients < 6 years old.


  **PHENERGAN-VC CODEINE® (phenylephrine, promethazine & codeine)** 5mg-6.25mg-10mg/5ml syrup

Restriction: Only for patients >18 years old. Plan allows maximum 240 mls per 30 days, 3 fills per 12 months.

## Respiratory - Antihistamine - Antitussive - Drugs for the lungs

 **PHENERGAN DM® (promethazine & dextromethorphan)** 6.25mg-15mg/5ml syrup

Restriction: Only for patients > 2 years old.

  **PHENERGAN W/CODEINE® (promethazine & codeine)** 6.25mg-10mg/5ml syrup

Restriction: Only for patients > 18 years old. Plan allows maximum 240 mls per 30 days, 3 fills per 12 months.

## Respiratory - Antihistamine - Decongestant - Drugs for the lungs

 **PHENERGAN-VC® (promethazine & phenylephrine)** 6.25mg-5mg/5ml syrup



Restriction: Only for patients > 2 years old.

## Respiratory - Antihistamine - Drugs for the lungs

*1st generation antihistamines are considered to be more effective than the later generations. National guidelines suggest better outcomes with treatment with nasal steroids as opposed to antihistamines.*

*The FDA recommends not to use antihistamines and cough preparations in individuals less than 2 years of age.*

*Allergic Rhinitis adult patients are recommended to be treated with Nasal Steroids.*

  **ATARAX® (hydroxyzine)** 10mg/5ml syrup, 10mg, 25mg, 50mg tablet, 25mg, 50mg capsule

## Respiratory - Antiserotonin - Drugs for the lungs

  **PERIACTIN® (cyproheptadine)** 2mg/5ml syrup, 4mg tablet

## MEDICATIONS

## RESTRICTIONS

**Respiratory - Antitussive - Drugs for the lungs**



 SSKI® (*saturated soln of potassium iodide*) 1g/ml soln

Restriction: Prior authorization required.



 TESSALON® (*benzonatate*) 100mg perles

Restriction: Prior authorization required.

**Respiratory - Antitussive - Expectorant - Drugs for the lungs**

  ROBITUSSIN AC® (*codeine & guaifenesin*)  
10mg-100mg/5ml soln or syrup

Restriction: Only for patients > 18 years old. Plan allows maximum 240 mls per 30 days, 3 fills per 12 months.

  ROBITUSSIN DAC®  
(*codeine, guaifenesin, pseudoephedrine*)  
10mg-100mg-30mg/5ml syrup

Restriction: Only for patients > 18 years old. Plan allows maximum 240 mls per 30 days, 3 fills per 12 months.

**Respiratory - Asthma - Drugs for the lungs**

*There are National Guidelines for treating Asthma. KHS has a Pocket Guide for Asthma Management and Prevention available. Some of the tables in that text are in the Formulary. Asthma is a chronic inflammatory disease. It is important to remember this inflammatory process and that the inhaled steroids are recommended to be the second step in treatment. Please review the step tables of Asthma Treatment at the end of this Formulary. Spacers (Aerochambers®), with or without masks, and peak flow meters are available by prescription. Preference for referrals for low or non-sedating antihistamines will be given to asthma patients.*

**Respiratory - Asthma - Step 1 -Short Acting Bronchodilator - Drugs for the lungs**

  *albuterol* 0.083% & 0.5% inh soln, 2mg/5ml syrup

Restriction: Individual nebulized vial limited to 360 mls per month, the concentrated nebulized solution limited to 60 mls.

BRETHINE® (*terbutaline*) 2.5mg, 5mg tablet

 VENTOLIN HFA®, PROAIR HFA®, PROVENTIL HFA®  
(*albuterol hfa*) 90 mcg/dose MDI

Restriction: NMT 2 inhalers in 30 days or greater than 3 consecutive months without an inhaled steroid.

**Respiratory - Asthma - Step 2 -Glucocorticoid - Drugs for the lungs**

AEROSPAN® (*flunisolide*) 80mcg/dose MDI

ARMONAIR RESPICLICK® (*fluticasone propionate*) 55 mcg, 113 mcg, 232 mcg breath activated device

ARNUITY ELLIPTA® (*fluticasone furoate*) 50 mcg, 100 mcg, 200 mcg breath activated device

Preferred fluticasone inhalation product.


Continued on next page

## MEDICATIONS

## RESTRICTIONS

**Respiratory - Asthma - Step 2 -Glucocorticoid - Drugs for the lungs, continued • SEE PREVIOUS PAGE**

FLOVENT HFA® (**fluticasone**) 44mcg, 110mcg, 220mcg/dose MDI, 50 mcg, 100mcg, 250mcg/dose breath activated device

\*  PULMICORT® (**budesonide**) 90mcg/dose, 180mcg/dose breath activated device, 0.25mg/2ml, 0.5mg/2ml inh susp

Restriction: 0.25mg nebulizer susp is restricted to once daily dosing. Doses of 0.25 BID are required to fail 0.5mg once daily. Allowed in members < 5 years old.


QVAR REDHALER® (**beclomethasone**) 40mcg/dose, 80mcg/dose MDI

**Respiratory - Asthma - Step 3 - Antileukotriene - (Step 2 Alternative) - Drugs for the lungs**

*Restricted to members with asthma--requires member to be on a beta-agonist mdi. Inhaled steroids should be considered for second line (Step 2) treatment before antileukotriene. Allowed for children < 5 years old as Step 2. Not authorized for allergic rhinitis by plan. Prior authorization not required by ENT.*

 SINGULAIR® (**montelukast**) 4 mg, 5 mg chewable tablet, 10 mg tablet

**Respiratory - Asthma - Steps 3 & 4 - ICS/Long Acting Bronchodilator - Drugs for the lungs**

 ADVAIR®, Wixela Inhub®, AIRDUO RESPICLICK® (**fluticasone/salmeterol**) 100/50 mcg, 250/50 mcg, 500/50 mcg breath activated device, 45/21 mcg, 115/21 mcg, 230/21 mcg HFA; 55-14 mcg, 113-14 mcg, 232-14 mcg inhalation

Restriction: Consider generic AirDuo® for asthma management; Wixela Inhub for COPD. HFA, prior authorization required.

 SYMBICORT® (**budesonide/formoterol**) 80/4.5 mcg, 160/4.5 mcg inhaler

Restriction: Consider generic AirDuo® for asthma management; Wixela Inhub for COPD.

**Respiratory - Asthma Device**

\* PEAK FLOW METER (**monitoring device**)

Restriction: \$35 max per unit.

\* **spacer device** With or without mask

Restriction: Spacers with a mask are available to members under < 6 years old. Please make sure of the fit for the spacers with masks. \$35 max per unit without mask. \$50 max per unit with mask.

**Respiratory - COPD - Anticholinergic bronchodilator - Drugs for the lungs**

\*  ATROVENT HFA® (**ipratropium**) 18mcg/dose MDI, 0.02% inhalation soln

## MEDICATIONS

## RESTRICTIONS

**Respiratory - COPD - Anticholinergic Bronchodilator Combination - Drugs for the lungs**

\*  COMBIVENT RESPIMAT®  
(*ipratropium- albuterol respimat*) 18mcg-90mcg/spray  
MDI

  *ipratropium - albuterol* 0.5-3mg/3ml inhalation  
soln

**Respiratory - COPD - Anticholinergic Bronchodilator Long Acting - Drugs for the lungs**

INCRUSE ELLIPTA® (*umeclidinium*) 62.5mcg inhalation  
tablet

SPIRIVA RESPIMAT® (*tiotropium bromide*) 1.25mcg, 2.5  
mcg Respimat

**Respiratory - COPD - Anticholinergic Bronchodilator Long Acting Combination - Drugs for the lungs**

ANORO ELLIPTA® (*umeclidinium - vilanterol*) 62.5-25  
mcg MDI

STIOLTO RESPIMAT® (*tiotropium bromide - olodaterol*)  
2.5-2.5 mcg breath activated device

**Respiratory - COPD - Long Acting Anticholinergic - Long Acting Bronchodilator - ICS Combination - Drugs for the lungs**

TRELEGY ELLIPTA® (*fluticasone - umeclidium - vilanterol*) 100-62.5-25 mcg breath activated device

Restriction: Long acting cholinergic/bronchodilator or ICS/bronchodilator required first.

**Respiratory - Mast Cell Stabilizer - Drugs for the lungs**

\*  INTAL® (*cromolyn*) 20mg/2ml inhalation soln

**Respiratory - Mucolytic - Drugs for the lungs**

\*  MUCOMYST® (*acetylcysteine*) 10%, 20% soln

**Respiratory - Nasal Antihistamine - Drugs for the lungs**

 ASTELIN® (*azelastine*) 137 mcg/spray

Restriction: Trial and failure of nasal steroids required.

**Respiratory - Nasal Glucocorticoids - Drugs for the lungs**

*Nasal Steroids are recommended for the initial treatment of allergic rhinitis. For patients over 12 years of age it is required they fail a 30 day trial of nasal steroids before a prior authorization of non-sedating antihistamines will be approved. Plan requires **generic nasal steroids** to be used first. Nasonex will be allowed for individuals between the ages of 2-4 as first line.*

Continued on next page

## MEDICATIONS

## RESTRICTIONS

## Respiratory - Nasal Glucocorticoids - Drugs for the lungs, continued • SEE PREVIOUS PAGE


 FLONASE® (*fluticasone*) 50 mcg/spray

 *flunisolide* 25 mcg/spray

 NASONEX® (*mometasone*) 50mcg/spray

Restriction: Allowed as first line for members age 2-4 years old.

## Respiratory - Xanthine - Drugs for the lungs

 THEODUR, UNIPHYL® (*theophylline*) 80mg/15ml, 100mg, 200mg, 300mg, 400mg cr capsule, 100mg, 200mg, 300mg, 400mg, 450mg cr tablet

## Topical - Acne

 RETIN-A® (*tretinoin*) 0.025%, 0.05%, 0.1% cream

Restriction: Restricted to plan dermatologists. 20g maximum. Secondary to trial and failure of Differin 0.1% gel OTC.

## Topical - Anesthetic - Drugs for pain

 XYLOCAINE® (*viscous lidocaine*) 2% gel

Restriction: Restricted to 100ml every 30 days.

## Topical - Antifungal - Drugs for infection

 LAMISIL® (*terbinafine*) 1% cream

Restriction: Restricted to members who have recently failed first line agents (Clotrimazole, Miconazole).

 MYCOSTATIN® (*nystatin*) 100,000 units/gm cream & oint, powder

NIZORAL AD® (*ketoconazole*) 1% OTC, 2% shampoo

 NIZORAL® (*ketoconazole*) 2% cream

OXISTAT® (*oxiconazole*) 1% cream

Restriction: Prior authorization required.

 SPECTAZOLE® (*econazole*) 1% cream

Restriction: Restricted to members who have recently failed first line agents (Clotrimazole, Miconazole).

## Topical - Anti-infective - Drugs for infection

 BACTROBAN® (*mupirocin*) 2% oint

Efficacy of decolonization in preventing re-infection or transmission in the outpatient setting is not documented, and NOT routinely recommended. Consultation with an infectious disease specialist is recommended before eradication of colonization is initiated. Plan allows 1 tube per dispensing per infectious episode.

Continued on next page



## MEDICATIONS

## RESTRICTIONS

**Topical - Anti-infective - Drugs for infection, continued • SEE PREVIOUS PAGE**

 CLEOCIN-T® (*clindamycin*) 1% soln, gel

 *erythromycin* 2% soln

 SELSUN® (*selenium*) 2.5% shampoo

 SILVADENE® (*silver sulfadiazine*) 1% cream

**Topical - Antineoplastic - Drugs for cancer**

EFUDEX® (*fluorouracil*) 1%, 5% cream, 2%, 5% soln

**Topical - Antiviral - Drugs for infection**

 ALDARA® (*imiquimod*) 5% cream

Restriction: 12 packets per 30 days. Preferred for genital warts.

 CONDYLOX® (*podofilox*) 0.5% soln

Restriction: Consider second line to imiquimod.

**Topical - Contraceptive - Drugs for women**

*diaphragm*

 NUVARING® (*etonogestrel/ethinyl estradiol*)  
0.12-0.15 mg vaginal ring

XULANE® (*norelgestromin- ethinyl estradiol*)  
150mcg/20mcg/day patch


Restriction: Plan does not cover replacement patches. Limited to 3 patches/28 days or 6 patches/56 days.

**Topical - Enzymes**

*hyaluronidase* various


Restriction: Used for skin test, dehydration, dispersion/absorption enhancement of injected drugs.

**Topical - Estrogens- Drugs for women**

 CLIMARA®, VIVELLE® (*estradiol*) Biweekly- 0.025mg, 0.0375mg, 0.075mg, 0.1 mg patch Weekly- 0.025mg, 0.05mg, 0.06mg, 0.075mg, 0.1 mg patch

**Topical - Glucocorticoid a Low Potency - Drugs for the skin**

 CORDRAN® (*flurandrenolide*) 0.05% cream, oint, lotion

 *hydrocortisone* 0.5%, 1% cream, 2.5% cream, oint & lotion are also available OTC

Continued on next page


## MEDICATIONS

## RESTRICTIONS

**Topical - Glucocorticoid a Low Potency - Drugs for the skin, continued • SEE PREVIOUS PAGE**

 KENALOG® (*triamcinolone*) 0.025% cream, oint, lotion

 SYNALAR® (*fluocinolone*) 0.01%, 0.025% cream, 0.01% soln

 VALISONE® (*betamethasone*) 0.05% cream, oint, lotion, 0.1% cream, 0.1% oint, 0.05%, 0.1% lotion

**Topical - Glucocorticoid b Medium Potency - Drugs for the skin**

 ELOCON® (*mometasone*) 0.1% cream, oint, lotion

Restriction: Prior authorization required.

 KENALOG® (*triamcinolone*) 0.1% cream, oint, lotion

**Topical - Glucocorticoid c High Potency - Drugs for the skin**

 DIPROSONE® (*betamethasone dipropionate*) 0.05% cream, oint

 KENALOG® (*triamcinolone*) 0.5% cream, oint

 LIDEX® (*fluocinonide*) 0.05% cream, oint, soln, gel

 TEMOVATE® (*clobetasol*) 0.05% cream, oint, soln, lotion

Restriction: Prior authorization required.

**Topical - Miscellaneous - Drugs for the skin**

 *acetic acid* 0.25% soln

 DOVONEX® (*calcipotriene*) 0.005% cream

Restriction: Member needs to fail topical steroids (triamcinolone, betamethasone). 120g maximum.

 DRITHOCREME HP® (*anthralin*) 1% cream

  *sodium chloride* 0.9% soln

**Topical - Scabicide - Drugs for infection**

 ELIMITE® (*permethrin*) 5% cream

Restriction: Prior authorization required.

EURAX® (*crotamiton*) 10% cream and lotion

Restriction: Prior authorization required.

**Urinary Tract - Drugs for bladder**




 DITROPAN® (*oxybutynin*) 5mg tablet

Continued on next page

## MEDICATIONS

## RESTRICTIONS

## Urinary Tract - Drugs for bladder, continued • SEE PREVIOUS PAGE

 ELMIRON® ( <i>pentosan</i> ) 100mg capsule	
 <i>potassium citrate- citric acid</i> 1100-334/5 ml	Restriction: Plan nephrologists allowed, otherwise prior authorization required.
 PYRIDIUM® ( <i>phenazopyridine</i> ) 100 mg, 200 mg tablet	Restriction: Maximum therapy allowed is three days.

## Vaccines - Immune Globulin

*Vaccines play an important part in enhancing one's health. The plan allows the following vaccines without authorization. As many of these are covered under the Vaccines For Children program, the ingredient cost is carved out from the plan. They should be billed to the VFC program. Extensive documentation is required for reporting to the California Immunization Registry (CAIR), member consent, and provider notification. This documentation is required to be available. The vaccines below are billed to KHS for members over the age of 19 unless otherwise noted. In addition to age limits, limits exist on number per lifetime, and limits per injection. Vaccines needed for employment or travel are not covered benefits.*

* ADACEL®, TENIVAC®, OTHERS ( <i>tetanus</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others).
* BOOSTRIX® ( <i>tdap</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others).
* ENGERIX-B®, HEPLISAV-B® ( <i>hepatitis b</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 3 per lifetime, 2 for Heplisav-B.
* FLUZONE®, FLUVIRIN®, FLUVARIX®, OTHERS ( <i>influenza</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 1 per flu season.
* GARDASIL® ( <i>papillomavirus</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 3 per lifetime. Maximum age 45 years.
* HAVRIX® ( <i>hepatitis a</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 2 per lifetime.
* HYPERRAB®, IMO GAM RABIES® ( <i>rabies</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others).
* M-M-R II® ( <i>measles, mumps, rubella</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 2 per lifetime.

Continued on next page






## MEDICATIONS

## RESTRICTIONS

**Vaccines - Immune Globulin, continued • SEE PREVIOUS PAGE**

* MENVEO®, MENOMUNE®, BEXSERO®, TRUMENBA®, OTHERS ( <i>menigitits</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others).
* PREVNAR 13®, PNEUMOVAX23®, OTHERS ( <i>pneumococcal</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others).
* SHINGRIX® ( <i>varicella-zoster</i> ) 50 mcg	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). >50 years. Limit 2 per lifetime.
* TWINRIX® ( <i>hepatitis a &amp; b</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 3 per lifetime.
* VARIVAX® ( <i>varicella</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 2 per lifetime.
* ZOSTAVAX® ( <i>zoster</i> ) various	Restriction: Coordinate with other payers (ex Vaccines for Children, Medicare, CCS, others). Limit 1 per lifetime. >50 years.

**Vaginal - Anti-infective - Drugs for women**









 CLEOCIN® ( <i>clindamycin</i> ) 2% vaginal cream	
GYNAZOLE-1® ( <i>butoconazole</i> ) 2% vaginal cream	Restriction: Restricted to patients who have failed first line agents (Clotrimazole, Miconazole).
 METROGEL® ( <i>metronidazole</i> ) 0.75% Vaginal Gel	
 MYCOSTATIN® ( <i>nystatin</i> ) 100,000 units vaginal tablet	
SULTRIN® ( <i>sulfanilamide</i> ) 15% vaginal cream, 1.05 gm vaginal supp	
 TERAZOL® ( <i>terconazole</i> ) 0.4%, 0.8% vaginal cream, 80mg vaginal supp	Restriction: Restricted to patients who have failed first line agents (Clotrimazole, Miconazole).
 VAGISTAT 1® ( <i>tioconazole</i> ) 6.5% vaginal oint	Restriction: Restricted to members who have recently failed first line agents (Clotrimazole, Miconazole).

**Vaginal - Estrogens - Drugs for women**

 ESTRACE® ( <i>estradiol</i> ) 0.01% cream	
PREMARIN VAGINAL CREAM® ( <i>estrogens, conjugated</i> ) 0.625mg/gm cream	Restriction: Prior authorization required.

## MEDICATIONS

## RESTRICTIONS






Vitamins - Dietary Supplements	
CARNITOR® ( <i>levocarnitine</i> ) 10% soln, 330mg tablet	Restriction: Prior authorization required.
 <i>cyanocobalamin</i> 1000mcg injection	Restriction: Restricted to documented deficiency. Consider sublingual supplementation.
 DRISDOL® ( <i>ergocalciferol</i> ) 50,000 IU capsule	
 <i>folic acid</i> 1mg tablet	Restriction: Pregnant women and those on MTX therapy.
 LURIDE® ( <i>sodium fluoride</i> ) 0.55mg(0.25mgF), 1.1mg(0.5mgF), 2.2mg(1mgF) chewable tablet, 0.125mg/drop, 0.275mg/drop, 0.55mg/drop, 1.1mg/ml drops	
 POLY-VI-FLOR W/IRON®, TRI-VI-FLOR W/IRON® ( <i>pediatric vitamins w/fluoride &amp; iron</i> ) 0.25mg-10mg/ml drops	Restriction: Restricted to members < 5 years old.
 POLY-VI-FLOR®, TRI-VI-FLOR® ( <i>pediatric vitamins w/fluoride</i> ) 0.25mg/ml, 0.5mg/ml drops, 0.25mg, 0.5mg, 1mg chewable tablet	Restriction: Restricted to members < 5 years old.
 <i>prenatal vitamins w/minerals, iron &amp; folic acid</i> capsule or tablet	Restriction: Pregnant females only.
 ROCALTROL® ( <i>calcitriol</i> ) 0.25mcg, 0.5mcg capsule	

***THIS PAGE LEFT BLANK INTENTIONALLY***



**MEDICATIONS**









**RESTRICTIONS**

<b>Analgesics - Non-narcotic/OTC - Drugs for pain</b>	
<i>Acetaminophen (APAP, Tylenol®) hepatotoxicity can result from frequent and/or high doses of those medications with an acetaminophen component. Maximum recommended daily dose of APAP for a patient who does not drink alcohol is 4000mg. Patients may also aggravate the problem by taking other OTC drugs with APAP or receiving prescriptions of other APAP combinations (Norco®, Tylenol #3).</i>	
 <b>aspirin</b> 81mg, 325mg, 650mg tablet & ec tablet, 325mg buffered tablet	
 <b>MOTRIN® (ibuprofen)</b> 100mg/5ml susp, 200mg tablet	Restriction: FDA does not recommend in children < 6 months.
 <b>TYLENOL® (acetaminophen)</b> 325mg, 500mg, 650mg tablet, 100mg/ml, 160mg/5ml soln	
<b>Cardiovascular - Antilipid/OTC - Drugs for the heart</b>	
 <b>niacin</b> 100mg, 250mg, 500mg tablet, 125mg cr capsule, 125mg, 250mg cr tablet	
<b>Cardiovascular - Electrolyte/OTC</b>	
 <b>PEDIALYTE® (oral electrolyte soln)</b> Soln	Restriction: Limited to 3000 ml per dispensing.
<b>Contraceptive/OTC</b>	
<b>condoms-male</b>	Restriction: Limited to 12 per 30 days.
<b>EMKO® (nonoxynol-9)</b> 8%,12.5% foam, 2% gel	
<b>Device - Supplies/OTC</b>	
<b>blood pressure monitor</b>	Restriction: One per member per 5 years. \$50 maximum per unit.
<b>braces</b> various (knee, ankle, wrist)	Restriction: One per affected area per member per 12 months. \$50 maximum per unit.
<b>crutches</b> various	Restriction: One pair per member per 12 months
<b>nebulizer</b> various	Restriction: One per member per 3 years. \$65 maximum per unit.
<b>tablet splitter</b>	
<b>thermometer</b>	Restriction: One per member per 12 months. Maximum \$15 per unit.
<b>vaporizer</b>	

MEDICATIONS

RESTRICTIONS

**Gastrointestinal - Antacid/OTC - Drugs for the stomach**

 <b>calcium</b> 500mg tablet	
 <b>calcium acetate (12.5meq ca<sup>++</sup>/gm)</b> 667mg tablet	
 <b>calcium gluconate (4.5meq ca<sup>++</sup>/gm)</b> 500mg, 650mg, 1 gm tablet	
 <b>calcium lactate (6.5meq ca<sup>++</sup>/gm)</b> 325mg, 650mg tablet	
<b>GAVISCON® (aluminum hydroxide &amp; mag. trisilicate)</b> 80mg-14.2mg chewable tablet	
<b>GAVISCON® (aluminum hydroxide, mag. carbonate)</b> 160mg-105mg chewable tablet, 31.7mg-119.3mg/5ml susp	
 <b>MAALOX® (aluminum &amp; magnesium hydroxides)</b> 200mg-200mg/5ml susp	
 <b>MYLANTA® (aluminum &amp; magnesium hydroxides w/simethicone)</b> 200mg-200mg-25mg chewable tablet, 400mg-400mg-40mg/ 5ml susp	
 <b>RIOPAN® (magaldrate)</b> 540mg/5ml susp	
 <b>TUMS® OS-CAL D® (calcium carbonate (20 meq ca<sup>++</sup>/gm) calcium carbonate w/vitamin d)</b> 650mg tablet, 1250mg tablet or capsule, 500mg tablet	

**Gastrointestinal - Antidiarrhea/OTC - Drugs for the stomach**

 <b>IMODIUM® (loperamide)</b> 2mg capsule, tablet, 1mg/5ml liquid	
--	--

**Gastrointestinal - Antiemetic/OTC - Drugs for the stomach**












 <b>ANTIVERT® (meclizine)</b> 25mg chewable tablet	
  <b>doxylamine succinate</b> 25mg tablet	Restriction: Restricted to plan OB/GYN only.

**Gastrointestinal - H2 Antagonist/OTC - Drugs for the stomach**

 <b>PEPCID AC® (famotidine)</b> 10mg tablet	Restriction: Minimum of 30/package.
--	-------------------------------------

## MEDICATIONS

## RESTRICTIONS


Gastrointestinal - Laxative /OTC - Drugs for the stomach	
 COLACE® ( <i>docusate</i> ) 100mg, 250mg capsule, 10 mg/5 ml syrup for members < 6 years old NMT 240 ml/ rx, 20 mg/5 ml, 50 mg/5 ml liq	
 DULCOLAX® ( <i>bisacodyl</i> ) 5mg tablet, 10mg supp	Restriction: Tablet for colon diagnostic testing only.
 FLEETS® ( <i>mineral oil</i> ) enema	Restriction: For colon diagnostic testing only.
 <i>magnesium citrate</i> solution	Restriction: For colon diagnostic testing only.
Gastrointestinal - Protectant/OTC - Drugs for the stomach	
 PEPTO-BISMAL® ( <i>bismuth subsalicylate</i> ) 262mg tablet or chewable tablet, 525mg/15ml 527mg/30ml susp	
Hematinic/OTC - Drugs for the blood	
 FER-IN-SOL® ( <i>ferrous sulfate</i> ) 75mg/ml soln, 300mg/5ml syrup, 324mg tablet, 325mg cr & ec tablet	
 VARIOUS ( <i>ferrous gluconate</i> ) 240mg, 324mg tablet	
Hormones - Antidiabetic/OTC - Drugs for diabetes	
 NOVOLIN® ( <i>insulin, human</i> ) 100 units/ml	
Ophthalmic - Antihistamine/OTC - Drugs for the eyes	
 ZADITOR® ( <i>ketotifen</i> ) 0.025% ophth soln	
Ophthalmic - Decongestant - Antihistamine/OTC Drugs for the eyes	
 NAPHCN-A® ( <i>naphazoline &amp; pheniramine</i> ) 0.025%-0.3% ophth soln	
Ophthalmic - Decongestant/OTC - Drugs for the eyes	
 ALBALON® ( <i>naphazoline</i> ) 0.1% ophth soln	
Ostomy Items/OTC	
<i>ostomy supplies</i> various	Restriction: Pouches are allowed 30 per 30 days.
Respiratory - Antihistamine - Decongestant - Antitussive/OTC - Drugs for the lungs	
<i>Restricted to members over 4 years.</i>	


Continued on next page

MEDICATIONS

RESTRICTIONS


**Respiratory - Antihistamine - Decongestant - Antitussive/OTC - Drugs for the lungs, continued • SEE PREVIOUS PAGE**

 **DIMETANE DX® (pseudoephedrine, brompheniramine & dextromethorphan)**  
30mg-2mg-10mg/5ml syrup


 **PEDIACARE® (pseudoephedrine, chlorpheniramine & dextromethorphan)** 15mg-1mg- 5mg/5ml, 15mg-1mg-7.5mg/5ml, 30mg-2mg-10mg/5ml liquid & syrup

**Respiratory - Antihistamine - Decongestant/OTC - Drugs for the lungs**

*Restricted to members over 4 years.*


 **CONTAC® (chlorpheniramine & phenylephrine)**  
1mg-2.5mg/5ml, 2mg-5mg/5ml, 4mg-10mg/5ml, syrup, 2mg-5mg tablet, 4mg-20mg cr tablet

 **DIMETAPP® NEW FORMUALTION (brompheniramine & phenylephrine)** 1mg-2.5mg/5ml elixir


 **SUDAFED PLUS® (chlorpheniramine & pseudoephedrine)** 2mg-30mg, 4mg-60mg tablet


**Respiratory - Antihistamine/OTC - Drugs for the lungs**

*The FDA does not recommend antihistamines and other cough/cold products in individuals under the age of 2 years old. These products are restricted to members 2 years old and older. Unless a single antihistamine product, the following are allowed up to age 21 by DHCS.*

 **BENADRYL® (diphenhydramine)** 12.5mg/5ml elixir or syrup, 25mg, 50mg capsule or tablet

 **brompheniramine** 2mg/5ml elixir

 **CHLORTRIMETON® (chlorpheniramine)** 1mg/5ml liquid, 2mg/5ml syrup, 2mg, 4mg chewable tablet, 4mg tablet, 8mg, 12mg cr tablet, 6mg, 8mg, 12mg cr capsule

 **CLARITIN® (loratadine)** 10mg quick dissolving tablet, 10mg tablet, 5mg/5ml syrup

Restriction: Liquid allowed < 5 years old.

 **ZYRTEC® (cetirizine)** 5 mg, 10 mg tablet, 1 mg/ml liq

Restriction: Limited to patients < 18 years old. Liquid allowed < 5 years old.

**MEDICATIONS**

**RESTRICTIONS**


**Respiratory - Antitussive/OTC - Drugs for the lungs**

*Restricted to members over 4 years.*

 **ROBITUSSIN PEDIATRIC® (dextromethorphan)**  
7.5mg/5ml, 10mg/5ml syrup

**Respiratory - Antitussive - Expectorant/OTC - Drugs for the lungs**

*Restricted to members over 4 years.*

 **ROBITUSSIN DM®**  
**(dextromethorphan & guaifenesin)** 10mg-100mg/5ml,  
15mg-200mg/5ml, 30mg-200mg/ 5ml liquid,  
3.33mg-33.3mg/5ml, 6.67mg-66.7mg/5ml syrup

**Respiratory - Decongestant/OTC - Drugs for the lungs**

*Restricted to members over 4 years.*

 **SUDAFED® (pseudoephedrine)** 30mg, 60mg, 120mg  
tablet, 15mg/5ml, 30mg/5ml liquid

**Respiratory - Expectorant/OTC - Drugs for the lungs**

*Restricted to members over 4 years.*

 **ROBITUSSIN® (guaifenesin)** 100mg/5ml, 200mg/5ml  
syrup

**Respiratory - Miscellaneous/OTC - Drugs for the lungs**

  **sodium chloride** 0.9% nebulizer soln

**Respiratory - Nasal Glucocorticoids/OTC - Drugs for the lungs**

 **NASACORT ALLERGY 24 HR OTC® (triamcinolone)** 55  
mcg mdi

**Supplies - /OTC**

*Antiseptic solutions and hand wipes. One package allowed per 30 days.*

**alcohol** 70%, 91% topical soln










 **CA-REZZ® (triclosan)** cream, washes

 **ethyl alcohol** solutions, creams, gels, foam, washes,  
wipes

 **HIBICLENS® (chlorhexidine gluconate)** 4% liquid

**MEDICATIONS**

**RESTRICTIONS**

<b>Supplies - Diabetic/OTC</b>	
*  KETO-DIASTIX®, KETOSTIX® ( <i>urine test strips</i> ) strip	
* <i>lancets</i>	
* TRUE METRIX® ( <i>blood glucose strips</i> ) strip	Restriction: Restricted to True Metrix ®, Goji® or Fora®. True Metrix® meters are billed with a special code from Trividia and are preferred. Fora® meters are ordered directly from the manufacturer. Please write prescriptions for strips, lancets, etc. The members should then have the pharmacy fill the meter and strips together so as to ensure the correct products are given. Plan allows up to #100/30 days for Type I, #100/90 days for Type II, and #150/30 days for gestational diabetics.
* TRUEPLUS® ( <i>syringes, syringes w/needles, pen needles</i> )	Restriction: Requires insulin to clear. Coinsides with insulin vial, pen. Limit up to 200 per 40 days.
<b>Topical - Acne/OTC -Drugs for the skin</b>	
 BENZAGEL® ( <i>benzoyl peroxide</i> ) 5%, 10% gel	
DIFFERIN® ( <i>adapalene</i> ) 0.1% gel	Restriction: Max 45 g per dispensing per 30 days.
<b>Topical - Analgesics - Non-narcotic/OTC - Drugs for pain</b>	
 ASPERCREME LIDOCAINE® ( <i>lidocaine</i> ) 4% patches	Restriction: 30 patches /month
 ICY HOT PATCHES® ( <i>lidocaine/ menthol</i> ) 4%/ 1% patches	Restriction: 30 patches/month
 VOLTAREN ARTHRITIS PAIN® ( <i>diclofenac na</i> ) 1% gel	Restriction: Maximum 350 gm per month
<b>Topical - Antibiotic/OTC -Drugs for the skin</b>	
 <i>bacitracin</i> ointment	
 NEOSPORIN® ( <i>neomycin, bacitracin &amp; polymyxin</i> ) ointment	
<b>Topical - Antifungal/OTC -Drugs for the skin</b>	
 LOTRIMIN® ( <i>clotrimazole</i> ) 1% cream, oint, soln	Restriction: Solution allowed prescribed by ENT.
 MICATIN® ( <i>miconazole</i> ) 2% cream	

Continued on next page



**MEDICATIONS**

**RESTRICTIONS**

<b>Topical - Antifungal/OTC -Drugs for the skin, continued • SEE PREVIOUS PAGE</b>	
 <b>TINACTIN® (tolnaftate)</b> 1% cream and soln	
<b>Topical - Anti-Infective/OTC -Drugs for the skin</b>	
 <b>calamine</b> plain, phenolated lotion	
<b>Topical - Astringent/OTC -Drugs for the skin</b>	
<b>DOMEBORO'S SOLN® (aluminum acetate)</b> Powder	
<b>Topical - Glucocorticoid/OTC -Drugs for the skin</b>	
 <b>hydrocortisone</b> 0.5%, 1% cream, oint, lotion	
<b>Topical - Scabicide/OTC</b>	
 <b>NIX® (permethrin)</b> 1% cream rinse	
 <b>RID® (pyrethrins-piperonyl)</b> 4%-0.33% liquid	
<b>Vaginal - Anti-infective/OTC - Drugs for women</b>	
<b>GYNAZOLE 1® (butoconazole)</b> 2% vaginal cream	
 <b>GYNE-LOTTRIMIN® (clotrimazole)</b> 1% vaginal cream	
 <b>MONISTAT® (miconazole)</b> 2% vaginal cream, vaginal kit, 100mg vaginal supp	
<b>Vitamins/OTC</b>	
 <b>prenatal vitamins w/minerals, iron &amp; folic acid</b> 0.1mg, 1mg Folic Acid capsule, 0.4mg, 0.8mg, 1mg Folic Acid tablet	Restriction: Pregnant female members only.
 <b>prenatal vitamins w/minerals, iron &amp; folic acid, w/dha</b> 0.1mg, 1mg Folic Acid capsule, 0.4mg, 0.8mg, 1mg Folic Acid tablet	Restriction: Pregnant female members only.
 <b>pyridoxine (vitamin b-6)</b> 25mg, 50mg, 100mg tablet	
 <b>TRI-VI-SOL® (pediatric vitamins)</b> ADC plain and w/iron drops	Restriction: Restricted to patients < 5 years old.
 <b>vitamin e</b> 400 international units, 1000 international unit capsule	

***THIS PAGE LEFT BLANK INTENTIONALLY***

## Appendix

These medications are carved out by Medi-Cal as stated in the Medi-Cal bulletin. The prescriptions for any of the carved out medications are transmitted to Medi-Cal. **If the claim for the listed drugs is rejected by EDS for a Kern Family Health Care patient with a message stating to bill the primary insurance it is likely the patient has insurance in addition to Kern Health Systems. Some prescriptions may require a TAR from Medi-Cal.**

### Psychotherapeutic Agents

Amantadine		Olanzapine.....	Zyprexa®
Aripipazole.....	Abilify®	Olanzapine & fluoxetine.....	Symbyax®
Asenapine.....	Saphris®	Paliperidone.....	Invega®
Benztrapine.....	Cogentin®	Perphenazine.....	Trilafon®
Biperidin.....	Akineton®	Phenelzine.....	Nardil®
Brexpiprazole.....	Rexulti®	Pimozide.....	Orap®
Cariprazine.....	Vraylar®	Promazine.....	Sparine®
Chlorpromazine.....	Thorazine®	Quetiapine.....	Seroquel®
Clozapine.....	Clozaril®	Risperidone.....	Risperdal®
Fluphenazine.....	Prolixin®	Selegiline.....	Emsam®
Haloperidol.....	Haldol®	Thioridazine.....	Mellaril®
Iloperidone.....	Fanapt®	Thiothixene.....	Navane®
Isocarboxazid.....	Marplan®	Tranlycypromine.....	Parnate®
Lithium		Trifluoperazine.....	Stelazine®
Loxapine.....	Loxitane®	Trifluopromazine.....	Vesprin®
Lurasidone.....	Latuda®	Trihexyphenidyl.....	Artane®
Molindone.....	Moban®	Ziprasidone.....	Geodon®

### Alcohol, Heroin Detoxification and Dependency Treatment Drugs

Acamposate.....	Campral®	Disulfiram.....	Antabuse®
Buprenorphine.....	Subutex®, Butrans®	Naloxone.....	Narcan®
Buprenorphine/naloxone.....	Suboxone®	Naltrexone.....	Revia®

### Antiviral Agents

Abacavir .....	Ziagen®	Elvitegravir, cobicistat, emtricitabine & tenofovir .....	Stribild®, Genvoya®
Abacavir, dolutegravir & lamivudine .....	Trimeq®	Emcitabine .....	Emitriva®
Abacavir, lamivudine.....	Epzicom®	Emcitabine, rilpivirine & tenofovir .....	Complera®, Odefsey®
Abacavir, lamivudine & zidovudine.....	Trizivir®	Emtricitabine, tenofovir .....	Descovy®
Amprenavir .....	Agenerase®	Enfuvirtide.....	Fuzeon®
Atazanavir .....	Reyataz®	Etravirine .....	Itelence®
Atazanavir & cobicistat .....	Evotaz®	Fosamprenavir.....	Levixa®
Bictegravir, emtricitabine, tenofovir, alafenamide .....	Biktarvy®	Ibalizumab-uiyk .....	Trogarzo®
Cobicistat.....	Tybost®	Indinavir .....	Crixivan®
Darunavir.....	Prezista®	Lamivudine .....	Epivir HBR®, Epivir®
Darunavir & cobicistat.....	Prezcobix®	Lamivudine & zidovudine .....	Combivir®
Darunavir, cobicistat, emtricitabine, tenofovir, alafenamide .....	Symtuza®	Lopinavir & ritonavir .....	Kaletra®
Delavirdine.....	Rescriptor®	Maraviroc.....	Selzentry®
Dolutegravir .....	Tivicay®	Nelfinavir .....	Viracept®
Dolutegravir, rilpivirine .....	Juluca®	Nevirapine.....	Viramune®
Doravine.....	Pifeltro®	Raltegravir .....	Isentress®
Doravine, lamivudine, tenofovir .....	Delstrigo®	Rilpivirine.....	Edurant®
Efavirenz .....	Sustiva®	Ritonavir .....	Norvir®
Efavirenz, emtricitabine & tenofovir .....	Atripla®	Saquinavir.....	Invirase®
Efavirenz, lamivudine, tenofovir .....	Symfi®	Stavudine .....	Zerit®
Elvitegravir.....	Vitekta®	Tenofovir .....	Viread®
		Tenofovir & emtricitabine .....	Truvada®
		Tipranavir.....	Aptivus®


### Blood Factors

Please refer to FFS Medi-Cal for full listing.

## Management of Type 2 Diabetes Treatment

Algorithm for the metabolic management of Type 2 diabetes

### Tier 1: Well validated core therapies




STEP 1

STEP 2

STEP 3

### Tier 2: Less well validated core therapies



**Type 2 Diabetes is treated in a step wise manner from the time of diagnosis:**

Always included in the treatment is Lifestyle Intervention and Exercise. These components are always complementary to medication therapies and include medical nutrition therapy, weight loss and regular daily exercise. The most convincing long term data that weight loss effectively lowers glycemia have been generated in the follow up of type 2 diabetic patients who have had bariatric surgery. In this setting, with a mean sustained weight loss of > 20 kg, diabetes is virtually eliminated.

## Management of Type 2 Diabetes Treatment, continued...

Intervention	A1C response (%)	Advantages	Disadvantages
<b>TIER 1: Well validated core Rx</b>			
<ul style="list-style-type: none"> <li>• <b>Step 1:</b> Initial Therapy Lifestyle to decrease weight &amp; increase activity</li> <li>• Metformin</li> </ul>	1.0-2.0	Broad benefits	Insufficient for most in 1 year
	1.0-2.0	Weight neutral	GI side effects; contraindicated renal insufficiency

### Titration of Metformin

1. Begin with low dose metformin (500 mg) taken once or twice per day with meals (breakfast and/or dinner) or 850 mgm once per day.
2. After 5-7 days, if gastrointestinal side effects have not occurred, advance dose to 850 mg, or two 500 mg tablets, twice per day (medication to be taken before breakfast and/or dinner)
3. If gastrointestinal side effects appear as doses advanced, decrease to previous lower dose and try to advance the dose at a later time.
4. The maximum effective dose can be up to 1,000 mg twice per day but is often 850 mg twice per day. Modestly greater effectiveness has been observed with doses up to about 2,500 mg/day. Gastrointestinal side effects may limit the dose that can be used.
5. Based on cost considerations, generic metformin is the first choice of therapy. A longer acting formulation is available in some countries and can be given once per day. The major action of metformin is to decrease hepatic glucose output and lower fasting glycemia.

• **Step 2:** additional therapy if A1C is 7 or greater after 2-3 months of step one:

Insulin (basal insulin-Lantus, Humalog, Apidra, Novolog)	1.5-3.5	No dose limit; Rapidly effective Improved lipid profile.	1-4 injections daily, wt.+, Monitoring; Hypoglycemia hypoglycemia, Wt. gain expensive med
Sulfonylurea	1.0-2.0	Rapidly effective	

### TIER 2: less well validated. Oral therapy without insulin

TZDs	0.5-1.4	Improved lipid profile (actos) Potential decrease in MI (actos)	Fluid retention CHF, Wt. +, bone fxs; Potential MI increase (avandia)
GLP-1 Agonist (exenatide) (Byetta)	0.5-1.0	Wt. -	2 injections daily frequent GI side effects Long term safety???
Other therapy (all expensive)			Expensive
DPP-4 inhibitor (Januvia)	0.5-0.8	Wt. neutral	Long term safety?
Pramlintide (Amylin)	0.5-1.0	Wt. -	3 injections daily, Long term safety?
			Frequent GI side effects



## Management of Type 2 Diabetes Treatment, continued...

**Step 2:** Addition of a second medication. If lifestyle intervention and the maximal tolerated dose of metformin fail to achieve or sustain the glycemic goals, another medication should be added within 2-3 months of the initiation of therapy or at any time the target A1C level is not achieved. Another medication may also be necessary if metformin is contraindicated or not tolerated. The consensus regarding the second medication was to choose either insulin or a sulfonylurea. The A1C level will determine in part which agent is selected next, with consideration given to the more effective glycemia-lowering agent, insulin, for patients with an A1C level >8.5% or with symptoms secondary to ehyperglycemia. Insulin may be initiated with a basal (intermediate to long acting) insulin. However, many newly diagnosed type 2 diabetic patients will usually respond to oral medications, even if symptoms of ehyperglycemia are present.

**Step 3:** Further adjustments. If lifestyle, metformin, and sulfonylurea or basal insulin do not result in achievement of target glycemia, the next step should be to start, or intensify, insulin therapy. Intensification of insulin therapy usually consists of additional injections that might include a short- or rapid-acting insulin given before selected meals

to reduce postprandial glucose excursions. When insulin injections are started, insulin secretagogues (sulfonylureas or glinides) should be discontinued, or tapered and then discontinued, since they are not considered to be synergistic. Although addition of a third agent can be considered, especially if the A1C level is close to target (A1C <8.0%), this approach is usually not preferred, as it is no more effective in lowering glycemia, and is more costly, than initiation or intensifying insulin.

**Special considerations/patients.** In the setting of severely uncontrolled diabetes with catabolism, defined as fasting plasma glucose levels > 13.9mmol/l (250 mg/dl), random glucose levels consistently above 16.7 mmol/l (300 mg/dl), A1C above 10%, or the presence of ketonuria, or as symptomatic diabetes with polyuria, polydipsia and weight loss, insulin therapy in combination with lifestyle intervention is the treatment of choice. Some patients with these characteristics will have unrecognized type 1 diabetes; others will have type 2 diabetes with severe insulin deficiency. Insulin can be titrated rapidly and is associated with the greatest likelihood of returning glucose levels rapidly to target levels. After symptoms are relieved and glucose levels decreased, oral agents can often be added and it may be possible to withdraw insulin, if preferred.

### Insulin Therapy

Start with bedtime intermediate-acting insulin  
Or bedtime or morning long-acting insulin (can initiate with 10 units or 0.2 units per kg)

Check fasting glucose (fingerstick) usually daily and increase dose, typically by 2 units every 3 days until fasting levels are consistently in target range (3.9-7.2 mmol/l [70-130 mg/dl]). Can increase dose in larger increments, e.g., by 4 units every 3 days, if fasting glucose is >10 mmol/l (180mg/dl)

If hypoglycemia occurs, or if fasting glucose level < 3.9mmol/l [70mg/dl], Reduce bedtime dose by 4 units or 10% - whichever is greater.

If A1C is <7%, continue regimen and check A1C every 3 months.

If A1C >7% after 2-3 months

If fasting bg is in target range (3.9 -7.2 mmol/l [70-130mg/dl], check bg before lunch, dinner, and bed. Depending on bg results, add second injection as below. Can usually begin with around 4 units and adjust by 2 units every 3 days until bg is in range

- Pre lunch bg out of range- Add rapid-acting insulin at breakfast
- Pre-dinner bg out of range-Add NPH insulin at breakfast or rapid-acting at lunch
- Pre-bed bg out of range- Add rapid-acting insulin at dinner

A1C >7% after 3 months

Recheck pre-meal bg levels and if out of range, may need to add another injection. If A1C continues to be out of range, check 2 h postprandial levels and adjust preprandial rapid acting insulin.


## Management of Type 2 Diabetes Treatment, continued...

### Insulin Types and Action Times

There are five main types of insulin. They each work at different speeds. Most people who take insulin use two types of insulin and take at least two shots a day.

Type of Insulin/ Name	Letter on Bottle	Starts Working*	Works Hardest*	Stops Working*
Quick acting, Humalog Insulin	lispro H	5-15 minutes	45-90 minutes	3-4 hours
Short acting, Regular Insulin	R	30 minutes	2-5 hours	5-8 hours
Intermediate acting, NPH	N	1-3 hours	6-12 hours	16-24 hours
Long acting, Ultralente Insulin	U	4-6 hours	8-20 hours	24-28 hours
NPH and Regular Insulin mixtures (2 Insulins combined)	70/30 or 50/50	30 minutes	7-12 hours	16-24 hours

\*Action times of insulins are based on average responses. How insulin works in an individual body may vary. Work with your doctor and diabetes educator to understand how insulin works in each individual case.



Provided by Kern Health Systems

## TREATMENT FOR INFANTS AND YOUNG CHILDREN (5 years or younger)

**Preferred treatments are in bold print.**

\*Patient education is essential at every step

	Long-Term Preventive	Quick-Relief
<b>STEP 4</b> <b>Severe Persistent</b>	Daily medication: <ul style="list-style-type: none"> <li>• <b>Inhaled corticosteroid</b> <ul style="list-style-type: none"> <li>- MDI with spacer and face mask &gt;1 mg daily or</li> <li>- Nebulized budesonide &gt;1 mg bid</li> <li>- If needed, add oral steroids-lowest possible dose on an alternate-day, early morning schedule.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• Inhaled short-acting bronchodilator: inhaled Beta<sub>2</sub>-agonist or ipratropium bromide, or Beta<sub>2</sub>-agonist tablets or syrup as needed for symptoms, not to exceed 3-4 times in one day.</li> </ul>
<b>STEP 3</b> <b>Moderate Persistent</b>	Daily medication: <ul style="list-style-type: none"> <li>• <b>Inhaled corticosteroid</b> <ul style="list-style-type: none"> <li>- MDI with spacer and face mask 400-800 mcg daily or</li> <li>- Nebulized budesonide &lt;=1 mg bid</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• Inhaled short-acting bronchodilator: inhaled Beta<sub>2</sub>-agonist or ipratropium bromide, or Beta<sub>2</sub>-agonist tablets or syrup as needed for symptoms, not to exceed 3-4 times in one day.</li> </ul>
<b>STEP 2</b> <b>Mild Persistent</b>	Daily medication: <ul style="list-style-type: none"> <li>• Either <b>inhaled corticosteroid</b>, (200-400 mcg) or cromoglycate (use MDI with a spacer and face mask or use a nebulizer)</li> </ul>	<ul style="list-style-type: none"> <li>• Inhaled short-acting bronchodilator: <b>inhaled Beta<sub>2</sub>-agonist</b> or ipratropium bromide, or Beta<sub>2</sub>-agonist tablets or syrup as needed for symptoms, not to exceed 3-4 times in one day.</li> </ul>
<b>STEP 1</b> <b>Intermittent</b>	<ul style="list-style-type: none"> <li>• None needed.</li> </ul>	<ul style="list-style-type: none"> <li>• Inhaled short-acting bronchodilator: inhaled Beta<sub>2</sub>-agonist or ipratropium bromide, as needed for symptoms, but not more than three times a week</li> <li>• Intensity of treatment will depend on severity of attack (see figures on management of asthma attacks).</li> </ul>



### Stepdown

Review treatment every 3 to 6 months. If control is sustained for at least 3 months, a gradual stepwise reduction in treatment may be possible.



### Stepup

If control is not achieved, consider stepup. But first: review patient medication technique, compliance, and environmental control (avoidance of allergens or other trigger factors).

## TREATMENT: ADULTS & CHILDREN OVER 5 YEARS OLD

Preferred treatments are in bold print.

\* Patient education is essential at every step

	Long-Term Preventive	Quick-Relief
<b>STEP 4</b> <b>Severe Persistent</b>	Daily medications: <ul style="list-style-type: none"> <li>• <b>Inhaled corticosteroid</b>, 800-2,000 mcg or more, and</li> <li>• Long-acting bronchodilator: either <b>long-acting inhaled Beta<sub>2</sub>-agonist</b>, and/or sustained-release theophylline, and/or long-acting Beta<sub>2</sub>-agonist tablets or syrup, and</li> <li>• Corticosteroid tablets or syrup long term.</li> </ul>	<ul style="list-style-type: none"> <li>• Short-acting bronchodilator: <b>inhaled Beta<sub>2</sub>-agonist</b> as needed for symptoms.</li> </ul>
<b>STEP 3</b> <b>Moderate Persistent</b>	Daily medications: <ul style="list-style-type: none"> <li>• <b>Inhaled corticosteroid</b>, ≥500 mcg AND, if needed</li> <li>• Long-acting bronchodilator: either <b>long-acting inhaled Beta<sub>2</sub>-agonist</b>, sustained-release theophylline, or long-acting Beta<sub>2</sub>-agonist tablets or syrup. (Long-acting Beta<sub>2</sub>-agonist may provide more effective symptom control when added to low-medium dose steroid compared to increasing the steroid dose).</li> <li>• Consider adding anti-leukotriene, especially for aspirin-sensitive patients and for preventing exercise-induced bronchospasm.</li> </ul>	<ul style="list-style-type: none"> <li>• Short-acting bronchodilator: <b>inhaled Beta<sub>2</sub>-agonist</b> as needed for symptoms, not to exceed 3-4 times in one day.</li> </ul>
<b>STEP 2</b> <b>Mild Persistent</b>	Daily medication: <ul style="list-style-type: none"> <li>• Either <b>Inhaled corticosteroid</b>, 200-500 mcg, cromoglycate, nedocromil, or sustained-release theophylline. Antileukotrienes may be considered, but their position in therapy has not been fully established.</li> </ul>	<ul style="list-style-type: none"> <li>• Short-acting bronchodilator: <b>inhaled Beta<sub>2</sub>-agonist</b> as needed for symptoms, not to exceed 3-4 times in one day.</li> </ul>
<b>STEP 1</b> <b>Intermittent</b>	<ul style="list-style-type: none"> <li>• None needed.</li> </ul>	<ul style="list-style-type: none"> <li>• Short-acting bronchodilator: <b>inhaled Beta<sub>2</sub>-agonist</b> as needed for symptoms, but less than once a week</li> <li>• Intensity of treatment will depend on severity of attack (see figures on management of asthma attacks)</li> <li>• Inhaled Beta<sub>2</sub>-agonist or cromoglycate before exercise or exposure to allergen.</li> </ul>



### Stepdown

Review treatment every 3 to 6 months. If control is sustained for at least 3 months, a gradual stepwise reduction in treatment may be possible.



### Stepup

If control is not achieved, consider stepup. But first: review patient medication technique, compliance, and environmental control (avoidance of allergens or other trigger factors).

\*Dosage note: Steroid doses are for Beclomethasone Dipropionate (on the WHO list of "Essential Drugs"). Other preparations have equal effect, but adjust the dose because inhaled steroids are not equivalent on a microgram or per puff basis.

## INDEX—GENERIC and BRAND

### A

Acarbose 29  
 Accupril® 13  
 Acebutolol 16  
 Acetaminophen 53  
 Acetasol HC® 41  
 Acetazolamide 38  
 Acetic Acid 48  
 Acetylcysteine 45  
 Aciphex® 27  
 Actigall® 25  
 Actonel® 41  
 Actos® 32  
 Acular®, Acular LS 39  
 Acyclovir 8  
 Adacel®, Tenivac®, others 49  
 Adalat CC® 16  
 Adalimumab 13  
 Adapalene 58  
 Adderall®, Adderall XR® 22  
 Adlyxin® 29  
 Admelog®, Humalog® 30  
 Adrucil® 9  
 Advair®, Wixela Inhub®, AirDuo  
 Resplick® 44  
 Aerospan® 43  
 Afinitor® 9  
 Agrylin® 27  
 Aimovig® 21  
 Albalon® 55  
 Albendazole 6  
 Albenza® 6  
 Albuterol 43  
 Albuterol HFA 43  
 Alcohol 57  
 Aldactone® 16  
 Aldara® 47  
 Aldomet® 13  
 Alendronate 41  
 Alesse® 39  
 Alitretinoin 10  
 Alkeran® 9

Allopurinol 12  
 Alogliptin 28  
 Alogliptin/metformin 29  
 Alogliptin/pioglitazone 29  
 Alphagan® Alphagan P® 38  
 Altace® 13  
 Altretamine 10  
 Aluminum & Magnesium  
 Hydroxides 54  
 Aluminum & Magnesium  
 Hydroxides w/Simethicone 54  
 Aluminum Acetate 59  
 Aluminum Hydroxide & Mag.  
 Trisilicate 54  
 Aluminum Hydroxide, Mag.  
 Carbonate 54  
 Amaryl® 31  
 Ambien® 22  
 Ambrisentan 17  
 Amerge® 22  
 Amiodarone 14  
 Amitriptyline 20  
 Amlodipine 16  
 Amoxicillin 4  
 Amoxicillin/Clavulanate 5  
 Amoxil® 4  
 Amphetamine Combination 22  
 Ampicillin 5  
 Amylase, Lipase, & Protease 25  
 Anafranil® 20  
 Anagrelide 27  
 Anastrozole 9  
 Anoro Ellipta® 45  
 Anthralin 48  
 Antibacterial/Antifungal Agents 34  
 Antivert® 54  
 Anusol-HC® 26  
 Apidra® 30  
 Apixaban 27  
 Apremilast 12  
 Aprepitant 24  
 Apresoline® 17  
 Aranesp® 28

Arava® 12  
 Aricept® 23  
 Arimidex® 9  
 Armonair Resplick® 43  
 Armour® 33  
 Arnuity Ellipta® 43  
 Asacol®, Delzicol®, Lialda® 26  
 Aspercreme Lidocaine® 58  
 Aspirin 53  
 Astelin® 45  
 Atarax® 42  
 Atenolol 16  
 Ativan® 21  
 Atomoxetine 23  
 Atorvastatin 15  
 Atovaquone 6  
 Atropine 39  
 Atrovent HFA® 44  
 Augmentin® 5  
 Auranofin 12  
 Avalide® 14  
 Avapro® 14  
 Avsola® 13  
 Axicabtagene ciloleucel 11  
 Azathioprine 12, 34  
 Azelastine 45  
 Azelastine ophth soln 36  
 Azithromycin 4  
 Azopt® 38  
 Azulfidine® 12, 26

### B

Bacitracin 37  
 Bacitracin & Polymyxin 37  
 Baclofen 35  
 Bactrim®/Septra® 5  
 Bactroban® 46  
 Balsalazide 26  
 Baraclude® 8  
 Beclomethasone 44  
 Benadryl® 56  
 Benazepril 13  
 Benazepril - HCTZ 14  
 Benemid® 12  
 Bentyl® 12  
 Benzagel® 58  
 Benznidazole 6  
 Benzonatate 43  
 Benzoyl Peroxide 58  
 Besifloxacin 37  
 Besivance® 37  
 Betagan® 38  
 Betamethasone 48  
 Betamethasone dipropionate 48  
 Betapace® 14  
 Betaxolol 38  
 Bethanechol 12  
 Betopic® 38  
 Bevacizumab-bvzr 11  
 Bexarotene 10  
 Biaxin® 3  
 Bicalutamide 9  
 Bimatoprost 38  
 Bisacodyl 55  
 Bismuth Subsalicylate 55  
 Bisoprolol - HCTZ 16  
 Blood Glucose Strips 58  
 Blood pressure monitor 53  
 Boostrix® 49  
 Bosentan 17  
 Braces 53  
 Brethine® 43  
 Brilinta® 27  
 Brimonidine 38  
 Brimonidine tartrate/timolol 38  
 Brinzolamide 38  
 Bromocriptine 32  
 Brompheniramine 56  
 Brompheniramine & Phenylephrine  
 56  
 Budesonide 44  
 Budesonide/formoterol 44  
 Bupropion 19  
 Buspar® 21  
 Buspirone 21

Butalbital, Caffeine, &  
Acetaminophen 21  
Butalbital, Caffeine, & Aspirin 21  
Butoconazole 50  
Bydureon® 29

## C

Ca-Rezz® 57  
Cabergoline 32  
Cafegot® 21  
Calamine 59  
Calan®, Calan SR® 16  
Calcipotriene 48  
Calcitonin-salmon 41  
Calcitriol 51  
Calcium 54  
Calcium Acetate 17  
Calcium Carbonate (20 mEq  
Ca<sup>++</sup>/Gm) Calcium Carbonate  
w/Vitamin D 54  
Calcium Gluconate (4.5mEq  
Ca<sup>++</sup>/Gm) 54  
Calcium acetate (12.5mEq  
Ca<sup>++</sup>/Gm) 54  
Calcium lactate (6.5mEq  
Ca<sup>++</sup>/Gm) 54  
Camptosar® 9  
Carafate® 26  
Carbamazepine 19  
Carbamide Peroxide 41  
Carbidopa & Levodopa 12  
Cardec-DM® 42  
Cardizem® 16  
Cardura® 13  
Carnitor® 51  
Carvedilol 15  
Casodex® 9  
Catapres® 13  
Cefdinir 3  
Cefuroxime 3  
Celebrex® 36  
Celecoxib 36  
Celexa® 20  
Cephalexin 3  
Cephulac® 25  
Cetirizine 56  
Chantix® 23  
Chemet® 41  
Chlorambucil 10  
Chloroquine 6  
Chlorpheniramine 56  
Chlorpheniramine & Phenylephrine  
56  
Chlorpheniramine &  
Pseudoephedrine 56  
Chlorthalidone 16  
Chlortrimeton® 56  
Cholestyramine 15  
Cilostazol 28  
Ciloxan® 37  
Cinacalcet 32  
Ciprodex® 41  
Ciprofloxacin 5  
Ciprofloxacin- Dexamethasone 41  
Cipro® 5  
Citalopram 20  
Clarithromycin 3  
Claritin® 56  
Cleocin-T® 47  
Cleocin® 3, 50  
Climara®, Vivelle® 47  
Clindamycin 3, 50  
Clinoril® 35  
Clobetasol 48  
Clomipramine 20  
Clonazepam 18, 21  
Clonidine 13  
Clopidogrel 28  
Clotrimazole 6  
Codeine & Guaifenesin 43  
Codeine sulfate 1  
Codeine w/Acetaminophen 2  
Codeine, Guaifenesin,  
Pseudoephedrine 43  
ColBenemid® 12  
Colace® 55  
Colazal® 26  
Colchicine & Probenecid 12  
Colestid® 15  
Colestipol 15  
Combigan® 38  
Combivent Respimat® 45  
Compazine® 24  
Comtan® 11  
Condoms-Male 53  
Condylox® 47  
Contac® 56  
Cordran® 47  
Coreg® 15  
Cortenema® 26  
Cortisporin® 41  
Cosentyx® 13  
Cosopt® 38  
Coumadin® 27  
Cozaar® 14  
Creon®, Zenpep® 25  
Crestor® 15  
Crinone® 33  
Crolom® 39  
Cromolyn 39  
Crotamiton 48  
Crutches 53  
Cyanocobalamin 51  
Cyclobenzaprine 35  
Cyclogyl® 39  
Cyclopentolate 39  
Cyclophosphamide 9  
Cycloserine 7  
Cyclosporine 39  
Cyclosporine, Microemulsion 34  
Cymbalta® 20  
Cyproheptadine 42  
Cyranza® 9  
Cytomel® 33  
Cytotec® 26  
Cytovene® 8  
Cytosan® 9  
chlorhexidine gluconate 57

## D

DDAVP® 32  
Danazol 28  
Danocrine® 28  
Dapagliflozin 31  
Dapagliflozin/metformin 31  
Dapsone 8  
Daraprim® 6  
Darbepoetin 28  
Daunorubicin 9  
Debrox® 41  
Decadron® 33  
Demulen® 39  
Depakote®, Depakote ER® 18  
Depo-Testosterone® 28  
Desipramine 20  
Desmopressin 32  
Desogen® 39  
Desogestrel & Ethinyl Estradiol 39  
Desyrel® 19  
Dexamethasone 33  
Dexedrine® 22  
Dexmethylphenidate 22  
Dextro-amphetamine 22  
Dextromethorphan 57  
Dextromethorphan & Guaifenesin  
57  
Diabeta® 31  
Diamox® 38  
Diaphragm 47  
Diazepam 21, 35  
Diclofenac 39  
Diclofenac Na 35  
Dicloxacillin 5  
Dicyclomine 12  
Differin® 58  
Diflucan® 6  
Difluprednate 38  
Digoxin 14  
Dilantin®, Phenytek® 18  
Dilaudid® 2  
Diltiazem 16  
Dimetane DX® 56  
Dimetapp® new formulation 56  
DiovanHCT® 14  
Diovan® 14  
Diphenhydramine 56  
Diphenoxylate & Atropine 24  
Diprosone® 48



Dipyridamole 28  
 Disalcid® 36  
 Disopyramide 15  
 Ditropan® 48  
 Divalproex 18  
 Docusate 55  
 Domeboro's Soln® 59  
 Donepezil 23  
 Dorzolamide 38  
 Dorzolamide/timolol 38  
 Dovonex® 48  
 Doxazosin 13  
 Doxycycline hyclate 5  
 Doxylamine Succinate 54  
 Drisdol® 51  
 Drithocrema HP® 48  
 Dronabinol 25  
 Drospirenone & Ethinyl Estradiol 40  
 Dulaglutide 29  
 Dulcolax® 55  
 Duloxetine 20  
 Duragesic® 2  
 Durezol® 38  
 Dyazide®, Maxide® 16  
 Dynapen® 5  
 Dyrenium® 16

## **E**

E-Mycin® 3  
 EES® 4  
 Econazole 46  
 Edoxaban tosylate 27  
 Effexor®, Effexor XR® 20  
 Effient® 27  
 Efudex® 47  
 Elagolix 33  
 Elbasvir/grazoprevir 8  
 Electrolyte Maintenance 34  
 Elimite® 48  
 Eliquis® 27  
 Elmiron® 49  
 Elocon® 48  
 Emcyt® 9  
 Emend® 24  
 Emko® 53  
 Empagliflozin 31  
 Empagliflozin/metformin 31  
 Enalapril 14  
 Enbrel® 13  
 Engerix-B®, HEPISAV-B® 49  
 Enoxaparin 27  
 Entacapone 11  
 Entecavir 8  
 Eplusa® 8  
 Epinephrine 42  
 Epoetin, Alpha 28  
 Epoprostenol 17  
 Ergocalciferol 51  
 Ergotamine & Caffeine 21  
 Ergotamine Tartarate 21  
 Eribulin mesylate 10  
 Erivedge® 9  
 Ertugliflozin 31  
 Ertugliflozin/metformin 31  
 Ery-tab® 4  
 Erythrocin® 4  
 Erythromycin 37  
 Erythromycin Base 3  
 Erythromycin Ethylsuccinate 4  
 Erythromycin Stearate 4  
 Escitalopram 20  
 Esidrix® 16  
 Esomeprazole 27  
 Esterified Estrogens & Methyltestosterone 32  
 Estrace® 32, 50  
 Estradiol 32, 50  
 Estramustine 9  
 Estratest® 32  
 Estrogen, Conjugated & Medroxyprogesterone 32  
 Estrogens, Conjugated 32  
 Estrostep® 40  
 Etanercept 13  
 Ethambutal 7  
 Ethosuximide 19  
 Ethynodiol & Ethinyl Estradiol 39  
 Etonogestrel/ethinyl estradiol 47

Etoposide 11  
 Eulexin® 9  
 Eurax® 48  
 Everolimus 9  
 Exenatide 29  
 Extavia® 13  
 Ezetimibe 15  
 erenumab - AOOE 21  
 ethyl alcohol 57

## **F**

FML® 38  
 Famotidine 25  
 Farxiga® 31  
 Femara® 9  
 Fenofibrate 15  
 Fentanyl 2  
 Fer-in-Sol® 55  
 Ferrous Gluconate 55  
 Ferrous Sulfate 55  
 Filfrastim - AAFI 28  
 Finasteride 13  
 Fioricet® 21  
 Fiorinal® 21  
 Firvanq, ® Vancocin® 8  
 Flagyl® 8  
 Flecainide 15  
 Fleets® 55  
 Flolan® 17  
 Flomax® 13  
 Flonase® 46  
 Florinef® 33  
 Flovent HFA® 44  
 Floxin® Otic 41  
 Fluconazole 6  
 Flunisolide 43  
 Fluocinolone 48  
 Fluocinonide 48  
 Fluorometholone 38  
 Fluorouracil 9  
 Fluoxetine 20  
 Flurandrenolide 47  
 Flurocortisone 33  
 Flutamide 9

Fluticasone 44  
 Fluticasone - Umeclidium - Vilanterol 45  
 Fluticasone furoate 43  
 Fluticasone propionate 43  
 Fluticasone/salmeterol 44  
 Fluvoxamine 20  
 Fluzone®, Fluvirin®, Fluvarix®, others 49  
 Focalin®, Focalin XR® 22  
 Folic acid 51  
 Fosamax® 41  
 Fosfomycin tromethamine 4  
 Fosrenol® 17  
 Furadantin® 4  
 Furosemide 17

## **G**

Gabapentin 18  
 Gabitril® 18  
 Ganciclovir 8  
 Garamycin® 37  
 Gardasil® 49  
 Gaviscon® 54  
 Gemfibrozil 15  
 Gemtuzumab ozogamicin 10  
 Gentamicin 37  
 Glatiramer acetate 13  
 Glatopa® 13  
 Gleevec® 9  
 Gleostine® 9  
 Glimepiride 31  
 Glipizide 31  
 Glucagon 30  
 Glucophage®, Glucophage XR® 29  
 Glucotrol® 31  
 Glyburide 31  
 Glycopyrrolate 12  
 Go-Lytely® 25  
 Granisetron 25  
 Griseofulvin 6  
 Guafenesin 57  
 Guanfacine 13



Gynazole 1® 59  
 Gynazole-1® 50  
 Gyne-lotrimin® 59

## H

Halaven® 10  
 Havrix® 49  
 Hemorrhoidal Suppository  
 w/Hydrocortisone 26  
 Heparin 27  
 Hepatitis A 49  
 Hepatitis A & B 50  
 Hepatitis B 49  
 Hexalen® 10  
 Hibiclens® 57  
 Homatropine 39  
 Humatin® 6  
 Humira® 13  
 Hyaluronidase 47  
 Hydralazine 17  
 Hydrochlorothiazide 16  
 Hydrocodone/APAP 2  
 Hydrocortisone 33  
 Hydrocortisone & acetic acid 41  
 Hydrocortisone enema 26  
 Hydromorphone 2  
 Hydroxychloroquine 12  
 Hydroxyprogesterone Caproate 33  
 Hydroxyurea 10  
 Hydroxyzine 42  
 Hyoscyamine 12  
 Hyperrab®, Imogam rabies® 49  
 Hyrea® 10  
 Hytrin® 13  
 Hyzaar® 14

## I

INH® 7  
 IV solutions: Dextrose-water,  
 Dextrose-saline, Dextrose and  
 Lactated Ringer's 34  
 Ibuprofen 36, 53  
 Icy Hot Patches® 58

Ilotycin® 37  
 Imatinib mesylate 9  
 Imdur® 18  
 Imipramine 20  
 Imiquimod 47  
 Imitrex® 22  
 Imodium® 54  
 Imuran® 12, 34  
 Incruse Ellipta® 45  
 Indapamide 17  
 Inderal® 15  
 Indocin® 35  
 Indomethacin 35  
 Infliximab-AXXQ 13  
 Influenza 49  
 Insulin aspart 30  
 Insulin degludec 30  
 Insulin detemir 30  
 Insulin glargine 30  
 Insulin glargine/lixisenatide 30  
 Insulin glulisine 30  
 Insulin lispro 30  
 Insulin, Human 30  
 Insulin, human 55  
 Intal® 45  
 Interferon alpha 8  
 Interferon beta -1B 13  
 Intravenous lipids 34  
 Ipilimumab 11  
 Ipratropium 44  
 Ipratropium - Albuterol 45  
 Ipratropium- albuterol RespiMat 45  
 Irbesartan 14  
 Irbesartan-hctz 14  
 Irinotecan 9  
 Isoniazid 7  
 Isopto-Atropine® 39  
 Isopto-Carpine® 38  
 Isopto-Homatropine® 39  
 Isopto-Hyosine® 38  
 Isordil® 18  
 Isosorbide Dinitrate 18  
 Isosorbide Mononitrate 18  
 Isotretinoin 3  
 Itraconazole 6

Ivermectin 6  
 Ixabepilone 10  
 Ixempra® 10

## J

Jardiance® 31

## K

Kayexalate® 17  
 Kazano® 29  
 Keflex® 3  
 Kenalog® 48  
 Kepra® 18  
 Keto-Diastix®, Ketostix® 58  
 Ketoconazole 46  
 Ketoprofen 36  
 Ketorolac 39  
 Ketotifen 55  
 Klonopin® 18, 21  
 Kytril® 25

## L

Labetolol 16  
 Lactulose 25  
 Lamictal® 18  
 Lamisil® 6, 46  
 Lamotrigine 18  
 Lancets 58  
 Lanoxin® 14  
 Lansoprazole 27  
 Lanthunum Carbonate 17  
 Lasix® 17  
 Latanoprost 38  
 Leflunomide 12  
 Lenalidomide 10  
 Letairis® 17  
 Letrozole 9  
 Leucovorin 42  
 Leukeran® 10  
 Leuprolide 10  
 Leuprolide/norethindrone 33  
 Levaquin® 5

Levemir® 30  
 Levetiracetam 18  
 Levlen® 40  
 Levo-Dromoran® 2  
 Levobunolol 38  
 Levocarnitine 51  
 Levodopa 11  
 Levofloxacin 5  
 Levonorgestrel 40  
 Levonorgestrel & Ethinyl Estradiol  
 39  
 Levorphanol 2  
 Levothyroxine 34  
 Levoxyl® 34  
 Levsin® 12  
 Lexapro® 20  
 Lidex® 48  
 Linagliptin 29  
 Linezolid 8  
 Liothyronine 33  
 Lipitor® 15  
 Liraglutide 30  
 Lisdexamfetamine 23  
 Lisinopril 14  
 Lisinopril - HCTZ 14  
 Lixisenatide 29  
 Lo-Ovral® 40  
 Loestrin 1.5/30®, 1.5/30 Fe®  
 40  
 Loestrin 1/20®, 1/20 Fe®, Lo  
 Loestrin Fe® 40  
 Lomotil® 24  
 Lomustine 9  
 Loniten® 18  
 Loperamide 54  
 Lopid® 15  
 Lopressor® 16  
 Loratadine 56  
 Lorazepam 21  
 Losartan 14  
 Losartan-hctz 14  
 Lotemax® 38  
 Lotensin® 13  
 Loteprednol 38  
 Lotrimin® 58

Lovenox® 27  
 Lozol® 17  
 Lumigan® 38  
 Lupaneta® 33  
 Lupron® 10  
 Luride® 51  
 Luvox® 20  
 Lyrica® 18  
 Lysodren® 10  
 lidocaine 58  
 lidocaine/ menthol 58

## M

M-M-R II® 49  
 MS-Contin® 2  
 Maalox® 54  
 Macrobid® 4  
 Magaldrate 54  
 Magnesium citrate 55  
 Makena® 33  
 Marinol® 25  
 Matulane® 10  
 Maxalt® 22  
 Maxitrol® 37  
 Measles, Mumps, Rubella 49  
 Meclizine 54  
 Medrol® 33  
 Medroxyprogesterone 33  
 Megace® 10  
 Megestrol 10  
 Meloxicam 36  
 Melphalan 9  
 Menigitits 50  
 Menveo®, Menomune®,  
 Bexsero®, Trumenba®, others  
 50  
 Mephyton® 28  
 Mepron® 6  
 Mercaptopurine 10  
 Mesalamine 26  
 Mestinon® 12  
 Metformin 29  
 Methazolamide 38  
 Methergine® 33  
 Methimazole 34  
 Methocarbamol 35  
 Methotrexate 10  
 Methylidopa 13  
 Methylergonovine 33  
 Methylphenidate 23  
 Methylprednisolone 33  
 Metipranolol 38  
 Metoclopramide 26  
 Metolazone 17  
 Metoprolol tartrate 16  
 Metrogel® 50  
 Metronidazole 8  
 Mexiletine 14  
 Mexitil® 14  
 Miacalcin® 41  
 Micatin® 58  
 Miconazole 58  
 Micronor® 40  
 Mineral oil 55  
 Minipress® 13  
 Minocin® 5  
 Minocycline 5  
 Minoxidil 18  
 Miralax® 25  
 Mirapex® 11  
 Mircette® 39  
 Mirtazapine 19  
 Misoprostol 26  
 Mitotane 10  
 Mobic® 36  
 Mometasone 46  
 Monistat® 59  
 Monitoring Device 44  
 Montelukast 44  
 Monurol® 4  
 Morphine 2  
 Motrin® 36, 53  
 Mucomyst® 45  
 Mupirocin 46  
 Muro® (128) 39  
 Myambutal® 7  
 Mycelex® 6  
 Mycobutin® 7  
 Mycostatin® 6, 46, 50

Mylanta® 54  
 Mylotarg® 10  
 Mysoline® 18  
 mycophenolate 34

## N

Nabumetone 36  
 Naphazoline 55  
 Naphazoline & Pheniramine 55  
 Naphcon-A® 55  
 Naprosyn® 36  
 Naproxen 36  
 Naratriptan 22  
 Nasacort Allergy 24 HR OTC® 57  
 Nasonex® 46  
 Natacyn® 36  
 Natamycin 36  
 Nateglinide 30  
 Nebulizer 53  
 Neo-Polycin® 37  
 Neomycin 4  
 Neomycin, Bacitracin & Polymyxin  
 37, 58  
 Neomycin, Polymyxin &  
 Dexamethasone 37  
 Neomycin, Polymyxin &  
 Hydrocortisone 41  
 Neomycin, Polymyxin & Gramicidin  
 37  
 Neomycin, Polymyxin &  
 Prednisolone 37  
 Neoral® 34  
 Neosporin® 37, 58  
 Neostigmine 12  
 Nepafanac 39  
 Neptazane® 38  
 Nesina® 28  
 Neurontin® 18  
 Nevanac® 39  
 Nexium 24HR (OTC)® 27  
 Niacin 53  
 Nicorette®, Nicotrol®, Nicoderm  
 CQ® 23  
 Nicotine 23  
 Nifedipine 16  
 Nitrofurantoin 4  
 Nitroglycerin 18  
 Nitrostat® 18  
 Nivestym® 28  
 Nivolumab 10  
 Nix® 59  
 Nizoral AD® 46  
 Nizoral® 46  
 Nolvadex® 10  
 Nonoxynol-9 53  
 Norco® 2  
 Norelgestromin- ethinyl estradiol  
 47  
 Norethindrone 40  
 Norethindrone & Ethinyl Estradiol  
 39  
 Norethindrone & Mestranol 40  
 Norethindrone Acetate & Ethinyl  
 Estradiol 40  
 Norgestimate & Ethinyl Estradiol  
 40  
 Norgestrel & Ethinyl Estradiol 40  
 Norlestrin 1/50®, 1/50 Fe®  
 40  
 Norpace® 15  
 Norpramin® 20  
 Nortriptyline 20  
 Norvasc® 16  
 Novolin® 30  
 Novolog® 30  
 Nuvaring® 47  
 Nystatin 6, 46, 50

## O

Ocuflox® 37  
 Ofloxacin 37  
 Olopatadine 36  
 Omeprazole 27  
 Omnicef® 3  
 Ondansetron 25  
 Opdivo® 10  
 Optipranolol® 38  
 Optivar® 36

Oral electrolyte Soln 53  
 Orilissa® 33  
 Ortho-Cyclen® 40  
 Ortho-Novum 1/35®, Demulen  
 1/50® 40  
 Ortho-Novum 1/50® 40  
 Ortho-Novum 10/11® 39  
 Ortho-Novum 7/14® 39  
 Ortho-Novum 7/7/7® 41  
 Ortho-Tricyclen Lo® 41  
 Ortho-Tricyclen® 41  
 Orudis® 36  
 Oseltamivir 8  
 Oseni® 29  
 Ostomy supplies 55  
 Otezla® 12  
 Ovrall® 40  
 Oxcarbazepine 19  
 Oxiconazole 46  
 Oxistat® 46  
 Oxy-Contin® 2  
 Oxybutynin 48  
 Oxycodone 2  
 Oxycodone w/Acetaminophen 2  
 Ozempic® Rybelsus® 29

## **P**

PEG 25  
 PEG-Electrolyte 25  
 Paclitaxel 10  
 Pamelor® 20  
 Panretin® 10  
 Pantoprazole 27  
 Papillomavirus 49  
 Paregoric 24  
 Parenteral Amino Acid Solutions  
 and Combinations 34  
 Parlodel® 32  
 Paromomycin 6  
 Paroxetine 20  
 Patanol® 36  
 Patiromer 17  
 Paxil® 20  
 Pazopanib 11

Peak Flow Meter 44  
 Pediacare® 56  
 Pedialyte® 53  
 Pediatric Vitamins 59  
 Pediatric Vitamins w/Fluoride 51  
 Pediatric Vitamins w/Fluoride &  
 Iron 51  
 Penicillin VK 5  
 Pentosan 49  
 Pentoxifylline 28  
 Pepcid AC® 54  
 Pepcid® 25  
 Pepto-Bismal® 55  
 Percocet® 2  
 Periactin® 42  
 Permethrin 48  
 Perphenazine & Amitriptyline 19  
 Persantine® 28  
 Phenazopyridine 49  
 Phenergan DM® 42  
 Phenergan w/Codeine® 42  
 Phenergan-VC Codeine® 42  
 Phenergan-VC® 42  
 Phenergan® 25  
 Phenobarbital 19  
 Phenylephrine, Promethazine &  
 Codeine 42  
 Phenytoin 18  
 PhosLo® 17  
 Photofrin® 10  
 Phytonadione 28  
 Pilocarpine 38  
 Pin-X® 6  
 Pioglitazone 32  
 Plan B One Step® 40  
 Plaquenil® 12  
 Plavix® 28  
 Pneumococcal 50  
 Podofilox 47  
 Poly-Pred® 37  
 Poly-Vi-Flor w/Iron®, Tri-Vi-Flor  
 w/Iron® 51  
 Poly-Vi-Flor®, Tri-Vi-Flor® 51  
 Polymyxin & Trimethaprim 37  
 Polysporin® 37  
 Polytrim® 37  
 Porfimer sodium 10  
 Potassium Chloride 17  
 Potassium Replacement 34  
 Pramalintide 28  
 Pramipexole 11  
 Prasugrel 27  
 Pravachol® 15  
 Pravastatin 15  
 Prazosin 13  
 Precose® 29  
 Pred Mild®, Pred Forte® 38  
 Prednisolone 33  
 Prednisone 33  
 Pregabalin 18  
 Prelone® 33  
 Premarin Vaginal Cream® 50  
 Premarin® 32  
 Premphase® 32  
 Prempro® 32  
 Prenatal Vitamins w/Minerals,  
 Iron & Folic Acid 51  
 Prenatal Vitamins w/Minerals,  
 Iron & Folic Acid, w/DHA 59  
 Prevacid® 27  
 Pevnar 13®, Pneumovax23®,  
 OTHERS 50  
 Prilosec® 27  
 Primaquine 6  
 Primidone 18  
 Principen® 5  
 Pro-Banthine® 26  
 Probenecid 12  
 Procarbazine 10  
 Prochlorperazine 24  
 Progesterone miconized 33  
 Prograf® 34  
 Promethazine 25  
 Promethazine & Codeine 42  
 Promethazine &  
 Dextromethorphan 42  
 Promethazine & Phenylephrine 42  
 Propafenone 15  
 Propantheline 26  
 Proparacaine 36

Propranolol 15  
 Propylthiouracil 32  
 Proscar® 13  
 Prostigmin® 12  
 Protein Replacement 34  
 Protonix® 27  
 Provera®, Depo-Provera® 33  
 Prozac® 20  
 Pseudoephedrine 57  
 Pseudoephedrine,  
 Brompheniramine &  
 Dextromethorphan 56  
 Pseudoephedrine,  
 Chlorpheniramine &  
 Dextromethorphan 42  
 Pulmicort® 44  
 Purinethol® 10  
 Pyrantel 6  
 Pyrazinamide 7  
 Pyrethrins-Piperonyl 59  
 Pyridium® 49  
 Pyridostigmine 12  
 Pyridoxine (Vitamin B-6) 59  
 Pyrimethamine 6  
 potassium citrate- citric acid 49

## **Q**

Questran® 15  
 Quinapril 13  
 Qvar Redihaler® 44

## **R**

Rabeprazole 27  
 Rabies 49  
 Ramipril 13  
 Ramucirumab 9  
 Reglan® 26  
 Relafen® 36  
 Remeron® 19  
 Renvela® 17  
 Requip® 11  
 Restasis® 39  
 Restoril® 22

Retacrit® 28  
 Retin-A® 46  
 Retrovir® 8  
 Revatio® 17  
 Revlimid® 10  
 Ribavirin 8  
 Ridaura® 12  
 Rid® 59  
 Rifabutin 7  
 Rifampin 7  
 Rilutek® 1  
 Riluzole 1  
 Rimactane® 7  
 Riopan® 54  
 Risedronate 41  
 Ritalin® 23  
 Rituximab- PVVR 10  
 Rivaroxaban 27  
 Rizatriptan 22  
 Robaxin® 35  
 Robinul® 12  
 Robitussin AC® 43  
 Robitussin DAC® 43  
 Robitussin DM® 57  
 Robitussin Pediatric® 57  
 Robitussin® 57  
 Rocaltrol® 51  
 Ropinirole 11  
 Rosuvastatin 15  
 Ruxience® 10  
 Rythmol® 15

## S

SSKI® 43  
 Salsalate 36  
 Saturated soln of potassium iodide 43  
 Savaysa® 27  
 Scopolamine 38  
 Sectral® 16  
 Secukinumab 13  
 Segluromet® 31  
 Selenium 47  
 Selsun® 47

Semaglutide 29  
 Semglee®, Toujeo Max® 30  
 Sensipar® 32  
 Seromycin® 7  
 Sertraline 20  
 Sevelamer Carbonate 17  
 Shingrix® 50  
 Sildenafil 17  
 Silvadene® 47  
 Silver Sulfadiazine 47  
 Simvastatin 15  
 Sinemet® 12  
 Singulair® 44  
 Sodium Chloride 39  
 Sodium Fluoride 51  
 Sodium Polystyrene Sulfonate 17  
 Sodium Sulfacetamide 37  
 Sodium and Saline Preparations 34  
 Sofosbuvir/velpatasvir 8  
 Soliqua® 30  
 Sotalol 14  
 Spacer Device 44  
 Spectazole® 46  
 Spiriva Respimat® 45  
 Spironolactone 16  
 Sporanox® 6  
 Starlix® 30  
 Steglatro® 31  
 Stiolto Respimat® 45  
 Strattera® 23  
 Stromectol® 6  
 Succimer 41  
 Sucralfate 26  
 Sudafed Plus® 56  
 Sudafed® 57  
 Sulamyd® 37  
 Sulfamethoxazole & Trimethoprim 5  
 Sulfanilamide 50  
 Sulfasalazine 12, 26  
 Sulindac 35  
 Sultrin® 50  
 Sumatriptan 22  
 Symbicort® 44

Symlin® 28  
 Synalar® 48  
 Synjardy® 31  
 Syringes, Syringes w/Needles, Pen Needles 58

## T

TDAP 49  
 TRUE Metrix® 58  
 TRUEplus® 58  
 Tablet Splitter 53  
 Tacrolimus 34  
 Tambacor® 15  
 Tamiflu® 8  
 Tamoxifen 10  
 Tamsulosin 13  
 Tapazole® 34  
 Targretin® 10  
 Tegretol® 19  
 Temazepam 22  
 Temodar® 11  
 Temovate® 48  
 Temozolomide 11  
 Tenex® 13  
 Tenormin® 16  
 Terazocin 13  
 Terazol® 50  
 Terbinafine 6, 46  
 Terbutaline 43  
 Terconazole 50  
 Tessalon® 43  
 Testosterone 28  
 Tetanus 49  
 Thalidomide 11  
 Thalomid® 11  
 Theodur, Uniphyl® 46  
 Theophylline 46  
 Thermometer 53  
 Thioguanine 11  
 Thyroid-dessicated 33  
 Tiagabine 18  
 Ticagrelor 27  
 Timolol 38  
 Timoptic® 38  
 Tinactin® 59  
 Tindamax® 8  
 Tinidazole 8  
 Tioconazole 50  
 Tiotropium bromide 45  
 Tiotropium bromide - Olodaterol 45  
 Tizanidine 35  
 Tobradex® 37  
 Tobramycin 37  
 Tobramycin & Dexamethasone 37  
 Tobrex® 37  
 Tofranil® 20  
 Tolnaffate 59  
 Topamax® 19  
 Topiramate 19  
 Tracleer® 17  
 Tradjenta® 29  
 Tramadol 2  
 Trandate® 16  
 Trastuzumab-QYYP 11  
 Trazimera® 11  
 Trazodone 19  
 Trelegy Ellipta® 45  
 Trelstar® 11  
 Trental® 28  
 Tresiba® 30  
 Tretinoin 46  
 Tri-Vi-Sol® 59  
 Triamcinolone 48  
 Triamterene 16  
 Triamterene & Hydrochlorothiazide 16  
 Triavil® 19  
 Trifluridine 37  
 Trileptal® 19  
 Triphasil® 41  
 Triptorelin 11  
 Trulicity® 29  
 Trusopt® 38  
 Tums® Os-Cal D® 54  
 Twinrix® 50  
 Tylenol w/Codeine® 2  
 Tylenol® 53  
 triclosan 57

**U**

Ultram® 2  
 Umeclidinium 45  
 Umeclidinium - Vilanterol 45  
 Urecholine® 12  
 Urine Test Strips 58  
 Ursodiol 25

**V**

Vagistat 1® 50  
 Valisone® 48  
 Valium® 21, 35  
 Valsartan 14  
 Valsartan-hctz 14  
 Vancomycin 8  
 Vaporizer 53  
 Varenicline 23  
 Varicella 50  
 Varicella-zoster 50  
 Varivax® 50  
 Vasotec® 14  
 Veetids® 5  
 Veltassa® 17  
 Venlafaxine 20  
 Ventolin HFA®, ProAir HFA®,  
 Proventil HFA® 43  
 Vepesid® 11  
 Verapamil 16  
 Vfend® 6  
 Vibramycin® 5  
 Victoza® 30  
 Vincristine 11  
 Viroptic® 37  
 Viscous lidocaine 46  
 Vismodegib 9  
 Vitamin E 59  
 Voltaren Arthritis Pain® 58  
 Voltaren® 35  
 Voriconazole 6  
 Vorinostat 11  
 Votrient® 11  
 Vyvanse® 23  
 various 8

**W**

Warfarin 27  
 Wellbutrin® 19

**X**

Xalatan® 38  
 Xarelto® 27  
 Xigduo XR® 31  
 Xulane® 47  
 Xylocaine® 46

**Y**

Yasmin®, Yaz® 40  
 Yervoy® 11  
 Yescarta® 11

**Z**

Zaditor® 55  
 Zaltrap® 11  
 Zanaflex® 35  
 Zarontin® 19  
 Zaroxolyn® 17  
 Zepatier® 8  
 Zestril® 14  
 Zetia® 15  
 Zidovudine 8  
 Zirabev® 11  
 Zirgan® 37  
 Zithromax® 4  
 Ziv-Aflibercept 11  
 Zocor® 15  
 Zofran® 25  
 Zolinza® 11  
 Zolof® 20  
 Zolpidem 22  
 Zonegran® 19  
 Zonisamide 19  
 Zortress® 34  
 Zostavax® 50  
 Zoster 50  
 Zovirax® 8  
 Zylprim® 12

Zyrtec® 56  
 Zyvox® 8



**Kern Family Health Care complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.**

**Kern Family Health Care cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo.**

**ATTENTION: If you speak a language other than English, language assistance services, free of charge, are available to you. Call 1-800-391-2000 (TTY: 711).**

**ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-800-391-2000 (TTY: 711).**

**注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1-800-391-2000 (TTY: 711)。**



# Drug Formulary



2900 Buck Owens Boulevard  
Bakersfield, CA 93308-6316  
**1-800-391-2000**  
**kernfamilyhealthcare.com**



October 2021