



ePrescribing IN SOARIAN CLINICALS



“BEGIN WITH THE END IN MIND”

- The process of Medication Reconciliation (med rec) begins upon admission
- The home medications must be entered into Soarian Clinicals
 - *If the home medications are not entered into SC, then the entire med rec process is broken down in the initial phase*



Admission Medication Reconciliation

There are four sections

Home Medications

- Entered by Nurse

Imported Medications

- Pulls information from the patient's pharmacy refill history

Current Orders

- Orders that the patient is currently on in the hospital (may show if orders were placed prior to the completion of the Admission Med Rec)

Planned Orders

- Home meds that you want to continue for this patient while in the hospital

NURSING ENTERS HOME MEDS

Medication List Management -- Webpage Dialog

Pharmacy, AV1002 9m ♂ Third Central-C348-B
Allergies: (0) NKA Diagnosis: (0) ACCT# 100197833

Medication List Management Admission Reconciliation: has not been completed

Rx Retail: None Selected Mail Order: None Selected Prescription Plan: None Available

Home Medications List (5)

Imported Medications List

Add Medication | Sort by: Drug

- Medications
- FLUoxetine** (PROzac)
- ipratropium-albuterol** 0.5 mg-3 mg (2.5 mg base)/3 mL Solution for Nebulization 1 puff by inhalation four times daily with respiratory treatments
- lisinopril** 20 mg Tablet 1 tablet oral daily
- meloxicam** (Mobic)
- metoprolol succinate** 25 mg Tablet Extended Release 24 hr 1 tablet oral daily

Current Medication Orders (0)

Planned Orders (0)

Collected Date/Time: 03/27/2015 09:52 Last Collected By: Doctor Physician 1
Home Med Status: Complete + Comments

Sign as Admission Reconciliation Sign & Close Cancel

THE PROVIDER COMPLETES ADMISSION MED REC

SIEMENS Doctor Physician1 T.J. Samson Community Hospital

Pharmacy, AV1002 | DOB: 06/15/2014(9m) ♂

Allergies: (0) NKA | Diagnosis: (0) | ACCT# 100197833 | MR# 614073

Patient Record | Clinical Summary | Charting | Plan of Care | **Orders** | Visit

+Add Order | Transfer Level of Care | Hold All | **Admission Reconciliation (incomplete)** | Discharge Reconciliation

Current | Unsign

Medication List Management -- Webpage Dialog

Pharmacy, AV1002 9m ♂ Third Central-C348-B
Allergies: (0) NKA | Diagnosis: (0) | ACCT# 100197833

Medication List Management | Admission Reconciliation: has not been completed

Rx Retail: None Selected | Mail Order: None Selected | Prescription Plan: None Available

Home Medications List (5)

Imported Medications List

- Add Medication | X Sort by: Drug
- Medications
- FLUoxetine (PROzac)
- ipratropium-albuterol 0.5 mg-3 mg (2.5 mg base)/3 mL Solution for Nebulization 1 puff by inhalation four times daily with respiratory treatments
- lisinopril 20 mg Tablet 1 tablet oral daily
- meloxicam (Mobic)
- metoprolol succinate 25 mg Tablet Extended Release 24 hr 1 tablet oral daily

Current Medication Orders (0)

Planned Orders (0)

X Medications

**The Home Meds will already be collected by the nurse

Collected Date/Time: 03/27/2015 09:52 Last Collected By: Doctor Physician1

Home Med Status: Complete + Comments

Sign as Admission Reconciliation | Sign & Close | Cancel

MOVING HOME MEDICATIONS TO PLANNED ORDERS

The screenshot displays the 'Medication List Management' web application. At the top, it shows patient information: 'Pharmacy, AV1002', '9m', 'Third Central-C348-B', 'Allergies: (0) NKA', 'Diagnosis: (0)', and 'ACCT# 100197833'. Below this, the 'Medication List Management' section indicates 'Admission Reconciliation: has not been completed'. The interface is divided into three main panels: 'Home Medications List (5)', 'Current Medication Orders (0)', and 'Planned Orders (2)'. The 'Home Medications List' contains five items: FLUoxetine (PROzac), ipratropium-albuterol, lisinopril, meloxicam (Mobic), and metoprolol succinate. A red box highlights the 'play button' (a right-pointing triangle) next to the 'lisinopril' entry. The 'Planned Orders (2)' panel shows two items: FLUoxetine (PROzac) and lisinopril. A red box highlights the 'Medications' header in this panel. At the bottom, there are buttons for 'Sign & Close' and 'Cancel', and a status bar with 'Collected Date/Time: 03/27/2015 09:52' and 'Last Collected By: Doctor Physician1'.

- Working from the Left
- Click on the “play button” beside the drug name if you want to continue the med while the patient is in the hospital
- It will move over to the “planned orders”
- If you see pink, this med information has not been collected completely. The dose, time, route, frequency is missing. This must be completed before this med can be continued as a home med
- You can click on the drug name to edit it and add those items
- Sign & Close

To complete the medication information, click on the drug name and open the edit box for the med

The screenshot displays the 'Medication List Management' web application. At the top, it identifies the pharmacy as 'Pharmacy, AV1002' and shows patient information: '9m Third Central-C348-B', 'Allergies: (0) NKA', 'Diagnosis: (0)', and 'ACCT# 100197833'. The main section is titled 'Medication List Management' and includes a status 'Admission Reconciliation: has not been completed'. Below this, there are tabs for 'Rx Retail: None Selected', 'Mail Order: None Selected', and 'Prescription Plan: None Available'. The interface is divided into three main panels: 'Home Medications List (5)', 'Current Medication Orders (0)', and 'Planned Orders (2)'. The 'Home Medications List' contains a table of medications with checkboxes and expandable details. The 'Planned Orders' panel is highlighted with a red box and shows a table with columns for Drug, Brand, Strength, Form, Dose, Route, and Frequency. The table lists 'FLUoxetine (PROzac) 20 mg Capsule 1 capsule oral daily' and 'lisinopril 20 mg Tablet 1 tablet oral daily'. At the bottom, there are fields for 'Collected Date/Time' (03/27/2015 09:52) and 'Home Med Status' (Complete), along with 'Sign & Close' and 'Cancel' buttons.

Home Medications List (5)

Add Medication | X Sort by: Drug v

Medications

- FLUoxetine** (PROzac)
- ipratropium-albuterol** 0.5 mg-3 mg (2.5 mg base)/3 mL Solution for Nebulization 1 puff by inhalation four times daily with respiratory treatments
- lisinopril** 20 mg Tablet 1 tablet oral daily
- meloxicam** (Mobic)
- metoprolol succinate** 25 mg Tablet Extended Release 24 hr 1 tablet oral daily

Current Medication Orders (0)

Planned Orders (2)

X

Medications

Drug	Brand	Strength	Form	Dose	Route	Frequency	Timing	PRN?	Duration	Priority
<input type="checkbox"/> FLUoxetine	PROzac
<input type="checkbox"/> lisinopril										

Collected Date/Time: 03/27/2015 09:52 Last O

Home Med Status: Complete + Comment

Sign & Close Cancel

- If you get a medication in the Planned Orders section and need to move it back to home medications, just check the box and click the X in that section
- When you are finished, select **Sign & Close**
- A box will pop up asking if you are sure you want to complete the Admission Rec
- ****Only one Admission Reconciliation can be completed per visit**

The screenshot displays the 'Medication List Management' web application. At the top, it shows the pharmacy name 'Pharmacy, AV1002' and patient information. The main area is divided into 'Home Medications List (5)' and 'Planned Orders (5)'. A confirmation dialog box is overlaid on the 'Home Medications List', asking 'Are you sure you want to sign and complete the Admission Reconciliation for this visit?' with 'Yes' and 'No' buttons. In the 'Planned Orders' section, a red box highlights an 'X' icon next to the first medication entry, 'FLUoxetine (PROzac)'. At the bottom right, another red box highlights the 'Sign & Close' button.

Medication List Management -- Webpage Dialog

Pharmacy, AV1002 9m Third Central-C348-B
 Allergies: (0) NKA Diagnosis: (0) ACCT# 100197833

Medication List Management Admission Reconciliation: has not been completed

Rx Retail: None Selected Mail Order: None Selected Prescription Plan: None Available

Imported Medications List

Home Medications List (5)

Add Medication | X Sort by: Drug

Medications

- FLUoxetine (PROzac)
- ipratropium-albuterol 0.5 mg-3 mg (2.5 mg base)/3 mL Solution for Nebulization 1 puff by inhalation four times daily with respiratory treatments
- lisinopril 20 mg Tablet 1 tablet oral daily
- meloxicam (Mobic)
- metoprolol succinate 25 mg Tablet Extended Release 24 hr 1 tablet oral daily

Sign Admission Reconciliation Confirmation -- Webpage D...

Are you sure you want to sign and complete the Admission Reconciliation for this visit?

Yes No

Current Medication Orders (0)

Planned Orders (5)

- X Medications
- FLUoxetine (PROzac) 20 mg Capsule 1 capsule oral daily
- lisinopril 20 mg Tablet 1 tablet oral daily
- metoprolol succinate 25 mg Tablet Extended Release 24 hr 1 tablet oral daily
- meloxicam (Mobic) 15 mg Tablet 1 tablet oral daily
- ipratropium-albuterol 0.5 mg-3 mg (2.5 mg base)/3 mL Solution for Nebulization 1 puff by inhalation four times daily with respiratory treatments

Collected Date/Time: 03/27/2015 09:52 Last Collected By: Doctor Physician1

Home Med Status: Complete + Comments

Sign as Admission Reconciliation Sign & Close Cancel

DISCHARGE MEDICATION RECONCILIATION

FROM THE ORDERS TAB, SELECT "DISCHARGE RECONCILIATION"

Allergies: (0) NKA Diagnosis: (0) ACCT# 101477882

Transfer Level of Care | Hold All | Admission Reconciliation | **Discharge Reconciliation** | Orders | Visit

Discharge Medication Reconciliation -- Webpage Dialog

Joanna, Dalbey 52y ♀ Second Central-C241-B
Allergies: (0) None Recorded Diagnosis: (0) ACCT# 101380797 MR# 667102

Discharge Medication Reconciliation
Details: None Selected Med Order: None Selected Prescription Plan: None Available

Current and Home Medications (10) Discharge Medications (0) Held Home Meds (0) Stopped Home Meds (5)

Continue All Home Medications Sort by: Home Med Indicator

Medication
estradiol (Estrace) 1 mg Tablet 1 tablet oral daily
FLUoxetine 10 mg Capsule 1 capsule oral daily
lisinopril 20 mg Tablet 1 tablet oral twice a day
meloxicam 15 mg Tablet 1 tablet oral daily
metFORMIN 1,000 mg Tablet 1 tablet oral twice a day
"estradiol 1 mg (Estrace) 1 TAB PO tablet DAILY AT 0900 "
"fluoxetine 10 mg (fluoxetine) 1 CAP PO capsule DAILY AT 0900 "
"lisinopril 20 mg (lisinopril) 1 TAB PO tablet 2XDAY "
"meloxicam 15 mg (meloxicam) 1 TAB PO tablet DAILY AT 0900 "
"metformin 1,000 mg (metformin) 1 TAB PO tablet 2XDAY "

Discharge Medications (0) Held Home Meds (0) Stopped Home Meds (5)

+ Add | + Favorites | Save to Favorites | X Sort by: Drug

Medication

Prescription Fill History

Supervisor: None Selected Status: In Progress Sign & Close Cancel

MOVING HOME AND CURRENT MEDS TO PLANNED MEDS

- Working from the Left
- Click on the “play button” beside the drug name if you want the patient to continue the medication at home
- It will move over to the “planned orders”
- If you see pink, this med information has not been collected completely. The dose, time, route, frequency is missing. This must be completed before this med can be continued as a home med
- You can click on the drug name to edit it and add those items
- **If you are prescribing this medication, please select an option from the Output tab**
 - It is necessary to select an option from this list to meet Meaningful Use e-Prescribing measures

Discharge Medication Reconciliation

Rx Retail: RITE AID-704 HAPP... Mail Order: None Selected Prescription Plan: None Selected

Current and Home Medications (27)

Continue All Home Medications Sort by: Home Med Indicator

Medication	Dose	Form	Route	Frequency
carvedilol	25 mg	Tablet	oral	twice a day
donepezil	10 mg	Tablet	oral	daily at bedtime
DULoxetine	30 mg	capsule, delayed release(DR/EC)	oral	daily
furosemide	40 mg	Tablet	oral	daily
gabapentin	900mg	Tablet	oral	four times daily
HYDROcodone-acetaminophen	10 mg-325 mg	Tablet	oral	every six hours PRN pain
isosorbide mononitrate	30 mg	Tablet Extended Release 24 hr	oral	daily
levothyroxine	200 mcg	Tablet	oral	daily
meloxicam	15 mg	Tablet	oral	twice a day PRN pain
potassium chloride	10 mEq	Tablet Extended Release	oral	twice a day
sotalol	80 mg	Tablet	oral	twice a day
ASPIRIN EC 81 MG	= 1 TAB	PO DAILY AT 0900		
CARVEDILOL (COREG)	25 MG = 2 TAB	PO 2XDAY		
"CEFEPIME (MAXIPIME) 1 G = 10 ML IV Push Q12HR, Clinician Dir:MIX WITH 10ML STERILE WATER PUSH OVER 3-5 MINUTES "				
DONEPEZIL HCL (ARICEPT)	10 MG = 1 TAB	PO QHS		
DULoxetine (CYMBALTA)	30 MG = 1 CAP	PO DAILY AT 0900		First Dose Now
ENOXAPARIN (LOVENOX)	40 MG = 0.4 ML	Subcutaneous. DAILY AT 1700		First Dose Now
FAMOTIDINE (PEPCID)	20 MG = 2 ML	Intravenous 2XDAY		First Dose Now
FUROSEMIDE (LASIX)	40 MG = 1 TAB	PO DAILY AT 0630		First Dose Now

Discharge Medications (1) Held Home Meds (0) Stopped Home Meds (10)

+ Add + Favorites Save to Favorites

Sort by: Drug

Medication

Drug	Brand	Strength	Form	Admin Dose
levothyroxine	Synthroid	200 mcg	Tablet	1 tablet

Prescribe Dose: 200 mcg Route: oral Frequency: daily Timing: ... PRN?: ... Reason: ...

Extended Instructions: ... DAW?: no Dx Primary: ... Dx Secondary: ...

Prior Auth Code: ... Formulary Status: Unknown Preferred Level: ... Copay: ...

Continued By: Sharon Vernon, RN Supervisor: ...

Product type: Brand Rx

Prescriptions	Mail Quantity	Unit	Refills	Output	Earliest Fill Date (MM/DD/YYYY)
...
...	30	Tablet	0	Output	...

Formulary Status: Unknown - No alt...

ePrescribe
 ePrescribe with Copy
 Handwritten
 Print

Edit Home Medications List Status: In Progress 11/24/2017 18:19 + Diagnosis (0) Prescription Fill History

Supervisor: None Selected Status: In Progress Sign & Close Cancel

Your patient will receive a detailed Home Medication List to take home

STOP TAKING THESE MEDICATIONS	
If you have questions about your medications, please ask your physician or nurse.	
STOP oxyCODONE-acetaminophen (Percocet) 7.5 mg-325 mg Tablet 1 tablet Oral THREE TIMES A DAY	
DISCHARGE MEDICATIONS (Take these medications after Discharge)	
Scheduled Medications	Next Dose Due
 metoprolol tartrate 25 mg Tablet 1 tablet oral twice a day HOLD FOR SBP < 115	_____
 nystatin (Nystop) 100,000 unit/gram Powder 1 applicatorful topical three times a day MAY APPLY NYSTATIN POWDER TO GROIN AREA-KEEP AREA CLEAN AND DRY	_____
 tamsuLOSIN (FLOmax) 0.4 mg capsule,extended release 24hr 1 capsule oral daily at bedtime	_____
 warfarin (Coumadin) 5 mg Tablet 1 tablet oral daily	_____
Medications to take as needed	Next Dose Due
 lactulose 10 gram/15 mL (15 mL) Solution 30 mL oral daily as needed Reason: constipation	_____
 ondansetron HCl (Zofran (as hydrochloride)) 4 mg Tablet 1 tablet oral four times daily as needed Reason: nausea or vomiting	_____
 oxybutynin chloride 5 mg Tablet 1 tablet oral every eight hours as needed Reason: BLADDER SPASMS DO NOT GIVE IF FOLEY IS REMOVED AND D/C ORDER	_____
 acetaminophen (Tylenol) 500 mg Tablet 1 tablet oral every four hours as needed Reason: pain	_____
 Electronically Signed By	<u>Date/Time</u>
Taotafa Tamminga, APRN	11/14/17 5:55 pm
SMOKING CESSATION	
Cigarette Smoking is The Single Greatest Preventable Cause of Illness, Disability, And Death in America Today, STOP SMOKING!	
CONGESTIVE HEART FAILURE	
If you are diagnosed with CHF be sure to:	
<ul style="list-style-type: none"> • Weight yourself daily in the morning just after urinating and before breakfast. • Use the same scale and wear the same clothing that weighs about the same. • Record the date and weight each day. • Call your Primary Care/Referring Physician for weight gain of more than 3 pounds in 24 hours: or if you have progressive weight gain, shortness of breath; fluid retention or swollen ankles or feet. 	