# After COVID-19 Vaccine

COVID-19 vaccination will help protect you from getting COVID-19. You may have some side effects, which are normal signs that your body is building protection. These side effects may affect your ability to do daily activities, but they should go away in a few days.

From Centers for Disease Control and Prevention

## Common Side Effects: chances are higher after the second shot

#### On the arm where you got the shot

- Pain
- Swelling



#### Throughout the rest of your body

- Fever
- Chills
- Tired



## **Helpful Tips**

## To reduce pain or comfort where you got the shot

- Apply a clean, cool, wet wash cloth over the area
- Use or exercise the area



## To reduce discomfort from fever

- Drink plenty of fluids
- Dress lightly



#### When to Call the Doctor

If you get a COVID-19 vaccine and you think you might be having a severe allergic reaction after leaving the vaccination site, seek immediate medical care by calling 911.



## Después de la vacuna COVID-19

La vacunación contra el COVID-19 ayudará a protegerlo de contraer el COVID-19. Es posible que experimente efectos secundarios, los cuales son signos normales de que su organismo está generando protección. Estos efectos secundarios pueden afectar su capacidad de realizar sus actividades diarias, pero deberían desaparecer al cabo de pocos días.


From Centers for Disease Control and Prevention

#### Efectos secundarios más communes:

### Las posibilidades son mayores después del segundo disparo

En el brazo donde recibió la vacuna invectable

- Dolor
- Hinchazón



- Fiebre
- Escalofríos
- Cansancio
- Dolor de cabeza



### **Consejos útiles**

Para reducir el dolor y las molestias donde recibió la vacuna inyectable

- Aplique un paño limpio, frío y húmedo sobre el área.
- Use o ejercite su brazo.

### Para reducir las molestias provocadas por la fiebre

- Beba mucho líquido.
- Use ropa liviana.



#### Cuándo llamar al médico

Si se vacuna contra el COVID-19 y cree que puede estar teniendo una reacción alérgica grave al salir del lugar de vacunación, solicite atención médica de inmediato a través del 911.

