

Tulip


Ceiling Light

CONTEMPORARY LIGHTING


Established in 1970 by Mr. Rashmikant Bhuta, Tulip Corporation, a design oriented partnership firm has been consistently manufacturing and marketing high quality lighting products to various Projects, Contractors and Dealers in major cities of India.

Armed with a wealth of experience in manufacturing custom made Luminaries for Architects, Tulip has designed and developed its own range of Luminaries with distinct style to go with today's interiors.

Over a period of time, Tulip is recognised by Architects, Consultants, Traders and end users for its Creativity, Simplicity, Consistency and Value for Money.




01




02




02




03




03




04




05



06



07



08



09



10



11



12



12



12



12



13



13



13



13



14



15



15



15



15
















15




16



16



Linea 30 dark light surface





Linea 30 Dark Light C9

□ DRK30CDL9 35

Power 35W

LED
Dimming
Housing
Finish
Optics

- 3000k □ 4000k □ 5700k
- Options available*
- Extruded Al in texture
- White □ Black □ Wood*
- 15° □ 30° □ 45° Reflector
- Lens + Anti-glare black cover




Linea 30 Dark Light C18

□ DRK30CDL18 70


Power 70W

LED
Dimming
Housing
Finish
Optics

- 3000k □ 4000k □ 5700k
- Options available*
- Extruded Al in texture
- White □ Black □ Wood*
- 15° □ 30° □ 45° Reflector
- Lens + Anti-glare black cover



Linea 30 dark light combi, surface




Linea 30 Dark Light C21

□ DRK30C2D2 38

Power 38W

LED
Dimming
Housing
Finish
Diffuser
Optics

□ 3000k □ 4000k □ 5700k
Options available*
Extruded Al in texture
□ White □ Black □ Wood*
Opal PC
□ 15° □ 30° □ 45° Reflector
Lens + Anti-glare black cover




Linea 30 Dark Light C22

□ DRK30C2B2 24

Power 24W

LED
Dimming
Housing
Finish
Blind Cover
Optics

□ 3000k □ 4000k □ 5700k
Options available*
Extruded Al in texture
□ White □ Black □ Wood*
Extruded AL. in Texture □ White □ Black
□ 15° □ 30° □ 45° Reflector
Lens + Anti-glare black cover





Linea 30 Dark Light C1

□ DRK30CDL1 06

Power 06W

- LED □ 3000k □ 4000k □ 5700k
- Housing Extruded Al in texture
- Finish □ White □ Black
- Optics □ 15° □ 30° □ 45° Reflector
Lens + Anti-glare black cover







Linea 30 Dark Light C2


□ DRK30CDL2 12

Power 12W

- LED □ 3000k □ 4000k □ 5700k
- Housing Extruded Al in texture
- Finish □ White □ Black
- Optics □ 15° □ 30° □ 45° Reflector
Lens + Anti-glare black cover



Linea 50 louver light surface





Linea 50 ALC4

□ LNX50ALC4 24

Power 24W

LED
Dimming
Housing
Finish
Louver

□ 3000k □ 4000k □ 5700k
Options available *
Extruded Al in texture
□ White □ Black □ Wood*
Anodized Al in Mirror Bright Finish




Linea 50 ALC8

□ LNX50ALC8 48

Power 48W

LED
Dimming
Housing
Finish
Louver

□ 3000k □ 4000k □ 5700k
Options available *
Extruded Al in texture
□ White □ Black □ Wood*
Anodized Al in Mirror Bright Finish




Linea 30 surface



Linea 30 C2
 LNX30C2 14
 Power 14W

LED Dimming
 Housing Extruded Al in texture
 Finish White Black Wood*
 Diffuser Opal PC


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PC



Linea 30 C3
 LNX30C3 21
 Power 21W

LED Dimming
 Housing Extruded Al in texture
 Finish White Black Wood*
 Diffuser Opal PC


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PC



Linea 30 C4
 LNX30C4 25
 Power 25W

LED Dimming
 Housing Extruded Al in texture
 Finish White Black Wood*
 Diffuser Opal PC


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PC



Linea 30 C5
 LNX30C5 28
 Power 28W

LED Dimming
 Housing Extruded Al in texture
 Finish White Black Wood*
 Diffuser Opal PC



3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PC




Linea 30 C8
 LNX30C8 48
 Power 48W

LED Dimming
 Housing Extruded Al in texture
 Finish White Black Wood*
 Diffuser Opal PC

3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PC




Linea 50 surface



Linea 50 C2
 LNX50C2 13
 Power 13W

LED
 Dimming
 Housing
 Finish
 Diffuser


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA



Linea 50 C3
 LNX50C3 20
 Power 20W

LED
 Dimming
 Housing
 Finish
 Diffuser


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA



Linea 50 C4
 LNX50C4 24
 Power 24W

LED
 Dimming
 Housing
 Finish
 Diffuser



3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA



Linea 50 C5
 LNX50C5 30
 Power 30W

LED
 Dimming
 Housing
 Finish
 Diffuser

3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA



Linea 50 C8
 LNX50C8 48
 Power 48W

LED
 Dimming
 Housing
 Finish
 Diffuser

3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA



*Price on request



Linea 70 surface



Linea 70 C2
 LNX70C2 13
 Power 13W

LED
 Dimming
 Housing
 Finish
 Diffuser


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA



Linea 70 C3
 LNX70C3 20
 Power 20W

LED
 Dimming
 Housing
 Finish
 Diffuser


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA



Linea 70 C4
 LNX70C4 24
 Power 24W

LED
 Dimming
 Housing
 Finish
 Diffuser


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA



Linea 70 C5
 LNX70C5 30
 Power 30W

LED
 Dimming
 Housing
 Finish
 Diffuser


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA



Linea 70 C8
 LNX70C8 48
 Power 48W


LED
 Dimming
 Housing
 Finish
 Diffuser

3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA




*Price on request

Ultraslim surface



Ultraslim 2 12
 □ LDC1911 12
 Power 12W

LED □ 3000k □ 4000k □ 5700k
 Dimming Options available*
 Housing Extruded Al in Satin Finish
 Diffuser Opal PC
 Control Gear Remote Mounting



Ultraslim 3 17
 □ LDC1911 17
 Power 17W

LED □ 3000k □ 4000k □ 5700k
 Dimming Options available*
 Housing Extruded Al in Satin Finish
 Diffuser Opal PC
 Control Gear Remote Mounting




Ultraslim 4 22
 □ LDC1911 22
 Power 22W

LED □ 3000k □ 4000k □ 5700k
 Dimming Options available*
 Housing Extruded Al in Satin Finish
 Diffuser Opal PC
 Control Gear Remote Mounting



Ultraslim 5 28
 □ LDC1911 28
 Power 28W

LED □ 3000k □ 4000k □ 5700k
 Dimming Options available*
 Housing Extruded Al in Satin Finish
 Diffuser Opal PC
 Control Gear Remote Mounting




Ultraslim 6 40
 □ LDC1911 40
 Power 40W

LED □ 3000k □ 4000k □ 5700k
 Dimming Options available*
 Housing Extruded Al in Satin Finish
 Diffuser Opal PC
 Control Gear Remote Mounting



*Price on request

Ultraslim 8mm surface



06W
12W


1000

Ultraslim C11

□ ULS08C11 06

Power 06W

LED □ 3000k □ 4000k □ 5000k
 Dimming Options available*
 Housing Extruded Al
 Diffuser Opal PC
 Control Gear Remote Mounting





Ultraslim C12

□ ULS08C12 12

Power 12W



LED □ 3000k □ 4000k □ 5000k
 Dimming Options available*
 Housing Extruded Al
 Diffuser Opal PC
 Control Gear Remote Mounting







Retail Light C1 AS
□ RTL40C1AS 09
 Power 09W

- LED 3000k 4000k 5700k
- Dimming Options available*
- Housing Extruded Al in texture White
- Optics Clear PC Lens
- Asymmetric Single Asymmetric Double
- Control Gear Remote Mounting





Retail Light C2 AS
□ RTL40C2AS 13
 Power 13W

- LED 3000k 4000k 5700k
- Dimming Options available*
- Housing Extruded Al in texture White
- Optics Clear PC Lens
- Asymmetric Single Asymmetric Double
- Control Gear Remote Mounting




Retail Light C4 AS
□ RTL40C4AS 24
 Power 24W

- LED 3000k 4000k 5700k
- Dimming Options available*
- Housing Extruded Al in texture White
- Optics Clear PC Lens
- Asymmetric Single Asymmetric Double
- Control Gear Remote Mounting



Retail Light C8 AS
□ RTL40C8AS 48
 Power 48W

- LED 3000k 4000k 5700k
- Dimming Options available*
- Housing Extruded Al in texture White
- Optics Clear PC Lens
- Asymmetric Single Asymmetric Double
- Control Gear Remote Mounting




Trola 2

□ LDC0012 14

Power 14W

- LED COB □ 3000K □ 4000K □ 5000K
- Housing Cast Al in □ White □ Black
- Reflector Faceted Mirror Bright Finish
- Filter Clear
- Cooling Passive Heatsink in Al



Rotating 350°	Zoom 90°	COB	Mounting 48 c/c
------------------	-------------	-----	--------------------




Splendid Ceiling Light 1

□ LDC0053

Power 11W

- LED 3000K 4000K 6500K
- Beam Angle 90°
- Housing Spun Al in texture
- Finish White Black
- Reflector Faceted Al Mirror Bright Finish
- Filter PMMA Clear Opal





11W

Splendid Ceiling Light 1B

□ LDC0053B

Power 11W

- LED 3000K 4000K 6500K
- Beam Angle 90°
- Housing Spun Al in texture
- Finish White Black
- Reflector Faceted Al Mirror Bright Finish
- Filter PMMA Clear Opal





11W

Splendid Ceiling Light 1C

□ LDC0053C

Power 11W

- LED 3000K 4000K 6500K
- Beam Angle 90°
- Housing Spun Al in texture
- Finish White Black
- Reflector Faceted Al Mirror Bright Finish
- Filter PMMA Clear Opal





11W

Splendid Ceiling Light 1D

□ LDC0053D

Power 11W

- LED 3000K 4000K 6500K
- Beam Angle 90°
- Housing Spun Al in texture
- Finish White Black
- Reflector Faceted Al Mirror Bright Finish
- Filter PMMA Clear Opal




11W

Splendid Ceiling Light 3

□ LDC0055

Power: 22W

- LED 3000K 4000K 6500K
- Beam Angle 90°
- Housing Spun Al in texture
- Finish White Black
- Reflector Faceted Al Mirror Bright Finish
- Filter PMMA Clear Opal





22W

Splendid Ceiling Light 3B

□ LDC0055B

Power: 22W

- LED 3000K 4000K 6500K
- Beam Angle 90°
- Housing Spun Al in texture
- Finish White Black
- Reflector Faceted Al Mirror Bright Finish
- Filter PMMA Clear Opal




22W

Splendid Ceiling Light 3C

□ LDC0055C

Power: 22W

- LED 3000K 4000K 6500K
- Beam Angle 90°
- Housing Spun Al in texture
- Finish White Black
- Reflector Faceted Al Mirror Bright Finish
- Filter PMMA Clear Opal




22W

Splendid Ceiling Light 3D

□ LDC0055D

Power: 22W

- LED 3000K 4000K 6500K
- Beam Angle 90°
- Housing Spun Al in texture
- Finish White Black
- Reflector Faceted Al Mirror Bright Finish
- Filter PMMA Clear Opal




22W

Circline surface




Circline SL1

□ LDC2427 26

Power 26W



- LED □ 3000K □ 4000K □ 5700K
- Dimming Options available*
- Housing Spun Al in texture
- Finish □ White □ Black
- Diffuser Injection Moulded Opal PMMA




Diskette 1L

□ LDC3118 12

Power 12W

LED □ 3000K □ 4000K □ 5700K
 Housing & Ring Spun Al in texture
 Diffuser □ White □ Black
 Injection Moulded Frosted PMMA with Gasket





Orbit 2

□ LDC3117 17

Power 17W

LED □ 3000K □ 4000K □ 5700K
 Housing & Ring Spun Al in White
 Diffuser Injection Moulded Opal PMMA





Moon Light 2L

□ LDC3122 12

Power 12W

LED □ 3000K □ 4000K □ 5700K
 Housing Spun Al in White
 Diffuser Blow Moulded Opal PMMA





Moon Light 3L

□ LDC3123 17

Power 17W

LED □ 3000K □ 4000K □ 5700K
 Housing Spun Al in White
 Diffuser Blow Moulded Opal PMMA





Moon Light 4L

□ LDC3127 40

Power 40W

LED □ 3000K □ 4000K □ 5700K
 Housing Spun Al in White
 Diffuser Blow Moulded Opal PMMA





Bubble 1SL

□ LDC3124 12

Power 12W

LED □ 3000K □ 4000K □ 5700K
Housing Spun Al in White
Diffuser Blow Moulded Opal PMMA



12W





Bubble 2SL


□ LDC3125 20

Power 20W

LED □ 3000K □ 4000K □ 5700K
Housing Spun Al in White
Diffuser Blow Moulded Opal PMMA



20W



Tulip Corporation

Regd. office:

B12, Nandkishore Industrial Estate, Off Mahakali Road
Andheri East, Mumbai 400093, India

Email : info@tulipcorporation.net
Web : www.tuliplighting.com

Tel: +91 (0)22 2687 0833, 2687 1272