

Tulip


Pendant Light

CONTEMPORARY LIGHTING


Established in 1970 by Mr. Rashmikant Bhuta, Tulip Corporation, a design oriented partnership firm has been consistently manufacturing and marketing high quality lighting products to various Projects, Contractors and Dealers in major cities of India.

Armed with a wealth of experience in manufacturing custom made Luminaries for Architects, Tulip has designed and developed its own range of Luminaries with distinct style to go with today's interiors.


Over a period of time, Tulip is recognised by Architects, Consultants, Traders and end users for its Creativity, Simplicity, Consistency and Value for Money.



01



02




02




03



04



05



06



07



08



08



09



10



10



10



11



11



11



12


























12





13



13



Linea 30 dark light pendant




Linea 30 Dark Light P9

□ DRK30PDL9 35

Power 35W

- LED □ 3000k □ 4000k □ 5700k
- Dimming Options available*
- Housing Extruded Al in texture
- Finish □ White □ Black □ Wood*
- Optics □ 15° □ 30° □ 45° Reflector
- Lens + Anti-glare black cover
- Suspension One pair clutch wire - 1mtr.



Linea 30 Dark Light P18

□ DRK30PDL18 70

Power 70W


- LED □ 3000k □ 4000k □ 5700k
- Dimming Options available*
- Housing Extruded Al in texture
- Finish □ White □ Black □ Wood*
- Optics □ 15° □ 30° □ 45° Reflector
- Lens + Anti-glare black cover
- Suspension One pair clutch wire - 1mtr.



Linea 30 dark light combi, pendant



38W
24W




Linea 30 Dark Light P21

□ DRK30P2D2 38

Power 38W

- LED □ 3000k □ 4000k □ 5700k
- Dimming Options available*
- Housing Extruded Al in texture
- Finish □ White □ Black □ Wood*
- Diffuser Opal PC
- Optics □ 15° □ 30° □ 45° Reflector
- Lens + Anti-glare black cover
- Suspension One pair clutch wire - 1mtr.



Linea 30 Dark Light P22


□ DRK30P2B2 24

Power 24W

- LED □ 3000k □ 4000k □ 5700k
- Dimming Options available*
- Housing Extruded Al in texture
- Finish □ White □ Black □ Wood*
- Blind cover Extruded Al in texture □ White □ Black
- Optics □ 15° □ 30° □ 45° Reflector
- Lens + Anti-glare black cover
- Suspension One pair clutch wire - 1mtr.



Linea 50 louver light pendant





Linea 50 ALP4

□ LNX50ALP4 24

Power 24W

LED
Dimming
Housing
Finish
Louver
Suspension

□ 3000k □ 4000k □ 5700k
Options available*
Extruded Al in texture
□ White □ Black □ Wood*
Anodized Al in Mirror Bright Finish
One pair clutch wire - 1mtr.




Linea 50 ALP8

□ LNX50ALP8 48

Power 48W

LED
Dimming
Housing
Finish
Louver
Suspension

□ 3000k □ 4000k □ 5700k
Options available*
Extruded Al in texture
□ White □ Black □ Wood*
Anodized Al in Mirror Bright Finish
One pair clutch wire - 1mtr.




Linea 30 pendant



Linea 30 P2
 LNX30P2 14
 Power 14W

LED
 Dimming
 Housing
 Finish
 Diffuser
 Suspension


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PC
 One pair clutch wire - 1mtr.



Linea 30 P3
 LNX30P3 21
 Power 21W

LED
 Dimming
 Housing
 Finish
 Diffuser
 Suspension


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PC
 One pair clutch wire - 1mtr.



Linea 30 P4
 LNX30P4 25
 Power 25W

LED
 Dimming
 Housing
 Finish
 Diffuser
 Suspension


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PC
 One pair clutch wire - 1mtr.



Linea 30 P5
 LNX30P5 28
 Power 28W

LED
 Dimming
 Housing
 Finish
 Diffuser
 Suspension


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PC
 One pair clutch wire - 1mtr.



Linea 30 P8
 LNX30P8 48
 Power 48W

LED
 Dimming
 Housing
 Finish
 Diffuser
 Suspension

3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PC
 One pair clutch wire - 1mtr.




Linea 50 pendant



Linea 50 P2
 LNX50P2 13
 Power 13W

LED
 Dimming
 Housing
 Finish
 Diffuser
 Suspension


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA
 One pair clutch wire - 1mtr.



Linea 50 P3
 LNX50P3 20
 Power 20W

LED
 Dimming
 Housing
 Finish
 Diffuser
 Suspension


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA
 One pair clutch wire - 1mtr.



Linea 50 P4
 LNX50P4 24
 Power 24W

LED
 Dimming
 Housing
 Finish
 Diffuser
 Suspension


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA
 One pair clutch wire - 1mtr.



Linea 50 P5
 LNX50P5 30
 Power 30W

LED
 Dimming
 Housing
 Finish
 Diffuser
 Suspension


3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA
 One pair clutch wire - 1mtr.



Linea 50 P8
 LNX50P8 48
 Power 48W

LED
 Dimming
 Housing
 Finish
 Diffuser
 Suspension

3000k 4000k 5700k
 Options available*
 Extruded Al in texture
 White Black Wood*
 Opal PMMA
 One pair clutch wire - 1mtr.



*Price on request


Linea 70 pendant



Linea 70 P2 □ LNX70P2 13 Power 13W

LED
Dimming
Housing
Finish
Diffuser
Suspension


□ 3000k □ 4000k □ 5700k
Options available*
Extruded Al in texture
□ White □ Black □ Wood*
Opal PMMA
One pair clutch wire - 1mtr.



Linea 70 P3 □ LNX70P3 20 Power 20W

LED
Dimming
Housing
Finish
Diffuser
Suspension


□ 3000k □ 4000k □ 5700k
Options available*
Extruded Al in texture
□ White □ Black □ Wood*
Opal PMMA
One pair clutch wire - 1mtr.



Linea 70 P4 □ LNX70P4 24 Power 24W

LED
Dimming
Housing
Finish
Diffuser
Suspension


□ 3000k □ 4000k □ 5700k
Options available*
Extruded Al in texture
□ White □ Black □ Wood*
Opal PMMA
One pair clutch wire - 1mtr.



Linea 70 P5 □ LNX70P5 30 Power 30W

LED
Dimming
Housing
Finish
Diffuser
Suspension


□ 3000k □ 4000k □ 5700k
Options available*
Extruded Al in texture
□ White □ Black □ Wood*
Opal PMMA
One pair clutch wire - 1mtr.



Linea 70 P8 □ LNX70P8 48 Power 48W



LED
Dimming
Housing
Finish
Diffuser
Suspension

□ 3000k □ 4000k □ 5700k
Options available*
Extruded Al in texture
□ White □ Black □ Wood*
Opal PMMA
One pair clutch wire - 1mtr.





*Price on request

Retail light pendant



Retail Light P4 AS □ RTL40P4AS 24 Power 24W

- LED □ 3000k □ 4000k □ 5700k
- Dimming Options available*
- Housing Extruded Al in texture White
- Optics Clear PC Lens
- Asymmetric Single □ Asymmetric Double
- Control Gear Remote Mounting
- Suspension One pair clutch wire - 1mtr.




Retail Light P8 AS □ RTL40P8AS 48 Power 48W

- LED □ 3000k □ 4000k □ 5700k
- Dimming Options available*
- Housing Extruded Al in texture White
- Optics Clear PC Lens
- Asymmetric Single □ Asymmetric Double
- Control Gear Remote Mounting
- Suspension One pair clutch wire - 1mtr.



*Price on request

Alina Twin light | Delta Twin light




Alina Pendant 4


□ ALNP4 44

Power 44W

- LED □ 3000k □ 4000k □ 5700k
- Dimming Options available*
- Housing CRCA in texture □ White
- & Tray
- Diffuser Opal PMMA
- End Caps PC in White
- Suspension One pair clutch wire - 1mtr.



44W



Delta Twin P4


□ DLT50P4 48

Power 48W

- LED □ 3000k □ 4000k □ 5700k
- Dimming Options available*
- Housing Extruded Al in texture
- Finish □ White □ Black
- CG Box CRCA in texture
- Finish □ White □ Black
- Diffuser Opal PMMA
- Suspension One pair clutch wire - 1mtr.



48W



Delta Twin P8

□ DLT50P8 96

Power 96W

- LED □ 3000k □ 4000k □ 5700k
- Dimming Options available*
- Housing Extruded Al in texture
- Finish □ White □ Black
- CG Box CRCA in texture
- Finish □ White □ Black
- Diffuser Opal PMMA
- Suspension One pair clutch wire - 1mtr.







96W

Alfa 2

□ LDP0031 09

For LED Bulb 9W/max/B22d

Housing Spun Al in texture
Finish □ White □ Black



Splendid Pendant 1B

□ LDP0053B

Power 11W

- LED □ 3000K □ 4000K □ 6500K
- Beam Angle □ 90°
- Housing Spun Al in texture
- Finish □ White □ Black
- Reflector Faceted Al Mirror Bright Finish
- Filter PMMA □ Clear □ Opal




11W

Splendid Pendant 1C

□ LDP0053C

Power 11W

- LED □ 3000K □ 4000K □ 6500K
- Beam Angle □ 90°
- Housing Spun Al in texture
- Finish □ White □ Black
- Reflector Faceted Al Mirror Bright Finish
- Filter PMMA □ Clear □ Opal




11W

Splendid Pendant 1D

□ LDP0053D

Power 11W

- LED □ 3000K □ 4000K □ 6500K
- Beam Angle □ 90°
- Housing Spun Al in texture
- Finish □ White □ Black
- Reflector Faceted Al Mirror Bright Finish
- Filter PMMA □ Clear □ Opal





11W

Splendid Pendant 3B

□ LDP0055B

Power 22W

- LED 3000K 4000K 6500K
- Beam Angle 90°
- Housing Spun Al in texture
- Finish White Black
- Reflector Faceted Al Mirror Bright Finish
- Filter PMMA Clear Opal




22W

Splendid Pendant 3C

□ LDP0055C

Power 22W

- LED 3000K 4000K 6500K
- Beam Angle 90°
- Housing Spun Al in texture
- Finish White Black
- Reflector Faceted Al Mirror Bright Finish
- Filter PMMA Clear Opal




22W

Splendid Pendant 3D

□ LDP0055D

Power 22W

- LED 3000K 4000K 6500K
- Beam Angle 90°
- Housing Spun Al in texture
- Finish White Black
- Reflector Faceted Al Mirror Bright Finish
- Filter PMMA Clear Opal



22W



Circline pendant

Circline P1

□ LDP2428 26

Power 26W

- LED □ 3000K □ 4000K □ 5700K
- Dimming Options available*
- Ring & Spun Al in texture
- C G Box □ White □ Black
- Diffuser Injection Moulded Opal PMMA
- Suspension 3 point Wire Suspension





Circline P2

□ LDP2429 38

Power 38W

- LED □ 3000K □ 4000K □ 5700K
- Ring & Spun Al in texture
- C G Box □ White □ Black
- Diffuser Injection Moulded Opal PMMA
- Suspension 3 point Wire Suspension



Pendant

PC12 Refractor 136

□ CFP0001 136

For LED Bulb 17W/max/B22d



□ Without Lens

Housing & Ceiling Cup Lacquered Al

Ceiling Cup

Dome PC Clear

Suspension 1 Mtr. Clutch Wire



17W



PCL12 Refractor 136

□ CFP0002 136

For LED Bulb 17W/max/B22d

□ With Lens



Housing & Ceiling Cup Lacquered Al

Ceiling Cup


Dome PC Clear

Lens PC Clear with Ring

Suspension 1 Mtr. Clutch Wire



17W



Tulip Corporation

Regd. office:

B12, Nandkishore Industrial Estate, Off Mahakali Road
Andheri East, Mumbai 400093, India

Email : info@tulipcorporation.net
Web : www.tuliplighting.com

Tel: +91 (0)22 2687 0833, 2687 1272