

Tulip


Recessed Light

CONTEMPORARY LIGHTING


Established in 1970 by Mr. Rashmikant Bhuta, Tulip Corporation, a design oriented partnership firm has been consistently manufacturing and marketing high quality lighting products to various Projects, Contractors and Dealers in major cities of India.

Armed with a wealth of experience in manufacturing custom made Luminaries for Architects, Tulip has designed and developed its own range of Luminaries with distinct style to go with today's interiors.


Over a period of time, Tulip is recognised by Architects, Consultants, Traders and end users for its Creativity, Simplicity, Consistency and Value for Money.



01



02




02



03



03




04



05




06



07



08



09



10



10



10



10




11



11



11



12



12



12



13



13



13



14



14



14



15



15



15



16



16



16



16



17



17



17



17



18



18



18



19






19





19



20



# Linea 30 dark light recess





## Linea 30 Dark Light R9

□ DRK30RDL9 35

Power 35W

LED  
Dimming  
Housing  
Optics

□ 3000k □ 4000k □ 5700k  
Options available\*  
Extruded Al in texture White  
□ 15° □ 30° □ 45° Reflector  
Lens + Anti-glare black cover




## Linea 30 Dark Light R18

□ DRK30RDL18 70

Power 70W



LED  
Dimming  
Housing  
Optics

□ 3000k □ 4000k □ 5700k  
Options available\*  
Extruded Al in texture White  
□ 15° □ 30° □ 45° Reflector  
Lens + Anti-glare black cover





# Linea 30 dark light combi, recess




## Linea 30 Dark Light R21

□ DRK30R2D2 38

Power 38W

LED  
Dimming  
Housing  
Diffuser  
Optics

□ 3000k □ 4000k □ 5700k  
Options available\*  
Extruded Al in texture White  
Opal PC  
□ 15° □ 30° □ 45° Reflector  
Lens + Anti-glare black cover



## Linea 30 Dark Light R22

□ DRK30R2B2 24

Power 24W

LED  
Dimming  
Housing  
Blind Cover  
Optics

□ 3000k □ 4000k □ 5700k  
Options available\*  
Extruded Al texture White  
Extruded Al in texture □ White □ Black  
□ 15° □ 30° □ 45° Reflector  
Lens + Anti-glare black cover





## Linea 30 Dark Light R1

□ DRK30RDL1 06

Power 06W

- LED □ 3000k □ 4000k □ 5700k
- Dimming Options available\*
- Housing Extruded Al in texture White
- Optics □ 15° □ 30° □ 45° Reflector
- Lens + Anti-glare black cover






## Linea 30 Dark Light R2



□ DRK30RDL2 12

Power 12W

- LED □ 3000k □ 4000k □ 5700k
- Dimming Options available\*
- Housing Extruded Al in texture White
- Optics □ 15° □ 30° □ 45° Reflector
- Lens + Anti-glare black cover



# Linea 50 louver light recess




## Linea 50 ALR4

□ LNX50ALR4 24

Power 24W

LED  
Dimming  
Housing  
Louver

□ 3000k □ 4000k □ 5700k  
Options available\*  
Extruded Al in White  
Anodized Al in Mirror Bright Finish



## Linea 50 ALR8

□ LNX50ALR8 48

Power 48W


LED  
Dimming  
Housing  
Louver

□ 3000k □ 4000k □ 5700k  
Options available\*  
Extruded Al in White  
Anodized Al in Mirror Bright Finish





# Linea 30 recess



- 14W
- 20W
- 24W
- 29W
- 48W



+ 50 +  
+ 34 +



**Linea 30 R2**  
 LNX30R2 14  
 Power 14W

LED  
 Dimming  
 Housing  
 Diffuser


3000k  4000k  5700k  
 Options available\*  
 Extruded Al in texture White  
 Opal PC



**Linea 30 R3**  
 LNX30R3 20  
 Power 20W

LED  
 Dimming  
 Housing  
 Diffuser



3000k  4000k  5700k  
 Options available\*  
 Extruded Al in texture White  
 Opal PC



**Linea 30 R4**  
 LNX30R4 24  
 Power 24W

LED  
 Dimming  
 Housing  
 Diffuser



3000k  4000k  5700k  
 Options available\*  
 Extruded Al in Texture White  
 Opal PC



**Linea 30 R5**  
 LNX30R5 29  
 Power 29W

LED  
 Dimming  
 Housing  
 Diffuser


3000k  4000k  5700k  
 Options available\*  
 Extruded Al in Texture White  
 Opal PC



**Linea 30 R8**  
 LNX30R8 48  
 Power 48W


LED  
 Dimming  
 Housing  
 Diffuser

3000k  4000k  5700k  
 Options available\*  
 Extruded Al in texture White  
 Opal PC




\*Price on request

# Linea 50 recess



**Linea 50 R2**  
 LNX50R2 13  
 Power 13W

LED Dimming Housing Diffuser  
 3000k  4000k  5700k  
 Options available\*  
 Extruded Al in White  
 Opal PMMA




**Linea 50 R3**  
 LNX50R3 20  
 Power 20W

LED Dimming Housing Diffuser  
 3000k  4000k  5700k  
 Options available\*  
 Extruded Al in White  
 Opal PMMA





**Linea 50 R4**  
 LNX50R4 24  
 Power 24W

LED Dimming Housing Diffuser  
 3000k  4000k  5700k  
 Options available\*  
 Extruded Al in White  
 Opal PMMA




**Linea 50 R5**  
 LNX50R5 30  
 Power 30W

LED Dimming Housing Diffuser  
 3000k  4000k  5700k  
 Options available\*  
 Extruded Al in White  
 Opal PMMA





**Linea 50 R8**  
 LNX50R8 48  
 Power 48W

LED Dimming Housing Diffuser  
 3000k  4000k  5700k  
 Options available\*  
 Extruded Al in White  
 Opal PMMA





# Linea 70 recess



**Linea 70 R2**  
 LNX70R2 13  
 Power 13W

LED  
 Dimming  
 Housing  
 Diffuser



3000k  4000k  5700k  
 Options available\*  
 Extruded Al in White  
 Opal PMMA



**Linea 70 R3**  
 LNX70R3 20  
 Power 20W

LED  
 Dimming  
 Housing  
 Diffuser


3000k  4000k  5700k  
 Options available\*  
 Extruded Al in White  
 Opal PMMA



**Linea 70 R4**  
 LNX70R4 24  
 Power 24W

LED  
 Dimming  
 Housing  
 Diffuser



3000k  4000k  5700k  
 Options available\*  
 Extruded Al in White  
 Opal PMMA



**Linea 70 R5**  
 LNX70R5 30  
 Power 30W

LED  
 Dimming  
 Housing  
 Diffuser

3000k  4000k  5700k  
 Options available\*  
 Extruded Al in White  
 Opal PMMA



**Linea 70 R8**  
 LNX70R8 48  
 Power 48W



LED  
 Dimming  
 Housing  
 Diffuser

3000k  4000k  5700k  
 Options available\*  
 Extruded Al in White  
 Opal PMMA





\*Price on request

# Ultraslim 20mm recess




**Ultraslim R1 18**  
 **USR2318 18**  
 Power 18W


LED  3000k  4000k  5000k  
 Dimming Options available\*  
 Housing Extruded Al in White  
 Diffuser Opal PC  
 Control Gear Remote Mounting



**Ultraslim R2 36**  
 **USR2318 36**  
 Power 36W

LED  3000k  4000k  5000k  
 Dimming Options available\*  
 Housing Extruded Al in White  
 Diffuser Opal PC  
 Control Gear Remote Mounting






**Retail Light R1 AS**  
 **RTL40R1AS 09**  
 Power 09W

LED  
 Dimming  
 Housing  
 Optics


- 3000k  4000k  5700k
- Options available\*
- Extruded Al in texture White
- Clear PC Lens
- Asymmetric Single  Asymmetric Double



**Retail Light R2 AS**  
 **RTL40R2AS 13**  
 Power 13W

LED  
 Dimming  
 Housing  
 Optics



- 3000k  4000k  5700k
- Options available\*
- Extruded Al in texture White
- Clear PC Lens
- Asymmetric Single  Asymmetric Double



**Retail Light R4 AS**  
 **RTL40R4AS 24**  
 Power 24W

LED  
 Dimming  
 Housing  
 Optics

- 3000k  4000k  5700k
- Options available\*
- Extruded Al in texture White
- Clear PC Lens
- Asymmetric Single  Asymmetric Double



**Retail Light R8 AS**  
 **RTL40R8AS 48**  
 Power 48W

LED  
 Dimming  
 Housing  
 Optics

- 3000k  4000k  5700k
- Options available\*
- Extruded Al in texture White
- Clear PC Lens
- Asymmetric Single  Asymmetric Double





## Splendid Down Light 1

□ LDR0053 11

Power: 11W

LED □ 3000K □ 4000K □ 6500K  
 Beam Angle □ 90°  
 Trim Cast Al in White  
 Reflector Faceted Al Mirror Bright Finish  
 Filter PMMA □ Clear □ Opal





## Splendid Down Light 5

□ LDR0057 11

Power: 11W

LED □ 3000K □ 4000K □ 6500K  
 Beam Angle □ 90°  
 Trim Cast Al in White  
 Reflector Faceted Al Mirror Bright Finish  
 Ring PMMA Opal





## Splendid Down Light 3

□ LDR0055 22

Power: 22W

LED □ 3000K □ 4000K □ 6500K  
 Beam Angle □ 90°  
 Trim Cast Al in White  
 Reflector Faceted Al Mirror Bright Finish  
 Filter PMMA □ Clear □ Opal





## Splendid Down Light 6

□ LDR0058 22

Power: 22W

LED □ 3000K □ 4000K □ 6500K  
 Beam Angle □ 90°  
 Trim Cast Al in White  
 Reflector Faceted Al Mirror Bright Finish  
 Ring PMMA Opal




## Vega R5

□ LDR2502 17

Power 17W

□ LDR2502 21

Power 21W



LED	COB □ 3000K □ 4000K □ 5700K □ Tunable White
Dimming	Options available*
Housing & Trim	Cast Al in White
Reflector	Faceted Mirror Bright Finish
Filter	Clear
Cooling	Passive Heatsink in Al



17W

21W


## Vega R2

□ LDR2501 24

Power 24W

□ LDR2501 30

Power 30W



LED	COB □ 3000K □ 4000K □ 5700K □ Tunable White
Dimming	Options available*
Housing & Trim	Cast Al in White
Reflector	Faceted Mirror Bright Finish
Filter	Clear
Cooling	Passive Heatsink in Al



24W

30W


## Vega R1

□ LDR2500 24

Power 24W

□ LDR2500 30

Power 30W



LED	COB □ 3000K □ 4000K □ 5700K □ Tunable White
Dimming	Options available*
Housing & Trim	Cast Al in White
Reflector	Faceted Mirror Bright Finish
Filter	Clear
Cooling	Passive Heatsink in Al



24W


30W




## Eyeball Spot 1

□ LDR1504 07

Power 7W



LED	COB □ 3000K □ 4000K □ 5000K □ Tunable White
Housing	Cast Al in White
Reflector	Faceted Mirror Bright Finish
Filter	Clear
Cooling	Passive Heatsink in Al




## Vega R3

□ LDR1170 17

Power 17W

□ LDR1170 21

Power 21W



LED	COB □ 3000K □ 4000K □ 5000K □ Tunable White
Dimming	Options available*
Housing & Trim	Cast Al in White
Reflector	Faceted Al Mirror Bright Finish with 36° Beam Angle
Filter	Clear
Cooling	Passive Heatsink in Al




## Vega R4

□ LDR1180 24

Power 24W

□ LDR1180 30

Power 30W




LED	COB □ 3000K □ 4000K □ 5000K □ Tunable White
Dimming	Options available*
Housing & Trim	Cast Al in White
Reflector	Faceted Al Mirror Bright Finish with 36° Beam Angle
Filter	Clear
Cooling	Passive Heatsink in Al




## Jupiter 4

□ LDR0064 09

Power 9W




- LED COB □ 3000K □ 4000K □ 5000K □ Tunable White
- Beam Angle □ 13°-19° □ 60°
- Dimming Options available\*
- Trim Spun Al in White
- Reflector Faceted Mirror Bright Finish □ White □ Black
- Filter □ Clear □ Frosted
- Cooling Passive Heatsink in Al




## Jupiter 12

□ LDR0074 15

Power 15W




- LED COB □ 3000K □ 4000K □ 5000K □ Tunable White
- Beam Angle □ 29° □ 60°
- Dimming Options available\*
- Trim Spun Al in White
- Reflector Faceted Mirror Bright Finish □ White □ Black
- Filter □ Clear □ Frosted
- Cooling Passive Heatsink in Al



## Jupiter 14

□ LDR0075 15

Power 15W



- LED COB □ 3000K □ 4000K □ 5000K □ Tunable White
- Beam Angle □ 24°
- Dimming Options available\*
- Trim Spun Al in White
- Reflector Faceted PMMA with Lens
- Cooling Passive Heatsink in Al



# Deep Down Light


## Deep Down Light 1

□ LDR1133 09


Power 09W

□ LDR1133 11

Power 11W



LED	COB □ 3000K □ 4000K □ 5000K □ Tunable White
Dimming	Options available*
Trim	Cast Al in White
Baffle	Cast Al in Black
Reflector	Faceted Mirror Bright Finish
Filter	Clear
Cooling	Passive Heatsink in Al



09W

11W


## Deep Down Light 2

□ LDR1134 15

Power 15W

□ LDR1134 17

Power 17W



LED	COB □ 3000K □ 4000K □ 5000K □ Tunable White
Dimming	Options available*
Trim	Cast Al in White
Baffle	Cast Al in Black
Reflector	Faceted Mirror Bright Finish
Filter	Clear
Cooling	Passive Heatsink in Al




15W

17W

## Deep Down Light 4

□ LDR1142 24

Power 24W



LED	COB □ 3000K □ 4000K □ 5000K □ Tunable White
Dimming	Options available*
Trim	Cast Al in White
Baffle	Cast Al in Black
Reflector	Faceted Mirror Bright Finish
Filter	Clear
Cooling	Passive Heatsink in Al




24W

# Deep Down Light | Ronda

## Deep Down Light 3

□ LDR1141 13

Power 13W



- LED COB □ 3000K □ 4000K □ 5000K □ Tunable White
- Dimming Options available\*
- Housing Cast Al in White
- Baffle Cast Al in □ Black □ White □ Silver
- Reflector Faceted Mirror Bright Finish
- Filter Clear
- Cooling Passive Heatsink in Al




13W



## Deep Down Light 5

□ LDR1143 17

Power 17W



- LED COB □ 3000K □ 4000K □ 5000K □ Tunable White
- Dimming Options available\*
- Housing Cast Al in White
- Baffle Cast Al in □ Black □ White □ Silver
- Reflector Faceted Mirror Bright Finish
- Filter Clear
- Cooling Passive Heatsink in Al



17W


21W





## Ronda Wall Washer 1

□ RND65R1 15

Power 15W



- LED □ 3000K □ 4000K □ 5000K □ Tunable White
- Dimming Options available\*
- Trim Spun Al in White
- Lens Asymmetric
- Cooling Passive Heatsink in Al



15W




## SQ Adjustable 1

□ LDR2051 09


Power 09W

□ LDR2051 13

Power 13W



LED COB □ 3000K □ 4000K □ 5000K □ Tunable White  
 Dimming Options available\*  
 Housing Cast Al in White  
 Reflector Faceted Mirror Bright Finish  
 Filter Clear  
 Cooling Passive Heatsink in Al




## SQ Adjustable Twin 1

□ LDR2052 209

Power 2x9W

□ LDR2052 213

Power 2x13W




LED COB □ 3000K □ 4000K □ 5000K □ Tunable White  
 Dimming Options available\*  
 Housing Cast Al in White  
 Reflector Faceted Mirror Bright Finish  
 Filter Clear  
 Cooling Passive Heatsink in Al



## SQL 1

□ LDR2701 15

Power 15W




LED COB □ 3000K □ 4000K □ 5000K □ Tunable White  
 Dimming Options available\*  
 Housing Cast Al in White  
 Reflector Faceted Mirror Bright Finish  
 Filter Clear  
 Cooling Passive Heatsink in Al



## SQL Twin 1

□ LDR2702 215

Power 2x15W



LED COB □ 3000K □ 4000K □ 5000K □ Tunable White  
 Dimming Options available\*  
 Housing Cast Al in White  
 Reflector Faceted Mirror Bright Finish  
 Filter Clear  
 Cooling Passive Heatsink in Al




## Trimless 1

□ LDR1080 09

Power 09W

□ LDR1080 13

Power 13W



09W

13W

LED COB □ 3000K □ 4000K □ 5000K □ Tunable White

Dimming Options available\*

Trim Cast Al in White

Reflector Faceted Mirror Bright Finish

Filter Clear

Cooling Passive Heatsink in Al




## Trimless 3

□ LDR1011 09

Power 09W

□ LDR1011 13

Power 13W



09W

13W

LED COB □ 3000K □ 4000K □ 5000K □ Tunable White

Dimming Options available\*

Trim Cast Al in White

Reflector Faceted Mirror Bright Finish

Filter Clear


Cooling Passive Heatsink in Al



## Trimless 2

□ LDR1012 15

Power 15W



15W

LED COB □ 3000K □ 4000K □ 5000K □ Tunable White

Dimming Options available\*

Trim Cast Al in White

Reflector Faceted Mirror Bright Finish

Filter Clear


Cooling Passive Heatsink in Al



## Trimless 4

□ LDR1014 15

Power 15W



15W

LED COB □ 3000K □ 4000K □ 5000K □ Tunable White

Dimming Options available\*

Trim Cast Al in White

Reflector Faceted Mirror Bright Finish

Filter Clear

Cooling Passive Heatsink in Al




# Spot / Down Light

## Angular Spot 1

□ LDR1100 15

Power 15W



LED COB □ 3000K □ 4000K □ 5000K □ Tunable White  
 Dimming Options available\*  
 Housing & Trim Cast Al in White  
 Reflector Faceted Al Mirror Bright Finish  
 Filter Clear  
 Cooling Passive Heatsink in Al




## Vega Sq1

□ LDR2511 24

Power 24W

□ LDR2511 30

Power 30W



LED COB □ 3000K □ 4000K □ 5000K □ Tunable White  
 Dimming Options available\*  
 Housing & Trim Cast Al in White  
 Reflector Faceted Al Mirror Bright Finish  
 Filter Clear  
 Cooling Passive Heatsink in Al



## DLM Down Light 1

□ LDR0102 25


Power 25W

□ LDR0102 27


Power 27W

□ LDR0102 28

Power 28W



LED DLM Integrated □ 3000k □ 4000k □ 5000k  
 Housing Cast Al in Silver  
 Trim Cast Al in White  
 Reflector Anodized Al in Mirror Bright  
 Cooling Passive Heatsink in Al






# Spot Light

## Onyx 2

□ LDR1122 21

Power 21W




- LED COB □ 3000K □ 4000K □ 5000K □ Tunable White
- Dimming Options available\*
- Housing Cast Al in White
- Reflector Faceted Mirror Bright Finish
- Filter Frosted
- Cooling Passive Heatsink in Al



## Zoom Spot 2

□ LDR1136 15

Power 15W



- LED COB □ 3000K □ 4000K □ 5000K □ Tunable White
- Dimming Options available\*
- Housing Cast Al in White
- Reflector Faceted Mirror Bright Finish
- Filter Clear
- Cooling Passive Heatsink in Al




## Zoom Spot 3

□ LDR1135 24

Power 24W

□ LDR1135 30

Power 30W



- LED COB □ 3000K □ 4000K □ 5000K □ Tunable White
- Dimming Options available\*
- Housing Cast Al in White
- Reflector Faceted Mirror Bright Finish
- Filter Clear
- Cooling Passive Heatsink in Al






\*Price on request

## Alcon Eco 1

□ LDR0090 08

Power: 08W

LED □ 3000K □ 4000K □ 5700K  
 Dimming Options available\*  
 Housing Cast Al in White  
 Diffuser Injection Moulded Opal PC



## Alcon Eco 2




□ LDR0091 12

Power 12W

□ LDR0091 15

Power 15W

LED □ 3000K □ 4000K □ 5700K  
 Dimming Options available\*  
 Housing Cast Al in White  
 Diffuser Injection Moulded Opal PC




## Alcon Eco 3

□ LDR0092 18

Power 18W

LED □ 3000K □ 4000K □ 5700K  
 Dimming Options available\*  
 Housing Cast Al in White  
 Diffuser Injection Moulded Opal PC




## Alcon Eco 4

□ LDR0093 22

Power 22W

LED □ 3000K □ 4000K □ 5700K  
 Dimming Options available\*  
 Housing Cast Al in White  
 Diffuser Injection Moulded Opal PC



# Alcon Deep Downlight




## Alcon Deep Downlight 1

□ LDR0095 12

Power 12W

□ LDR0095 15

Power 15W



LED □ 3000K □ 4000K □ 5700K  
Dimming Options available \*  
Trim Spun Al in White  
Diffuser Injection Moulded Opal PC



12W


15W



## Alcon Deep Downlight 2

□ LDR0096 18

Power 18W



LED □ 3000K □ 4000K □ 5700K  
Dimming Options available \*  
Trim Spun Al in White  
Diffuser Injection Moulded Opal PC






18W



## Accessories

### Switching



### Remote Control

- RF Remote
- Mobile App



RF Remote




\*Price on request

## SQ Eco 8

□ LDR0088 08

Power: 08W

LED □ 3000K □ 4000K □ 5700K  
 Dimming Options available\*  
 Housing Cast Al in White  
 Diffuser Injection Moulded Opal PC



## SQ Eco 5




□ LDR0085 12

Power 12W

□ LDR0085 15

Power 15W

LED □ 3000K □ 4000K □ 5700K  
 Dimming Options available\*  
 Housing Cast Al in White  
 Diffuser Injection Moulded Opal PC





## SQ Eco 6

□ LDR0086 18

Power 18W

LED □ 3000K □ 4000K □ 5700K  
 Dimming Options available\*  
 Housing Cast Al in White  
 Diffuser Injection Moulded Opal PC





## SQ Eco 7

□ LDR0087 22

Power 22W


LED □ 3000K □ 4000K □ 5700K  
 Dimming Options available\*  
 Housing Cast Al in White  
 Diffuser Injection Moulded Opal PC



**Sky Light 1**

□ LDR4211 35


Power 35W



- LED □ 3000K □ 4000K □ 5700K
- Dimming Options available\*
- Housing CRCA in White
- Diffuser Opal PS

Suitable for 'T' type grid ceiling.

Dimming	LED	Wire Hanger 570 x 545	'T' type grid 600 x 600
---------	-----	--------------------------	----------------------------




35W

**Module 1**

□ LDR4101 35

Power 35W



- LED □ 3000K □ 4000K □ 5700K
- Dimming Options available\*
- Housing CRCA in White with Gasket
- Frame Detachable Door Frame
- Diffuser Opal PS

Suitable for Gypsum ceiling & 'T' type grid ceiling.

		Dimming	LED	Cutout 575 x 575	Wire Hanger 525 x 525	'T' type grid 600 x 600
--	--	---------	-----	---------------------	--------------------------	----------------------------




35W


**Module Eco 1A**

□ LDR4101ECO1A 36

Power 36W



Suitable for 'T' type grid ceiling




36W

**Module Eco 1B**

□ LDR4101ECO1B 36

Power 36W



- LED □ 3000K □ 4000K □ 5700K
- Dimming Options available\*
- Housing CRCA in White
- Frame Fixed type, CRCA in White
- Diffuser Opal PS

Suitable for Gypsum ceiling & 'T' type grid ceiling.


Dimming	LED	Cutout 560 x 560	'T' type grid 600 x 600
---------	-----	---------------------	----------------------------

## Circline RL1

□ LDR2429 26

Power 26W

LED □ 3000K □ 4000K □ 5700K  
 Dimming Options available\*  
 Housing Spun Al in White  
 Diffuser Injection Moulded Opal PMMA




26W

## Circline FRL2

□ LDR2430 26

Power 26W

LED □ 3000K □ 4000K □ 5700K  
 Dimming Options available\*  
 Housing Spun Al in White  
 Diffuser Injection Moulded Opal PMMA




26W

## Circline FRL3

□ LDR2432 38


Power 38W

LED □ 3000K □ 4000K □ 5700K  
 Dimming Options available\*  
 Housing Spun Al in White  
 Diffuser Opal PMMA




38W


**Bubble 2RL**  
 □ LDR3125 20  
 Power 20W




LED □ 3000K □ 4000K □ 5700K  
 Housing Spun Al in White  
 Diffuser Blow Moulded Opal PMMA



**Bubble 3RL**  
 □ LDR3126 40  
 Power 40W



LED □ 3000K □ 4000K □ 5700K  
 Housing Spun Al in White  
 Diffuser Blow Moulded Opal PMMA









## Linear 18L

### □ LDR1904 32

Power 32W

- LED □ 3000K □ 4000K □ 5700K
- Dimming Options available\*
- Housing & Frame CRCA in White
- Diffuser Opal PS

Dimming	LED	Cutout 1175 x 275	Wire Hanger 1175 x 245	T type grid 1200 x 300
---------	-----	----------------------	---------------------------	---------------------------



# Tulip Corporation

---

Regd. office:

B12, Nandkishore Industrial Estate, Off Mahakali Road  
Andheri East, Mumbai 400093, India

Email : [info@tulipcorporation.net](mailto:info@tulipcorporation.net)  
Web : [www.tuliplighting.com](http://www.tuliplighting.com)

Tel: +91 (0)22 2687 0833, 2687 1272