

VEL CLEAN

POWERFUL
CLEANING FOR
SPARKLING TILES
& STONE

REMOVES TOUGH STAINS,
CEMENT RESIDUE & DIRT WITH
EASE



PROFESSIONAL TILE CLEANING SOLUTION FOR HOMES & COMMERCIAL SPACES



MIX WITH
WATER



FOR INTERNAL
& EXTERNAL
FLOOR & WALL



SAFE ON TILES &
EVERYDAY USE



MAINTAINS
GLOSS OF TILES



REMOVES
STUBBORN
STAINS



USER-FRIENDLY
APPLICATION

DESCRIPTION

VEL-CLEAN is a high-performance tile and surface cleaning solution developed by Velwiin Chemicals for the effective removal of stubborn stains, mineral deposits, grease, and construction residues. It is specially formulated to restore the original appearance of tiled surfaces while maintaining their natural colour and finish.

The product is suitable for cleaning ceramic, porcelain, vitrified, glazed, and glass mosaic tiles, as well as sanitary ware and various cement-based surfaces. VEL-CLEAN efficiently removes white deposits, cement stains, soap scum, hard water marks, oil, grease, wax, moss, paint residues, and other common contaminants encountered in residential, commercial, and industrial environments.

Its easy-to-use formulation can be diluted with water for routine maintenance or applied directly for heavy-duty cleaning applications, making VEL-CLEAN a versatile solution for both indoor and outdoor surface cleaning.

FEATURES AND ADVANTAGES

VEL-CLEAN is formulated to deliver fast, effective, and safe cleaning for tiled surfaces and sanitary areas while helping preserve the original appearance of the surface.

- Fast-acting formula for efficient stain removal.
- Effectively removes cement residue, hard water marks, soap scum, grease, oil, wax, and mineral deposits.
- Suitable for ceramic, porcelain, vitrified, glazed, and glass mosaic tiles.
- Restores the original colour and natural shine of tiled surfaces.

- Helps clean tile joints and grout lines without damaging properly cured grout.
- Easy to dilute with water for routine maintenance cleaning.
- Can be used in concentrated form for stubborn stains and heavy contamination.
- Safe alternative to conventional acid-based cleaners when used as directed.
- Suitable for both floor and wall cleaning applications.
- Ideal for residential, commercial, and industrial cleaning requirements.
- Effective for both interior and exterior tiled surfaces.
- Simple application with cloth, sponge, mop, or suitable cleaning tools.

RECOMMENDED APPLICATIONS / AREAS OF USE

VEL-CLEAN is specially formulated for cleaning tiled surfaces, sanitary fixtures, and cement-based areas by removing dirt, stains, mineral deposits, and construction residues.

Recommended Applications

- Bathroom Floors & Walls
- Kitchen Tiles & Counter Areas
- Wash Basins & Sinks
- Toilet & Sanitary Areas
- Balconies & Utility Areas
- Residential Buildings
- Commercial Buildings
- Industrial Floors
- Garages & Workshops
- Newly Tiled Surfaces After Installation
- Routine Floor Maintenance
- Interior & Exterior Tiled Areas

Suitable for:

- Ceramic Tiles
- Porcelain Tiles
- Vitrified Tiles
- Glazed Tiles
- Glass Mosaic Tiles
- Tile Grout Joints
- Sanitary Ware
- Concrete Floors
- Terrazzo Surfaces
- Cement-Based Surfaces
- Asbestos Cement Sheets
- Natural Stone Surfaces

EFFECTIVE AGAINST

VEL-CLEAN helps remove:

Cement Stains | Hard Water Deposits | White Salt Deposits (Efflorescence) | Soap Scum | Oil & Grease | Wax Build-up | Moss & Algae | Paint Marks | Dirt & Grime | Yellowish Surface Deposits

Important Note

Before using VEL-CLEAN on polished natural stones such as marble, granite, or coloured stone, always perform a small trial application in an inconspicuous area. If any discoloration or surface etching is observed, discontinue use on that substrate.

TECHNICAL INFORMATION

Property	Specification
Product Type	High-Performance Tile & Surface Cleaner
Appearance	Reddish Liquid
Density	1.02 ± 0.02 kg/L
Viscosity	Similar to Water
Recommended Soaking Time	Approximately 5 Minutes
Dilution	Can be diluted with water depending on the type of stain and surface condition

PERFORMANCE CHARACTERISTICS

- Fast-acting formulation for effective stain removal.
- Removes mineral deposits, soap scum, grease, cement residue, and hard water stains.
- Restores the appearance of ceramic, porcelain, vitrified, and glazed tiles.
- Helps maintain the original colour and surface finish of tiles.
- Suitable for routine cleaning as well as heavy-duty maintenance.
- Compatible with both interior and exterior tiled surfaces when used as recommended.

Stain Resistance Performance

When used in the recommended 1:1 dilution with water, VEL-CLEAN is effective in cleaning stains such as:

Stain Type	Cleaning Performance
Pickle Stains	Effective
Turmeric Stains	Effective
Wine Stains	Effective
Oil Stains	Effective

APPLICATION INSTRUCTIONS & PRECAUTIONS

APPLICATION INSTRUCTIONS

For best cleaning performance, follow the procedure below:

Routine Cleaning

- Dilute VEL-CLEAN with clean water in a 1:1 ratio for regular cleaning applications.
- Apply the prepared solution evenly using a sponge, soft cloth, mop, or brush.
- Allow the solution to remain on the surface for approximately 5 minutes.
- Gently scrub the surface to loosen dirt and stains.
- Rinse thoroughly with clean water and wipe the surface dry.

Heavy-Duty Cleaning

- For stubborn stains, cement residue, hard water deposits, or heavy contamination, use VEL-CLEAN in its undiluted form.
- Before full application, always perform a small trial test on an inconspicuous area.
- After cleaning, rinse the treated surface thoroughly with clean water.

Daily Maintenance

- Add approximately two capfuls of VEL-CLEAN to half a bucket of clean water for routine floor and sanitaryware cleaning.
- Mop or wipe the surface as required and allow it to dry naturally.

PRECAUTIONS

- Wear suitable protective gloves during application, especially if you have sensitive skin.
- Avoid prolonged contact with skin and eyes.
- Before using on marble, granite, coloured stone, or other natural stone surfaces, carry out a small spot test in an inconspicuous area.
- If any discoloration or surface etching occurs within 24 hours, discontinue use on that surface.
- For unusual substrates or special cleaning requirements, conduct a trial application before large-scale use.

COVERAGE, PACKAGING, STORAGE, SAFETY

COVERAGE

The consumption of VEL-CLEAN depends on the level of contamination, surface porosity, application method, and dilution ratio.

- Coverage varies according to the type and severity of stains.
- For routine cleaning, the product can be diluted with water to achieve economical coverage.
- Heavily contaminated surfaces may require additional material or repeated application.

PACKAGING

VEL-CLEAN is available in the following standard pack sizes:

- 500 ml | 1 Litre | 5 Litres

SHELF LIFE

- 12 Months from the date of manufacture when stored in the original unopened container.
- Store under recommended storage conditions to maintain product quality throughout its shelf life.

STORAGE

- Store in a cool, dry, and well-ventilated location.
- Keep the container tightly closed when not in use.
- Protect the product from direct sunlight, moisture, and extreme temperatures.
- Do not transfer the material into unlabelled containers.
- Stir gently before use if the product has been stored for an extended period.

HEALTH & SAFETY

- Keep out of reach of children.
- Wear suitable gloves, protective clothing, and safety goggles while handling the product. Avoid direct contact with skin and eyes.
- In case of skin contact, wash immediately with plenty of clean water.
- If the product comes into contact with the eyes, rinse thoroughly with clean water and seek medical advice if irritation persists.
- The product is intended for professional and industrial use.
- Refer to the Material Safety Data Sheet (MSDS) for additional safety information before use.

DISCLAIMER

The information provided in this Technical Data Sheet is based on laboratory evaluations and practical application experience. Product performance may vary depending on the condition of the surface, application method, dilution ratio, environmental conditions, and user practices. Users should verify the suitability of VEL-CLEAN for the intended application before large-scale use. Velwiin Chemicals reserves the right to revise product specifications without prior notice as part of its continuous product development and quality improvement program.

Manufactured By : Velwiin Chemicals

Laxmi Industrial Estate, Near Laxmi Weighing Bridge,
Khokhra Hanuman Road, Bela, Morbi, Gujarat, India -
363642.

Mobile : +91 99097 75135

Email : velwiinchemicals@gmail.com

Website : www.velwiin.com