


U Shape Drain (Light Load) (T6)

**THE
INNOVATION IS
NECESSITY**




U Shape Drain Light Load (T6)




- U Shape Drain Light Load up to 5T LMV load / 2.4 T wheel load capacity.
- Can be used as side drain, away from road.
- Usages: Storm Water, Cable Trench, Fire Hydrant Lines




SIDE VIEW



SECTION



Typical Groove For Joint




Typical Cross Section For Slope

T-6 Drain (mm)	Dimensions of U Shape Drain (mm)									
W x H	L	A	h	a	b	c	d	e	E	F
300 x 300	2000	444	360	300	300	72	70	60	425	285
300 x 450	2000	444	520	300	450	72	70	70	425	285
450 x 300	2000	590	370	444	300	73	80	70	590	433
450 x 450	2000	614	520	450	450	82	80	70	590	433
600 x 300	2000	730	380	574	300	78	90	80	730	550
600 x 450	2000	730	380	586	450	72	90	80	730	550
600 x 600	2000	760	680	600	600	80	90	80	730	550
750 x 450	2000	890	540	750	450	70	80	90	890	732
750 x 600	2000	890	690	737	600	76.5	100	90	890	690
750 x 750	2000	915	840	750	750	82.5	100	90	890	690
800 x 600	2000	953	690	800	600	76.5	80	90	940	782
900 x 600	2000	1053	690	900	600	76.5	80	90	1040	882


Note: We also offer customized size to meet your specific requirements.

(All dimensions are in mm)

Lid Top View



Cover (mm)	a'	b'	c'
300 x 300	444	500	60
300 x 450	444	500	60
450 x 300	590	500	70
450 x 450	614	500	70
600 x 300	730	500	80
600 x 450	730	500	80
600 x 600	760	500	80
750 x 450	890	500	90
750 x 600	890	500	90
750 x 750	915	500	90
800 x 600	953	500	90
900 x 600	1053	500	90





UNIT 1

Block No - 407, Plot No - 2/1,
Serial No - 3, Pipodara, Mangrol,
Surat, Gujarat-394110.

UNIT 2

Plot No. 19-23, Block No. 1056,
Village Tadkeshwar, Kim Mandavi
Road, Nr. Vineet Polyfab Pvt. Ltd.,
Taluko, Mandavi, Surat-394170.

UNIT 3

Survey No. - NA1892/P2, Nr. Maruti
Spun Pipe, Ahmedabad Dhandhuka
Highway, At Bagodara, Ta-Bavla,
Dist. Ahmedabad, Gujarat-382230

+91 90995 99554 / +91 90999 40585

info@3ginfratech.com | www.3ginfratech.com



Please Scan
the QR Code to save
contact details.

BS EN 15804 : 2012 + A2:2019



AatmNirbharBharat