

Vein therapy at the touch of a button.

The Fibernex[®] FN II is a medical diode laser system thoughtfully engineered for endovenous laser ablation (EVLA). For added ease and convenience, the unit is equipped with a user-friendly touchscreen, built-in test port, and the ability to preset parameters.¹ This smart system is designed to support and streamline EVLA procedures, saving valuable time and resources.







Fibernex[®] FN III Laser System



Features and Benefits

Intuitive Interface — Features true color touchscreen, user-friendly navigations, and ability to preset parameters.

Standard Compatibility — SMA-905 connection with wavelength of 1470 nm \pm 10 nm.

Reliable Quality — Fully backed by three-year warranty including machine inspection, repairs, additional parts, and shipping.²

Foot Pedal — Safety cap shields foot pedal (*Figure 1*) and helps prevent accidental laser operation. Foot pedal activates laser when pushed down (*Figure 2*).

Test Port — Built-in test port (Figure 3) allows for testing of laser fiber and generator power output.

Clinical Specifications

Output Power	Safety Compliance	Wavelength	Pulse Width	Pulse Repetition Rate
1–15 W	CE 0197	1470 nm ± 10 nm	10 µs–10 s	0.05 Hz–20 KHz

Ordering Information

Part Number	Description	Units/Case
LS0101	Fibernex FN II Laser System	1
LS0102	Fibernex FN II Laser Foot Pedal	1
LS0103	Fibernex FN II Laser Interlock Connector	1

¹The Fibernex[®] FN II Laser System should only be operated by a physician who has been instructed in the use of the instrument. Visit www.typenex. com/resources to view the Fibernex FN II Operating Manual, which describes the technical use of the instrument only; medical use specifications are not included.

²For more information, contact a Typenex[®] Medical representative or visit www.typenex.com/resources for the Fibernex FN II Warranty.

Visit www.typenex.com or call 866-897-3639 to learn more.

303 E. Wacker Drive, Suite 1030 Chicago, IL 60601 USA





