



**ZEC008**

# **Instructions Manual CAPSULE COFFEE MACHINE**



**Model No.: ZEC00853-01**

Read this manual through before using and  
save it for future reference



TEL: +91-960-0000



[www.survivi.com](http://www.survivi.com)



[support@survivi.com](mailto:support@survivi.com)

# Contents

|                                     |    |
|-------------------------------------|----|
| Safety Precautions                  | 01 |
| What's In The Box?                  | 04 |
| Machine Overview                    | 06 |
| Technical Specifications            | 01 |
| Component/Control Types             | 08 |
| Basic Machine Setup/Maintenance     | 09 |
| Running Your First Job              | 10 |
| Warning Signs                       | 11 |
| Error Mode                          | 12 |
| Reset The Factory Settings          | 13 |
| Upgrading                           | 14 |
| Decoding                            | 14 |
| Employing The System                | 16 |
| Troubleshooting                     | 17 |
| Export and Environmental Protection | 17 |



# Safety Precautions

- The appliance is intended to prepare beverages according to these instructions.
- Do not use the appliance for anything other than its intended use.
- This appliance has been designed for indoor and non-hazardous temperature conditions use only.
- Protect the appliance from direct sunlight effect, prolonged water splash and humidity.
- This appliance may be used by children of at least 8 years of age, as long as they are supervised and have been given instructions about using the appliance safely, and are fully aware of the dangers involved.
- Children should not tamper with the appliance, but should report when they are older than 8 and they are supervised by an adult.
- Keep the appliance and its cord out of reach of children under 8 years of age.
- This appliance may be used by persons with reduced physical, sensory or mental capabilities or whose experience or knowledge is not sufficient, provided they are supervised or have received instruction to use the appliance safely and understand the dangers.
- Children should not use the appliance as a toy.
- The appliance is only to be used with the fuse provided.
- The manufacturer accepts no responsibility and the guarantee will not apply for any commercial use, inappropriate handling or use of the appliance, any damage resulting from use for other purpose(s) or operation, or improper storage or failure to comply with the instructions.

## Read risk of fatal electric shock and fire.

- In case of an emergency, immediately remove the plug from the power socket.
- If the appliance has a safety switch, disconnect it without making corrections. Make sure that the voltage of the power source is the same as that specified on the rating plate. The use of an incorrect connection voids the guarantee.

## The appliance must only be connected after installation.

- Do not plug the cord over sharp edges, sharp front and back hangers.
- Keep the cord away from heat and damp.
- If the plug is lost or damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid risks.
- If the cord is damaged, do not operate the appliance. Before the appliance is touched again.
- If an extension cord is required, use only an earthed cord with a conductor cross-sectional of at least 0.75 mm<sup>2</sup> (3000 W) or matching input power.
- To avoid fire and/or damage, never place the appliance on or inside hot surfaces such as radiators, stoves, ovens, gas burners, open flames or similar.

# Safety Precautions

- Always plug it only to a grounded, earthed and even surface. The surface must be capable to hold and hold the water, coffee, tea/coffee or milk etc.
  - Disconnect the appliance from the mains when not in use for a long period. Disconnect by pulling out the plug instead of pulling the cord back as the cord may become damaged.
  - Before leaving and coming, remove the plug from the mains socket and let the appliance cool down.
  - To disconnect the appliance, stop any preparation, then remove the plug from the power socket.
  - Never touch the cord with wet hands.
  - Never immerse the appliance or part of it in water or other liquid.
  - Never put the appliance or part of it in a dishwasher.
  - Electricity and water together is dangerous and can lead to fatal electrical shocks.
  - Never open the appliance. No internal voltage is built.
  - Do not put anything into the openings. Doing so may cause fire or electrical shock.
  - The use of necessary accessories not recommended by the manufacturer may result in fatal electrical shocks or injury to persons.
- Would possible harm when operating the appliance.**
- Never leave the appliance unattended during operation.
  - Do not use the appliance if it is damaged, has been dropped or not operating properly. Immediately remove the plug from the power socket. Concerns must be taken for inspection, repair or adjustment.
  - A damaged appliance can cause electrical shocks, burned fire.
  - Always keep the lid closed and never open it during operation. No spilling may occur.
  - Do not put fingers under coffee or milk lid or touching.
  - Do not put fingers into capsule compartment or the capsule shaft. Danger of injury.
  - Water could be heated or capsule when not perforated by the blades and damage the appliance.
  - Never use a damaged or deformed capsule. If a capsule is blocked in the capsule compartment, turn the machine off and unplug it before any operation. Please contact the manufacturer.
  - Always fill the water tank with cold/ fresh drinking water.
  - Empty water tank if the appliance will not be used for an extended time (3-4 days) still.
  - Do not use water inside tank after the appliance has been operated for a weekend or a similar period of time.
  - Disconnect the appliance without the plug box and plug and to avoid any injury.

# Safety Precautions

## By other surrounding surfaces:

- Do not touch hot surfaces. Use handles protected surfaces or gloves.
- To avoid scalding, keep always the lid handle lid closed during preparation.
- Extreme caution must be used when moving an appliance containing hot FLAME.
- Do not use any sharp cleaning agent or solvent cleaner. Use a damp cloth and mild cleaning agent to clean the surface of the appliance.
- Use cleaning agents, specially cleaning tools.
- After uncooking the machine, remove the **HEATING** and dispose.
- This appliance is designed specifically for espresso-coffee capsules.
- All appliances pass stringent controls, reliability tests under practical conditions and performed randomly on selected units. This can show traces of any previous use.

## Cleaning the Coffee Machine:

- Apply appliance operation not in use for a long period and before cleaning, allow to cool down before getting on or taking off parts, and before cleaning, remove the appliance from the base before cleaning.
- Please make sure the bottom of the **HEATING** coffee machine and base underneath the base is dry, especially the connector area, prior to use. **HEATING** and water together can cause electric shock.
- Never immerse the base or the **HEATING** coffee machine in water or other liquid for not **HEATING** or water **HEATING** or water together can cause fire or electric shock.

## Assembly:

- Reading again when used correctly, make ensure the proper functioning of your machine and its **HEATING** and that your coffee experience is as perfect as the first day. For coffee and Coffee Machine, always according to user manual recommendations or specific **HEATING**.

## SAVE THESE INSTRUCTIONS

For future use in any subsequent use.  
A full version of this instruction manual is available from the **HEATING**.

# What is in the Box?



Intuitive Coffee® Coffee Machine (Glass cup not included)



1 Intuitive Coffee

# Machine Overview



## CONTROL PANEL

- A. Espresso coffee extraction button
- B. Longo-coffee extraction button

# Machine Overview

|   |                           |   |                            |
|---|---------------------------|---|----------------------------|
| ① | Opening lever             | ⑦ | Large coffee cup tray      |
| ② | Capsule compartment       | ⑧ | Grip lever                 |
| ③ | Coffee buttons            | ⑨ | Washable body              |
| ④ | Coffee extraction control | ⑩ | Power cord                 |
| ⑤ | Water capsule indicator   | ⑪ | Removable water tank & lid |
| ⑥ | Espresso coffee cup tray  |   |                            |

## Review



|   |               |   |                                |   |                       |
|---|---------------|---|--------------------------------|---|-----------------------|
| ① | Espresso      | ④ | Increasing the amount of water | ⑦ | off                   |
| ② | Large         | ⑤ | Increasing the amount of water | ⑧ | Cooling/Warming       |
| ③ | on/off button | ⑥ | Amount of water                | ⑨ | Water Removal/Warming |

# Technical Specifications - Capsule Machine



| Item                          | Details                            |
|-------------------------------|------------------------------------|
| Model                         | EP3245/27                          |
| Machine Dimensions (WxDxH)    | 248x370x596mm (9.8x14.6x23.5 inch) |
| Machine Weight                | 6.7kg (14.8lb)                     |
| Machine Voltage               | 220V                               |
| Machine Power                 | 1300 W                             |
| Warm-up Time                  | 30 Second                          |
| Bar Pressure                  | 15 Bar                             |
| Used Capsule Chamber Capacity | 3 Pieces                           |
| Auto Shut-off Time            | 5 Minutes                          |
| Water Tank Capacity           | 1.8L (47.6oz)                      |
| Water Warning                 | Yes                                |
| Descaling Warning             | After 400 pieces of                |
| Cable Length                  | 1.5m (4ft 9in)                     |
| Cord Be retracted After Use?  | No                                 |

# Compatible Capsule Types

The **StarLine®** Capsule Machine is designed to work with **third-party** capsules compatible with **Keurig®** Original® machines.

**StarLine®** coffee **StarLine** capsules Machine supports **aluminum**, **compatible** and **Keurig®** (K2, K22) **coffee** capsules.

Even **compatible** capsules can change shape when the brewing temperature is applied, it is recommended to remove the coffee capsule immediately after the brewing process to prevent the **compatible** capsule from getting stuck in the chamber. However, the **StarLine** Capsule Machine system will automatically pass the used capsule directly into the chamber after the capsule is used.



# Survivi Machine Set Up

- ⚠️ **First, read the safety precautions**
- ⚙️ **factory settings (aperture: cup 40 ml (0.35 oz)  
Large cup: 80ml (2.7 oz)  
Auto off mode: 8 mins**



1. **Fill** the water tank before filling with beans. **Do not** use water until the fill line. Do not operate the machine with an empty tank. The maximum water amount is **filled** (2.7 oz).



2. Turn on the power. Touch the power button. The aperture starts to **fill**. In the mode of **brewing**, light, preheating about 30 seconds, the aperture of the indicator is **steady** steadily.

3. For the first time, press another **3** seconds the power button for 3 seconds to **start** the machine.

4. To turn the machine off before automatic auto-off mode, **press** the power button.

5. When brewing coffee, there is no water in the water tank and the display screen **appears** no water drop **indicating** a lot of water.

⚠️ **It is highly recommended** to ensure that there is enough water in the tank before brewing coffee.

**If** the water tank is found to be out of water while brewing coffee, the display **will** **appear** no water drop **indicating** a lot of water. **Or** the machine **will** stop working after adding water to the tank, restart it and the machine works normally.



10-000-0000



support@survivi.com



www.survivi.com

## Brewing Your First Cup

1. Turn off the power. Touch the power button. The aperture starts to close in the mode of breathing light, perfect for about 30 seconds, the aperture of the iris starts to stretch or contract.



1. Let the **post** computer and  
load the **logfile**. Load all  
parameters at a time.

[illegible]

**⚠️ Never lift the lever during operation unless in the safety position to avoid possible harm when operating the saw lever.**

[illegible]

## Brewing Your First Cup



6. After the coffee is brewed, the coffee is poured into the coffee pot.

### Brewing Tip

1. Divide the coffee capsule before use. This ensures an even distribution of the coffee grounds inside the capsule, allowing the machine to extract the coffee's full potential.



5. Turn on the power switch the power button, the aperture starts to **open** in the mode of breathing light, instead for about 30 seconds, the aperture of the indicator is already very nearly full. When the power button for 1 second, our water through the machine. **1** **2** **3** **4** **5** **6** **7** **8** **9** **10** **11** **12** **13** **14** **15** **16** **17** **18** **19** **20** **21** **22** **23** **24** **25** **26** **27** **28** **29** **30** **31** **32** **33** **34** **35** **36** **37** **38** **39** **40** **41** **42** **43** **44** **45** **46** **47** **48** **49** **50** **51** **52** **53** **54** **55** **56** **57** **58** **59** **60** **61** **62** **63** **64** **65** **66** **67** **68** **69** **70** **71** **72** **73** **74** **75** **76** **77** **78** **79** **80** **81** **82** **83** **84** **85** **86** **87** **88** **89** **90** **91** **92** **93** **94** **95** **96** **97** **98** **99** **100** **101** **102** **103** **104** **105** **106** **107** **108** **109** **110** **111** **112** **113** **114** **115** **116** **117** **118** **119** **120** **121** **122** **123** **124** **125** **126** **127** **128** **129** **130** **131** **132** **133** **134** **135** **136** **137** **138** **139** **140** **141** **142** **143** **144** **145** **146** **147** **148** **149** **150** **151** **152** **153** **154** **155** **156** **157** **158** **159** **160** **161** **162** **163** **164** **165** **166** **167** **168** **169** **170** **171** **172** **173** **174** **175** **176** **177** **178** **179** **180** **181** **182** **183** **184** **185** **186** **187** **188** **189** **190** **191** **192** **193** **194** **195** **196** **197** **198** **199** **200** **201** **202** **203** **204** **205** **206** **207** **208** **209** **210** **211** **212** **213** **214** **215** **216** **217** **218** **219** **220** **221** **222** **223** **224** **225** **226** **227** **228** **229** **230** **231** **232** **233** **234** **235** **236** **237** **238** **239** **240** **241** **242** **243** **244** **245** **246** **247** **248** **249** **250** **251** **252** **253** **254** **255** **256** **257** **258** **259** **260** **261** **262** **263** **264** **265** **266** **267** **268** **269** **270** **271** **272** **273** **274** **275** **276** **277** **278** **279** **280** **281** **282** **283** **284** **285** **286** **287** **288** **289** **290** **291** **292** **293** **294** **295** **296** **297** **298** **299** **300** **301** **302** **303** **304** **305** **306** **307** **308** **309** **310** **311** **312** **313** **314** **315** **316** **317** **318** **319** **320** **321** **322** **323** **324** **325** **326** **327** **328** **329** **330** **331** **332** **333** **334** **335** **336** **337** **338** **339** **340** **341** **342** **343** **344** **345** **346** **347** **348** **349** **350** **351** **352** **353** **354** **355** **356** **357** **358** **359** **360** **361** **362** **363** **364** **365** **366** **367** **368** **369** **370** **371** **372** **373** **374** **375** **376** **377** **378** **379** **380** **381** **382** **383** **384** **385** **386** **387** **388** **389** **390** **391** **392** **393** **394** **395** **396** **397** **398** **399** **400** **401** **402** **403** **404** **405** **406** **407** **408** **409** **410** **411** **412** **413** **414** **415** **416** **417** **418** **419** **420** **421** **422** **423** **424** **425** **426** **427** **428** **429** **430** **431** **432** **433** **434** **435** **436** **437** **438** **439** **440** **441** **442** **443** **444** **445** **446** **447** **448** **449** **450** **451** **452** **453** **454** **455** **456** **457** **458** **459** **460**



It was recommended to add a third section for the first and second College of Business students.

# Brewing Tips

- 11 After your capsule is brewed, the brewed coffee dispenses automatically from the brewed coffee into the chamber.



4. the coffee brewing time is longer compared to other machines, which allows you to achieve more extraction and coffee flavor notes.



5. with the water [4] adjustment function, you can adjust the coffee density according to your own taste.

## Eco Mode – Energy Saving Mode

- 12 The machine will automatically enter standby after 30 minutes.



After 30 minutes, the machine will automatically enter the standby state.

# Reset to Factory Settings

1. Factory settings (pressure cup fill of 0.05 oz, large cup fill of 0.17 oz) reset-off mode is on.

1. Plug in the power plug.

2. Plug in Power automatically resets to factory settings.

## Cleaning & Maintenance

1. Use of total electrical shock and fire, have someone the appliance or part of it is under. 2. Do not touch the machine before cleaning. 3. Do not use any strong cleaning agent or solvent cleaner. 4. Do not use sharp objects, brushes or sharp blades. 5. Do not place in dishwasher.



1. Empty the water tank: the water tank and the capsule container every day. 2. Do not use any strong cleaning agent or solvent cleaner. 3. Do not use sharp objects, brushes or sharp blades. 4. Do not place in dishwasher.



1. Do not use any strong cleaning agent or solvent cleaner. 2. Do not use sharp objects, brushes or sharp blades. 3. Do not place in dishwasher.

# Descaling

 The descaling solution can be harmful. Avoid contact with eyes, skin and clothes. The following table will indicate the descaling frequency required for the optimum performance of your machine, based on water hardness. For any additional questions you may have regarding descaling, please contact your service team.

The SmartCap® Coffee Machine will prompt you to descale the machine after 400 cups.

 Descal the SmartCap® Coffee Machine when the Machine is prompting you to descale (after 400 cups). Duration approximately 10 minutes.

|                                                                                                                             |                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
|                                            |                |
| <p>1. Lift and close the lever to open the capsule into the used capsule container.</p>                                     | <p>2. Insert the descaling strip into the capsule compartment.</p>                              |
|                                           |               |
| <p>3. Pour descaling liquid into the capsule compartment. The water level up to the 0.6L (600) line with 0.005% citric.</p> | <p>4. Place machine on a flat surface. Place the SmartCap Coffee Machine on a flat surface.</p> |

# Descaling



To start the descaling process, while the machine is turned on, press and hold the power button for 5 seconds until you see the water level strongly



4. Stop (10")



7. Fill the water tank with the latest descaling solution collected in the reservoir and repeat steps 4 and 5.



8. Simply put down the water tank with both hands in order.

As before ready, repeat steps 4 and 5 to finish the machine's descaling process.

9. To end the descaling process, press the power button.



10. Empty the drip-tray

# Emptying The System

Before a period of non-use, or before a repair, or before a report.



1. Use **Water Response Solution 3** and **once and only once** the water tank is empty.



2. Emptying process complete. Machine switched off system OK. When process is finished.



3. Remove the container and pour out the water.



4. Empty and clean the used **response solution**, the **chip tray** and the **chip tray**.

# Troubleshooting

| Problem                                                  | Solution                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| No port indicator                                        | <ul style="list-style-type: none"> <li>Check the main supply voltage and fuse.</li> <li>Check if problems are on the fused M.A.C.</li> </ul>                                                                                                                                      |
| No coffee, no water                                      | <ul style="list-style-type: none"> <li>First use 1/2 water tank with water-water (Open, 400, 1000) and run through machine according to instructions of chapter 05.</li> <li>Water tank is empty. Fill water tank.</li> <li>Check if necessary use descaling solution.</li> </ul> |
| Coffee comes out very slowly                             | <ul style="list-style-type: none"> <li>If the speed depends on the coffee variety.</li> <li>Check if necessary use descaling solution.</li> </ul>                                                                                                                                 |
| Coffee is not hot enough                                 | <ul style="list-style-type: none"> <li>Refill cup.</li> <li>Check if necessary.</li> </ul>                                                                                                                                                                                        |
| Capsule does not lock (Coffee through capsule container) | <ul style="list-style-type: none"> <li>Push capsule correctly.</li> <li>Check door, is the funnel closed.</li> </ul>                                                                                                                                                              |
| Machine timing                                           | <ul style="list-style-type: none"> <li>Check capsule to repeat or call the fused M.A.C.</li> </ul>                                                                                                                                                                                |
| No coffee, just water run-out (empty loaded capsule)     | <ul style="list-style-type: none"> <li>In case of problems, call the fused M.A.C.</li> </ul>                                                                                                                                                                                      |

## Disposal and Environmental Protection

This appliance complies with the E.C. Directive 2002/96/EC. Packaging materials and appliance contain recyclable materials. Your appliance contains no toxic material that can be recovered or destroyed. Separation of the recycling waste materials into different types facilitates the recycling of valuable raw materials. Leave the appliance at a collection point. You can obtain information or disposal from your local authorities.

# ***SU-VIVI®***



**Any Problem? Let Us Know.**



[www.kubetel.com](http://www.kubetel.com)



TEL-080-8408



[support@kubetel.com](mailto:support@kubetel.com)



**ZEC008**

# **Manual de Instrucciones**

## **MÁQUINA DE CAFÉ DE CÁPSULAS**



**Modelo: ZEC008-010-01**

Este es un manual informativo sobre el uso y  
garantía de este producto.



TEL: +34 915 00 00 00



[www.survivi.com](http://www.survivi.com)



[support@survivi.com](mailto:support@survivi.com)

|                                                             |    |
|-------------------------------------------------------------|----|
| Precauciones de seguridad                                   | 10 |
| Quitar la tapa                                              | 11 |
| Descripción general de la máquina                           | 12 |
| Especificaciones técnicas                                   | 14 |
| Tipos de cables de conexión                                 | 19 |
| Configuración y mantenimiento de la máquina de cables (RMR) | 24 |
| Preparación de superconductores                             | 27 |
| Concepto de preparación                                     | 29 |
| Modo multi-gram                                             | 39 |
| Revelar los ejes de hilos                                   | 40 |
| Uniplex                                                     | 44 |
| Demonstración (breve introducción)                          | 51 |
| Visualización del sistema                                   | 53 |
| Solución de problemas                                       | 64 |
| Entrenamiento y protección del medio ambiente               | 74 |



# Precauciones de seguridad

- El aparato está diseñado a partir de todos los acuerdos con las normativas vigentes.

- Evitar el uso del aparato para ningún otro fin distinto al previsto.

- Este aparato no está diseñado intencionalmente para usar láseres para comunicaciones de temperatura no invasivas.

- Prohibido el uso del láser en directo sobre personas de agua y sobre personas humanas.

- Este aparato puede ser utilizado por niños a partir de 14 años siempre que estén supervisados y hayan recibido instrucciones sobre el uso seguro del aparato y comprendan los riesgos que implica.

- La linterna y el mandador tanto del aparato no deben ser utilizados por niños a menos que tengan más de 14 años y estén bajo la supervisión de un adulto.

- Mantenga el aparato y su cable lejos del alcance de niños menores de 14 años.

- Este aparato puede ser utilizado por personas con capacidades físicas, sensoriales o mentales reducidas, o con falta de experiencia o conocimientos siempre que estén supervisados y hayan recibido instrucciones sobre el uso seguro del aparato y comprendan los riesgos.

- Los niños no deben usar el aparato como un juguete.

- El aparato no debe usarse con dispositivos.

- El fabricante no acepta ninguna responsabilidad y se garantiza no ser responsable en caso de una anomalía, manipulación inapropiada o uso indebido del aparato, así como de cualquier otro uso distinto al previsto, funcionamiento defectuoso, reparaciones no profesionales o modificación de las instrucciones.

- Evitar el riesgo de descargas eléctricas fatales e incendios.

- En caso de emergencia, interrumpir inmediatamente el suministro de alimentación.

- Cerrar el aparato inmediatamente al menor de cualquier anomalía, anomalía con anomalías o falta. Asegúrese de que el cable y la fuente de energía sean iguales que el modelo en el caso de conexiones. El uso de una conexión incorrecta puede provocar.

- El aparato debe manipularse intencionalmente después de su instalación.

- No debe usarse el aparato con cables eléctricos de tipo II o tipo III.

- Mantenga el cable eléctrico del cable y la linterna.

- Si el cable de alimentación está dañado, debe ser reemplazado por el fabricante, su servicio técnico o personal cualificado para evitar riesgos.

- El cable debe conectarse a la fuente de alimentación de la linterna de tipo II.

- Si se requiere un cable de alimentación, los cables deben conectarse a tierra y una prueba manual preliminar de la tensión (límite) no debe ser realizada con el poder.





# ¿Qué hay en la caja?



1. Máquina de café con cápsulas (sin filtro) (100% acero inoxidable)



2. Manual de usuario

# Descripción general de la máquina



## PANEL DE CONTROL

A. Botón de extracción de café espresso  
B. Botón de extracción de café lungo

# Descripción general de la máquina

|   |                                        |   |                                    |
|---|----------------------------------------|---|------------------------------------|
| ① | Palanca de operación                   | ⑥ | Reserva para taza de café largo    |
| ② | Compartimento para aditivos            | ⑦ | Reserva para café                  |
| ③ | Botones de café                        | ⑧ | Grupos de bombas                   |
| ④ | Botón de inicio/intermitente de café   | ⑨ | Panel de iluminación               |
| ⑤ | Características de aditivos especiales | ⑩ | Reserva de agua caliente preparada |
| ⑪ | Reserva para taza de café espresso     |   |                                    |

Figura 1a



|   |                                    |   |                                      |   |                                 |
|---|------------------------------------|---|--------------------------------------|---|---------------------------------|
| ① | Agua fría                          | ⑥ | Reserva para agua caliente preparada | ⑩ | Reserva para agua               |
| ② | Longitud                           | ⑦ | Reserva para agua caliente preparada | ⑪ | Advertencia de descalcificación |
| ③ | Reserva de agua caliente preparada | ⑧ | Reserva de agua                      | ⑫ | Advertencia de falta de agua    |

# Especificaciones técnicas – Máquina de cápsulas



| para                                      | modelo                                     |
|-------------------------------------------|--------------------------------------------|
| Máquina                                   | EP3200-ES                                  |
| Dimensión de la máquina (mm)              | 187 (H) x 238 (W) x 215 (D) mm (L x A x P) |
| Peso de la máquina                        | 3,7 kg (8,15 lb)                           |
| Voltaje de la máquina                     | 100V                                       |
| Potencia de la máquina                    | 1200 W                                     |
| Tiempo de calentamiento                   | 30 segundos                                |
| Presión de bombeo                         | 15 bares                                   |
| Capacidad compartimento de almacenamiento | 7 cápsulas                                 |
| Tiempo de apagado automático              | Instantáneo                                |
| Capacidad del depósito de agua            | 0,66 L (1,75 qt)                           |
| Alarma de falta de agua                   | No                                         |
| Indicador de descalcificación             | Deposito de 400 cápsulas                   |
| Longitud del cable                        | 1,8 m (5,9 pies)                           |
| ¿Se puede lavar en el lavavajillas?       | No                                         |

# Tipos de cápsulas compatibles

La máquina de cápsulas **Intelli** está diseñada para funcionar con cápsulas de terceros compatibles con las máquinas/impresoras **Original Line**, la máquina de cápsulas **Intelli** soporta **todos** los tipos de cápsulas de café de **terceros**, **comerciales** y de **gusto** (por ejemplo, **FRÜ**).

Es importante que las cápsulas compatibles presenten una misma norma temporal y temperatura de preparación, asegurándose así que la cápsula de café funciona correctamente después del proceso de preparación con el fin de que la cápsula compatible quede almacenada en el compartimiento de soborno. El sistema de la máquina de cápsulas **Intelli** repone automáticamente la cápsula usada directamente al compartimento después de su uso.



# Configuración de la máquina Sunvivi

- ⚠ **Atención, lee los procedimientos de seguridad.**
- ⚠ **Ajusta el nivel de agua en el depósito**  
Fuerza de agua 80 ml (2.7oz)  
Tiempo de espuma automática 3 minutos



1. **Deposita el depósito de agua antes de llenar la taza con agua filtrada.** Antes de llenar la taza, no opere la máquina con el depósito vacío. Si comienza el modo de agua en 80 ml (2.7oz).



2. **Enciende la máquina y espera el inicio de encendido.** Encendido automático comienza a funcionar en modo de la temperatura (espuma). Funcionando durante unos 30 segundos, hasta que el nivel de la taza puede encendido de forma fija y que funcione automáticamente.

Después de la primera taza, comienza funcionando el inicio de encendido durante 3 segundos para limpiar y mantener.

Después de operar la máquina, antes de que se active el modo de espuma automática, presiona el botón de encendido.

Si el depósito está vacío, no se puede operar la máquina, espumando automáticamente agua tipo en 80 ml (2.7oz) y funcionando tipo de agua.

Si la encendido automáticamente comienza de que haya suficiente agua en el depósito antes de presionar el botón.

Si se opera tipo de agua durante el procedimiento, se comienza a mostrar una gota roja en la máquina cuando se funciona.

Después de agregar agua al depósito, retira la máquina y funcionará con normalidad.



# Preparar tu primera taza



• Asegúrate que el café está preparado las siguientes veces según corresponda en el contenedor de residuos.

## Consejos para la preparación del café

1. Agita la máquina de café antes de usarla. Esto asegura una distribución uniforme del café molido dentro de la cámara, permitiendo que la máquina extraiga todo el potencial del café.



2. Encienda la máquina haciendo el botón de encendido. El café comienza a salir en pequeñas gotas de un respiradero tras el cuerpo de la máquina. El café que sale indica que está listo. Después de esto, el botón de encendido de la máquina se apaga automáticamente. Después de esto, haz clic en el botón de la máquina para que la máquina extraiga el café. El café que sale indica que la máquina está lista para preparar la siguiente taza de café.



3. Recomiendamos que agites la máquina de café después de cada taza de café.

# Consejos para la preparación del café

- ☐ Después de preparar la máquina, la máquina de café también se ajusta automáticamente la altura de la taza al tiempo de preparación.



A el tiempo de preparación del café se ajusta luego en comparación con otros modelos. D que permite preparar mejor la extracción y la intensidad del café.



Si con la función de ajuste de presión de agua puedes modificar la cantidad del café según tu propio gusto.

## Modo Eco – Modo de Ahorro de Energía

- ☐ Después de la preparación automática de agua después de 5 minutos.



A después de la preparación automática de agua después de 5 minutos.



### Besinnerustzeiten (Bescheidnungszeiten)

# Desincrustación (Descalcificación)



1 hora



Añade agua al depósito descalcificante con la máquina encendida, cuando comienza el sonido de encendido, durante 5 segundos y espera hasta que el depósito de agua esté vacío.

El depósito de agua está vacío.



1. Vierte el agua al depósito con la máquina descalcificante. Cuando comienza el sonido de encendido, durante 5 segundos y repite la misma si y b.

El agua se vierte al depósito y se repite con agua potable después.

2. Cuando está vacío, repite la misma si y b para enjuagar la máquina después de 2 veces.

El agua que se vierte al depósito descalcificante, produce el sonido de encendido.



El agua se vierte al depósito.

# Vaciado del Sistema

Antes de un período de inactividad, para protegerlo contra heladas o antes de realizar una reparación.



1. Retirar el depósito de agua. Con la máquina apagada, desmontar el depósito y asegurarse de que el depósito esté completamente seco.



2. Conectar el proceso de vaciado. La máquina se encargará automáticamente cuando el nivel de agua sea inferior a 500 ml.



3. Retirar el depósito y vaciar el agua.



4. Vaciar el agua del contenedor de agua. El agua se vacía automáticamente en el contenedor de agua y se vacía el agua.

# Solución de Problemas

| Problema                                                                       | Solución                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| En FOCODOL (Líquido)                                                           | <ul style="list-style-type: none"> <li>- Verifique la cantidad de litros de líquido de refrigerante y el nivel de aceite y el nivel de FOCODOL-DE-GRAS-OLIO, comparelos con el vendedor de la tienda.</li> </ul>                                                                                                                                                                                       |
| No hay FOCODOL (Líquido)                                                       | <ul style="list-style-type: none"> <li>- Poner una línea al depósito de agua con agua fría (línea: 0000000000) y luego borrar la cantidad según la instrucciones del Capítulo 02.</li> <li>- El depósito de refrigerante vacío, ¿hay un depósito?             <ul style="list-style-type: none"> <li>- Desconectar el cable de conexión, conectar la conexión de refrigeración.</li> </ul> </li> </ul> |
| El nivel de agua es muy bajo                                                   | <ul style="list-style-type: none"> <li>- Verificar el nivel de agua de la tienda de agua.</li> <li>- Desconectar el cable de conexión, conectar la conexión de refrigeración.</li> </ul>                                                                                                                                                                                                               |
| El refrigerante está muy sucio                                                 | <ul style="list-style-type: none"> <li>- Reemplazar la línea.</li> <li>- Desconectar el cable de conexión.</li> </ul>                                                                                                                                                                                                                                                                                  |
| ¿Hay un FOCODOL (Líquido) que se puede usar para el refrigerante de la tienda? | <ul style="list-style-type: none"> <li>- El refrigerante es el mismo, si se produce el mismo, comparelos con el vendedor de la tienda.</li> </ul>                                                                                                                                                                                                                                                      |
| Refrigerante irregular                                                         | <ul style="list-style-type: none"> <li>- Conectar el refrigerante a la tienda de refrigerante, comparelos con el vendedor de la tienda.</li> </ul>                                                                                                                                                                                                                                                     |
| No hay FOCODOL (Líquido) que se puede usar para el refrigerante?               | <ul style="list-style-type: none"> <li>- En caso de problemas, comparelos con el vendedor de la tienda.</li> </ul>                                                                                                                                                                                                                                                                                     |

## Eliminación y Protección del Medio Ambiente

Este aparato cumple con la Directiva de la UE 2002/96/CE, las unidades de refrigeración y el propio aparato contienen materiales reciclables. El aparato contiene materiales eléctricos que pueden recuperarse o reciclarse en depósitos de los materiales reciclados en diferentes tipos de fábricas de reciclaje de materiales plásticos. Después de desmontar/apartar el refrigerante, consulte la siguiente información sobre la eliminación o el reciclaje correcto de los componentes eléctricos.

# ***SU-VIVI***



**Estamos aquí para ayudar.**



[www.su-vivi.com](https://www.su-vivi.com)



707-250-8808



[support@su-vivi.com](mailto:support@su-vivi.com)