



POPPY RESERVE | YAKIMA

DURABILITY FOR ANY ROOM, ANY STYLE

PRODUCT FEATURES

WATERPROOF PERFORMANCE

Waterproof to withstand spills and pet accidents.

STAIN AND SCRATCH PROTECTION

Provides finish protection against everyday wear and tear.

ENHANCED VISUALS

With natural wood and stone decors, SolidTech offers style for any room.

PRODUCT SPECIFICATIONS

Construction	Rigid LVF
Installation	
Thickness	6.0 mm
Wear Layer	
Plank Size	
Sq. Ft. per Carton	
Attached Underlayment	Yes
Bevel Type	Painted
Warranty	Lifetime Limited Residential

PLUS BENEFITS

EASYCLEANTM

Provides protection for simple cleanup and stain prevention

ALL PET PROTECTION AND WARRANTY

Offers industry leading protection against all pets, all accidents, all the time.

CLEANPROTECT®

Antimicrobial properties built in to protect the floor.

ENHANCED STAIN AND SCRATCH PROTECTION


Made with an innovative lacqer that provides the highest level of protection against stains and scratches.











PERFORMANCE (S)



WATERPROOF QUARTER ROUND

These waterproof moldings cover the expansion space between the floor and the wall, providing a water-tight seal.



QUARTER ROUND

These pre-finished moldings cover the expansion space between the floor and the wall.



VINYL STAIR CAP

The vinyl stair cap, made from flooring planks, provides a smooth, flush finish and installs easily with the Uniclic locking system



OVERLAP STAIR NOSE

The overlap stair nose creates a smooth and secure finish when flooring planks are installed on stair treads.



WALL BASE

The wall base creates a cover for the joint between the wall surface and the floor while protecting the wall from kicks and furniture dings.



STAIR TREAD

The full stair tread is designed to match the color and grain pattern of any vinyl flooring for a perfectly finished look.

The multifunctional 4-in-1 molding allows you to utilize a single transition to create four different applications.



CARPET TRANSITION

Provides a smooth transition between your hard surface floor and carpet.



T-MOLDING

Used to transition between flooring of equal heights and in doorways.



END MOLDING

Used to finish flooring where it meets vertical surfaces such as walls, fireplace hearths and sliding glass doors.



HARD SURFACE REDUCERConnects two floors of different heights.

Connects two floors of different neights.

PLEASE NOTE: Installed flooring may vary from printed image or sample. MohawkFlooring.com VT009_SDP06_960_B





POPPY RESERVE | SANTA FE

DURABILITY FOR ANY ROOM, ANY STYLE

PRODUCT FEATURES

WATERPROOF PERFORMANCE

Waterproof to withstand spills and pet accidents.

STAIN AND SCRATCH PROTECTION

Provides finish protection against everyday wear and tear.

ENHANCED VISUALS

With natural wood and stone decors, SolidTech offers style for any room.

PRODUCT SPECIFICATIONS

Construction	Rigid LVF
Installation	
Thickness	6.0 mm
Wear Layer	20 mil
Plank Size	
Sq. Ft. per Carton	26.63
Attached Underlayment	Yes
Bevel Type	Painted
Warranty	Lifetime Limited Residential
	15 Year Limited Light Commercial

PLUS BENEFITS

EASYCLEANTM

Provides protection for simple cleanup and stain prevention

ALL PET PROTECTION AND WARRANTY

Offers industry leading protection against all pets, all accidents, all the time.

CLEANPROTECT®

Antimicrobial properties built in to protect the floor.

ENHANCED STAIN AND SCRATCH PROTECTION

Made with an innovative lacqer that provides the highest level of protection against stains and scratches.











PERFORMANCE ACCESSORIES



WATERPROOF QUARTER ROUND

These waterproof moldings cover the expansion space between the floor and the wall, providing a water-tight seal.



QUARTER ROUND

These pre-finished moldings cover the expansion space between the floor and the wall.



VINYL STAIR CAP

The vinyl stair cap, made from flooring planks, provides a smooth, flush finish and installs easily with the Uniclic locking system.



OVERLAP STAIR NOSE

The overlap stair nose creates a smooth and secure finish when flooring planks are installed on stair treads.



WALL BASE

The wall base creates a cover for the joint between the wall surface and the floor while protecting the wall from kicks and furniture dings.



STAIR TREAD

The full stair tread is designed to match the color and grain pattern of any vinyl flooring for a perfectly finished look.

The multifunctional 4-in-1 molding allows you to utilize a single transition to create four different applications.



CARPET TRANSITION

Provides a smooth transition between your hard surface floor and carpet.



T-MOLDING

Used to transition between flooring of equal heights and in doorways.



END MOLDING

Used to finish flooring where it meets vertical surfaces such as walls, fireplace hearths and sliding glass doors.



HARD SURFACE REDUCERConnects two floors of different heights.

Connects two floors of different neights.

PLEASE NOTE: Installed flooring may vary from printed image or sample. MohawkFlooring.com VT009_SDP06_367_B





POPPY RESERVE | HELENA

DURABILITY FOR ANY ROOM, ANY STYLE

PRODUCT FEATURES

WATERPROOF PERFORMANCE

Waterproof to withstand spills and pet accidents.

STAIN AND SCRATCH PROTECTION

Provides finish protection against everyday wear

ENHANCED VISUALS

With natural wood and stone decors, SolidTech offers style for any room.

PRODUCT SPECIFICATIONS

Construction	Rigid LVF
Installation	
Thickness	6.0 mm
Wear Layer	
Plank Size	
Sq. Ft. per Carton	
Attached Underlayment	Yes
Bevel Type	Painted
Warranty	Lifetime Limited Residential

PLUS BENEFITS

EASYCLEAN™

Provides protection for simple cleanup and stain prevention

ALL PET PROTECTION AND WARRANTY

Offers industry leading protection against all pets, all accidents, all the time.

CLEANPROTECT®

Antimicrobial properties built in to protect the floor.

ENHANCED STAIN AND SCRATCH PROTECTION

Made with an innovative lacqer that provides the highest level of protection against stains











PERFORMANCE CALLED ACCESSORIES



WATERPROOF **QUARTER ROUND**

These waterproof moldings cover the expansion space between the floor and the wall, providing a water-tight seal.



QUARTER ROUND

These pre-finished moldings cover the expansion space between the floor and the wall.



VINYL STAIR CAP

The vinyl stair cap, made from flooring planks, provides a smooth, flush finish and installs easily with the Uniclic locking



OVERLAP STAIR NOSE

The overlap stair nose creates a smooth and secure finish when flooring planks are installed on stair treads.



WALL BASE

The wall base creates a cover for the joint between the wall surface and the floor while protecting the wall from kicks and furniture dings.



STAIR TREAD

The full stair tread is designed to match the color and grain pattern of any vinyl flooring for a perfectly finished look.

The multifunctional 4-in-1 molding allows you to utilize a single transition to create four different applications.



CARPET TRANSITION

Provides a smooth transition between your hard surface floor and carpet.



T-MOLDING

Used to transition between flooring of equal heights and in doorways.



END MOLDING

Used to finish flooring where it meets vertical surfaces such as walls, fireplace hearths and sliding glass doors.



HARD SURFACE REDUCER Connects two floors of different heights.

PLEASE NOTE: Installed flooring may

vary from printed image or sample. MohawkFlooring.com VT009_SDP06_916_B





POPPY RESERVE | FRESNO

DURABILITY FOR ANY ROOM, ANY STYLE

PRODUCT FEATURES

WATERPROOF PERFORMANCE

Waterproof to withstand spills and pet accidents.

STAIN AND SCRATCH PROTECTION

Provides finish protection against everyday wear

ENHANCED VISUALS

With natural wood and stone decors, SolidTech offers style for any room.

PRODUCT SPECIFICATIONS

Construction	Rigid LVF
Installation	
Thickness	6.0 mm
Wear Layer	20 mil
Plank Size	
Sq. Ft. per Carton	26.63
Attached Underlayment	Yes
Bevel Type	Painted
Warranty	Lifetime Limited Residential

PLUS BENEFITS

EASYCLEAN™

Provides protection for simple cleanup and stain prevention

ALL PET PROTECTION AND WARRANTY

Offers industry leading protection against all pets, all accidents, all the time.

CLEANPROTECT®

Antimicrobial properties built in to protect the floor.

ENHANCED STAIN AND SCRATCH PROTECTION

Made with an innovative lacqer that provides the highest level of protection against stains



FRESNO | 221









PERFORMANCE CALLED ACCESSORIES



WATERPROOF **QUARTER ROUND**

These waterproof moldings cover the expansion space between the floor and the wall, providing a water-tight seal.



QUARTER ROUND

These pre-finished moldings cover the expansion space between the floor and the wall.



VINYL STAIR CAP

The vinyl stair cap, made from flooring planks, provides a smooth, flush finish and installs easily with the Uniclic locking



OVERLAP STAIR NOSE

The overlap stair nose creates a smooth and secure finish when flooring planks are installed on stair treads.



WALL BASE

The wall base creates a cover for the joint between the wall surface and the floor while protecting the wall from kicks and furniture dings.



STAIR TREAD

The full stair tread is designed to match the color and grain pattern of any vinyl flooring for a perfectly finished look.

The multifunctional 4-in-1 molding allows you to utilize a single transition to create four different applications.



CARPET TRANSITION

Provides a smooth transition between your hard surface floor and carpet.



T-MOLDING

Used to transition between flooring of equal heights and in doorways.



END MOLDING

Used to finish flooring where it meets vertical surfaces such as walls, fireplace hearths and sliding glass doors.



HARD SURFACE REDUCER

Connects two floors of different heights.

PLEASE NOTE: Installed flooring may vary from printed image or sample.





POPPY RESERVE | SANIBEL

DURABILITY FOR ANY ROOM, ANY STYLE

PRODUCT FEATURES

WATERPROOF PERFORMANCE

Waterproof to withstand spills and pet accidents.

STAIN AND SCRATCH PROTECTION

Provides finish protection against everyday wear

ENHANCED VISUALS

With natural wood and stone decors, SolidTech offers style for any room.

PRODUCT SPECIFICATIONS

Construction	Rigid LVF
Installation	
Thickness	6.0 mm
Wear Layer	20 mil
Plank Size	
Sq. Ft. per Carton	26.63
Attached Underlayment	Yes
Bevel Type	Painted
Warranty	Lifetime Limited Residential

PLUS BENEFITS

EASYCLEAN™

Provides protection for simple cleanup and stain prevention

ALL PET PROTECTION AND WARRANTY

Offers industry leading protection against all pets, all accidents, all the time.

CLEANPROTECT®

Antimicrobial properties built in to protect the floor.

ENHANCED STAIN AND SCRATCH PROTECTION

Made with an innovative lacqer that provides the highest level of protection against stains















WATERPROOF **QUARTER ROUND**

These waterproof moldings cover the expansion space between the floor and the wall, providing a water-tight seal.



QUARTER ROUND

These pre-finished moldings cover the expansion space between the floor and the wall.



VINYL STAIR CAP

The vinyl stair cap, made from flooring planks, provides a smooth, flush finish and installs easily with the Uniclic locking



OVERLAP STAIR NOSE

The overlap stair nose creates a smooth and secure finish when flooring planks are installed on stair treads.



WALL BASE

The wall base creates a cover for the joint between the wall surface and the floor while protecting the wall from kicks and furniture dings.



STAIR TREAD

The full stair tread is designed to match the color and grain pattern of any vinyl flooring for a perfectly finished look.

The multifunctional 4-in-1 molding allows you to utilize a single transition to create four different applications.



CARPET TRANSITION

Provides a smooth transition between your hard surface floor and carpet.



T-MOLDING

Used to transition between flooring of equal heights and in doorways.



END MOLDING

Used to finish flooring where it meets vertical surfaces such as walls, fireplace hearths and sliding glass doors.



HARD SURFACE REDUCER

Connects two floors of different heights.

PLEASE NOTE: Installed flooring may vary from printed image or sample. MohawkFlooring.com VT009_SDP06_847_B





POPPY RESERVE | WRIGHT

DURABILITY FOR ANY ROOM, ANY STYLE

PRODUCT FEATURES

WATERPROOF PERFORMANCE

Waterproof to withstand spills and pet accidents.

STAIN AND SCRATCH PROTECTION

Provides finish protection against everyday wear

ENHANCED VISUALS

With natural wood and stone decors, SolidTech offers style for any room.

PRODUCT SPECIFICATIONS

Construction	Rigid LVF
Installation	
Thickness	6.0 mm
Wear Layer	20 mil
Plank Size	
Sq. Ft. per Carton	26.63
Attached Underlayment	Yes
Bevel Type	Painted
Warranty	Lifetime Limited Residential

PLUS BENEFITS

EASYCLEAN™

Provides protection for simple cleanup and stain prevention

ALL PET PROTECTION AND WARRANTY

Offers industry leading protection against all pets, all accidents, all the time.

CLEANPROTECT®

Antimicrobial properties built in to protect the floor.

ENHANCED STAIN AND SCRATCH PROTECTION

Made with an innovative lacqer that provides the highest level of protection against stains and scratches.











PERFORMANCE CALLED ACCESSORIES



WATERPROOF **QUARTER ROUND**

These waterproof moldings cover the expansion space between the floor and the wall, providing a water-tight seal.



QUARTER ROUND

These pre-finished moldings cover the expansion space between the floor and the wall.



VINYL STAIR CAP

The vinyl stair cap, made from flooring planks, provides a smooth, flush finish and installs easily with the Uniclic locking



OVERLAP STAIR NOSE

The overlap stair nose creates a smooth and secure finish when flooring planks are installed on stair treads.



WALL BASE

The wall base creates a cover for the joint between the wall surface and the floor while protecting the wall from kicks and furniture dings.



STAIR TREAD

The full stair tread is designed to match the color and grain pattern of any vinyl flooring for a perfectly finished look.

The multifunctional 4-in-1 molding allows you to utilize a single transition to create four different applications.



CARPET TRANSITION

Provides a smooth transition between your hard surface floor and carpet.



T-MOLDING

Used to transition between flooring of equal heights and in doorways.



END MOLDING

Used to finish flooring where it meets vertical surfaces such as walls, fireplace hearths and sliding glass doors.



HARD SURFACE REDUCER

Connects two floors of different heights.

PLEASE NOTE: Installed flooring may vary from printed image or sample. MohawkFlooring.com VT009_SDP06_865_B