














Gronk Compact Olympic Weight Tree EZ Load




WARNING: This product can expose you to chemicals including Methyl Isobutyl Ketone, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

OWNER MANUAL

PATRS LIST

1  Base Frame 2pcs	2  Connect Frame 1pc	3  Upright Frame 1pc
4  Back Upright Frame 1pc	5 Pre-installed  50mm Square Foot End Cap 4pcs	6 Pre-installed  Ø 48mm Round End Plug 6pcs
7 Pre-installed  50X70mm Square End Plug 1pc	8  M10X90mm Hex Bolt 2pcs	9  M10X70mm Hex Bolt 4pcs
10  Carriage Bolt M10X70mm 4pcs	11  M10 Washer 16pcs	12  M10 Nylon Nut 10PCS

ASSEMBLY INSTRUCTIONS



STEP 1:

1. Attach the two Base Frames (1) to the Connect Frame (2), using four M10X70mm Hex Bolts (9) , eight M10 Washers (11) and four M10 Nuts (12).
2. Attach the Upright Frame (3) to the Base Frame (1), using two Carriage Bolts M10X70mm (10) , two M10 Washers (11) and two M10 Nuts (12).
3. Attach the Back Upright Frame (4) to the Base Frame (1), using two Carriage Bolts M10X70mm (10) , two M10 Washers (11) and two M10 Nuts (12).
4. Attach the Back Upright Frame (4) to the Upright Frame (3), using two M10X90mm Hex Bolts (8) , four M10 Washers (11) and two M10 Nuts (12).

EXPLODED DRAWING

