















GRONK OLYMPIC WEIGHT TREE WITH 2 BAR HOLDER




WARNING: This product can expose you to chemicals including Methyl Isobutyl Ketone, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

OWNER MANUAL

PATRS LIST

1  Base Frame 2pcs	2  Main Frame 1pc	3  Connect Frame 1pc	4  Connect Plate 2pcs
5  60mm Square End Cap 4pcs	6  Plastic Washer 6pcs	7 Pre-installed  Ø 48mm Round End Plug 6pcs	8 Pre-installed  60mm Square End Plug 1pc
9 Pre-installed  Round Hollow Plug 2pcs	10  M10X85mm Hex Bolt 4pcs	11  M10X80mm Hex Bolt 4pcs	12  M10X20mm Hex Bolt 2pcs
13  Washer ($\varnothing 45*\varnothing 10.3$) 4pcs	14  M10 Washer 14pcs	15  M10 Nylon Nut 8pcs	


ASSEMBLY INSTRUCTIONS



STEP 1:

1. Attach the two Base Frames (1) to the Connect Frame (3), using four M10X80mm Hex Bolts (11), four Washers ($\varnothing 45^* \varnothing 10.3$) (13) ,four M10 Washers (14) and four M10 Nylon Nuts (15).

ASSEMBLY INSTRUCTIONS



STEP 2:

1. Attach the Main Frame (2) to the Connect Frame (3), using two M10X20mm Hex Bolts (12) and two M10 Washers (14) .
2. Attach the two Connect Plate (4) to the Connect Frame (3) and the Main Frame (2), using four M10X85mm Hex Bolts (10), eight M10 Washers (14) and four M10 Nylon Nuts (15).
3. Slide six Plastic Washers (6) onto Main Frame (2).

EXPLODED DRAWING

