


# Fiona



NF-01



NF-08



NF-02




NF-03



NF-04



NF-05




NF-06



NF-07



NF-09



NF-10



NF-11



NF-12



NF-13



NF-14



NF-15



QUICK  
SHIP

\*Colors shown are indicative references only and will vary dependent on screen resolution

**NUVRINO**  
artistic synthetic leather

[www.nuvrino.com](http://www.nuvrino.com)

**HEAD OFFICE : PT. BERKAT UNGGUL PRATAMA**

Komplek Citta Graha, Jl. Panjang No. 26 Blok 2L | Jakarta 11520 - Indonesia | +62 21 5819089


**SHOWROOM : LEDER HAUS**

**JAKARTA** • Komplek Cipete Square, Jl. Cipete Raya 55 No.7 | Jakarta 12410 - Indonesia | +62 21 75900 679

**BANDUNG** • Komplek Batununggal Indah, Jl. Batununggal Indah Raya No. 415 | Bandung 40266 - Indonesia | +62 22 8730 7759

**BALI** • Komplek Istana Kuta Galeria, Jl. Patih Jelantik, Blok PM1 No.6 | Kuta, Badung, Bali 80361 - Indonesia | +62361 4752 806

# PATTERN ILLUSTRATION



# APPLICATIONS



Dining Chair



Office Chair



Sofa

# FIONA

## DESCRIPTION

Named for its beauty and purity, Fiona features a soft, smooth surface despite its randomly textured, coarse pattern. This synthetic leather mimics the luxurious feel of aniline leather, using natural tanning methods to achieve an exceptionally silky touch. With its solid, versatile colors, Fiona seamlessly complements modern and minimalist interiors, offering both elegance and tactile comfort.

## SPECIFICATIONS

Thickness	1.20 mm
Width	137 cm
Special Surface Finish	Natural Grain
Composition	PVC & Knitted Polyester
Usage	Indoor Upholstery
Repeat	No

## PERFORMANCE

Abrasion | 20.000 rubs

Abrasion	ASTM - D4966	20.000 rubs
Tensile Strength	ASTM - D2209	Warp: 295 N/3 cm, Weft: 133 N/3 cm
Elongation	ASTM - D2209	Warp: 51.49%, Weft: 223.39%
Tear Strength	ASTM - D2261	Warp: 24 N, Weft: 39 N
Adhesion Strength	ASTM - D751	Warp: 20 N/3 cm
Flexibility Strength	ASTM - D2097	400.000 Cycles
Bursting Test	ASTM - D3786	11.2 kg/cm <sup>2</sup>
Blocking Test	ASTM - D751	Grade 2
Color Fastness Test (Rubbing Test)	AATCC 8	Grade 4

\* The above tests mentioned are guidelines for synthetic leather used in upholstery but do not necessarily indicate its lifespan. When used in different applications, factors such as the quality of craftsmanship, cleaning methods, proper placement, and handling will all impact its durability.

## HOW TO CARE FOR SYNTHETIC LEATHER

### **DO's**

What you **SHOULD** do



Use a soft, damp cloth to clean the surface of the material



Rub the surface slowly with intense



If it is stained with a fairly intense dye, try to clean the area with a damp cloth as soon as possible



If there are stains that are still left behind, use a special cleaner for synthetic leather to help remove the stains

### **DONT's**

What you **SHOULDN'T** do



Do not use rough/sharp materials (such as a brush) to clean the surface



Do not use harsh (chemical) cleaning products such as: bleach, detergent, thinner, and others

#### **Note:**

Ink, permanent marker, denim and other strong textile dyes may be difficult or cannot to remove perfectly, especially on light colored synthetic leather

