

CBSE EXAMINATION PAPER-2022

BIOLOGY

(Solved)

Time allowed : 3 hours

Maximum Marks : 60

General Instructions :

Read the following instructions carefully and follow them :

- i. This question paper contains **30 questions**. All questions are **compulsory**.
- ii. This question paper is divided into **5 sections**.
- iii. **Section A** – questions number **1 to 3** are case based questions
- iv. **Section B** – questions number **4 to 12** are multiple choice questions
- v. **Section C** – questions number **13 to 20** are very short answer
- vi. **Section D** – questions number **21 to 27** are short answer
- vii. **Section E** – questions number **28 to 30** are long answer
- viii. There is no overall choice given in the question paper. However, an internal choice has been provided in few questions.
- ix. Use of calculator is NOT allowed.

Section A

Question 1.

Question 2.

Cloning of genes, play a very significant role in genetic engineering, helping the transfer of desirable foreign genes into different hosts. The scientists, to make this process easier and effective are creating engineered vectors in such a way that they help easy linking of foreign DNA and selection of recombinants from non recombinants. 'pBR322' is one such

engineered vectors developed by scientists. A diagram of an engineered vector pBR322 is given below :

(1)

Name the host for this cloning vector.

[1 Marks]

Answer: The host for the cloning vector pBR322 is E. coli.

Key Points: pBR322-cloning vector-E. coli

(2)

Identify 'Rop' and 'Ori' in the diagram from 'U', 'V', 'W', 'X', 'Y' and 'Z'. Write their functions.

[2 Marks]

Answer: 'Ori' is identified at position 'X' in the diagram. Its function is to serve as the origin of replication, allowing the linked DNA to replicate within the host cells. 'Rop' is identified at position 'Y'. Its role is to regulate the replication of the plasmid by maintaining the copy number of the linked DNA.

Key Points: Ori is the origin of replication; Rop regulates plasmid replication; X is Ori, Y is Rop

(3)

Draw the fragments that will be formed by the action of 'Z'(marked in the diagram) on the specific site of the DNA segment given below :

5' --- GTACGAATTCCTGA --- 3'

3' --- CATGCTTAAGGACT --- 5'

[2 Marks]

Answer: The restriction enzyme 'Z' acts on the specific site 'AATT' (the EcoR I site) in the given DNA segment. The DNA will be cut, leading to the following fragments: 1. 5' --- GTACGA --- 3' and 2. 5' --- TCTGA --- 3'.

Key Points: Identify the restriction site–AATT–cuts the DNA at this specific site–forms two DNA fragments

Question 3.

RNA interference (RNAi) holds great potential as a therapeutic agent for the treatment of human diseases and as biocontrol agents in controlling pests in the field of agriculture. An experiment was carried to study the use of 'RNAi' for the potential treatment of disorders of cholesterol metabolism. Some people possess genetic mutations with elevated levels of ApoB gene which predisposes them to coronary artery diseases. Lowering the amount of ApoB can reduce the number of lipoproteins and lower the blood cholesterol. Tracy Zimmerman and her colleagues used RNAi in 2006 to reduce the level of ApoB in non human primates Cynomolgus monkeys. One group of monkeys were given RNAi treatment (small interfering RNAs, SiRNAs) (doses 1 mg/kg SiRNAs), second group of monkeys were given RNAi treatment (doses 2.5 mg/kg SiRNAs) and third group of monkeys were injected with saline. The results of the study are depicted in the graph below :

(1)

How does the treatment with 2.5 mg/kg brings an effect on cholesterol metabolism when compared from 24 hours and 144 hours.

[1 Marks]

Answer: The treatment with 2.5 mg/kg SiRNAs significantly reduces the level of ApoB in the monkeys over time. At 24 hours, there is an initial decrease in cholesterol levels, but by 144 hours, the reduction is more pronounced, demonstrating a sustained effect of RNAi treatment on cholesterol metabolism.

Key Points: Significant reduction in ApoB levels; Sustained effect over time; Comparison of cholesterol levels at different time points

(2)

Write any two natural sources from where dsRNA molecule could be obtained for silencing the specific mRNA.

[2 Marks]

Answer: Two natural sources of dsRNA that can be utilized for silencing specific mRNA include: 1. Viruses, particularly RNA viruses that replicate within host cells and produce dsRNA during their life cycle. 2. Certain plants, which naturally produce dsRNA as part of their defense mechanisms against viral infections and pests.

Key Points: 1. Natural sources of dsRNA include RNA viruses. 2. Plants producing dsRNA for defense. 3. dsRNA induces RNA interference for gene silencing.

(3)

How is RNAi used in controlling the infection on the roots of tobacco plants by the nematode *Meloidogyne incognita*.

[2 Marks]

Answer: RNA interference (RNAi) is utilized to control the infection caused by the nematode *Meloidogyne incognita* in tobacco plants. A novel strategy introduces DNA into the host plant cells, allowing the production of both sense and anti-sense RNA, which are complementary. These RNAs form double-stranded RNA (dsRNA) that triggers RNAi, silencing the specific mRNA of the nematode. As a result, the nematode cannot survive in the transgenic plant that expresses the interfering RNA, thereby protecting the plant from infestation and enhancing its yield.

Key Points: RNAi mechanism; DNA introduction; sense and anti-sense RNA; double-stranded RNA (dsRNA); silencing nematode mRNA; transgenic plant protection

Section B

Question 4.

Which two genera of fungi are known to cause ringworm in humans?

[1 Marks]

(A) *Aspergillus* and *Penicillium*

(B) *Microsporum* and *Trichophyton*

(C) *Rhizopus* and *Mucor*

(D) Candida and Claviceps

Explanation: The correct answer is Microsporum and Trichophyton, as these two genera are well-known for causing dermatophyte infections, including ringworm, in humans.

Question 5.

Why can't human excreta slurry be used directly instead of cow dung in a typical biogas plant?

[1 Marks]

(A) It lacks sufficient microbes

(B) It is too dry

(C) It produces less gas

(D) It contains harmful pathogens

Explanation: The correct answer is 'It contains harmful pathogens.' Human excreta may carry various harmful pathogens that can pose health risks, making it unsafe for direct use in biogas plants compared to cow dung, which is generally free of such pathogens and more suitable for biogas production.

Question 6.

What is the mode of action of cocaine on the human body?

[1 Marks]

(A) It increases heart rate by acting on the cerebellum

(B) It inhibits dopamine reuptake at synapses

(C) It blocks insulin release

(D) It stimulates GABA secretion

Explanation: The correct answer is 'It inhibits dopamine reuptake at synapses.' Cocaine primarily acts by blocking the reuptake of dopamine, a neurotransmitter associated with pleasure and reward, which leads to an accumulation of dopamine in the synaptic cleft and enhances its signaling.

Question 7.

In a sewage treatment plant, what is the next step after BOD is significantly reduced?

[1 Marks]

- (A) Chlorination
- (B) Filtration
- (C) Transfer to anaerobic sludge digesters**
- (D) Aeration

Explanation: The correct option is 'Transfer to anaerobic sludge digesters.' After the Biological Oxygen Demand (BOD) is significantly reduced, the sewage is typically directed to anaerobic sludge digesters. This process further treats the sludge, allowing for the breakdown of organic matter in the absence of oxygen, which reduces the volume of sludge and stabilizes it.

Question 8.

What did Connell's barnacle field experiment demonstrate?

[1 Marks]

- (A) Predation among barnacles
- (B) Competitive exclusion principle**
- (C) Temperature adaptation
- (D) Mutualism in rocky areas

Explanation: Connell's barnacle field experiment demonstrated the competitive exclusion principle, which shows how different species compete for the same resources, leading to one species outcompeting the other in certain habitats.

Question 9.

Why does an HIV patient die from infections and not directly from AIDS?

[1 Marks]

- (A) HIV damages the heart
- (B) HIV causes severe dehydration
- (C) HIV causes brain hemorrhage
- (D) HIV weakens the immune system, allowing opportunistic infections**

Explanation: HIV weakens the immune system, allowing opportunistic infections to take hold. These infections arise because the body is unable to fight them off due to the compromised immune response caused by HIV.

Question 10.

What is the name of the drug given lifelong after organ transplant?

[1 Marks]

(A) Cyclosporin A

(B) Morphine

(C) Penicillin

(D) AZT

Explanation: The correct answer is Cyclosporin A, as it is an immunosuppressant drug that is commonly prescribed to organ transplant recipients to prevent the body's immune system from rejecting the new organ. Morphine is a pain reliever, Penicillin is an antibiotic, and AZT is an antiviral medication, none of which are specifically used for lifelong immunosuppression after organ transplants.

Question 11.

What does 'S' represent in the equation $S = CA^Z$ in ecology?

[1 Marks]

(A) Area

(B) Slope

(C) Carbon content

(D) Species richness

Explanation: In the equation $S = CA^Z$, 'S' represents species richness, which refers to the number of different species present in a particular area. The context suggests that 'S' quantifies biodiversity, making this the correct option.

Question 12.

What is the function of the 'Ori' site in the pBR322 vector?

[1 Marks]

(A) Antibiotic resistance

(B) Initiation of replication

(C) Transcription termination

(D) Site of gene insertion

Explanation: The 'Ori' site (origin of replication) is essential for the initiation of replication in the pBR322 vector, allowing the DNA to be copied and maintained within the host cells.

Section C

Question 13.

Ringworm is one of the most common infectious fungal disease in humans. Name any two genera of fungi which cause ringworm and state any of its two symptoms.

[2 Marks]

Answer: Two genera of fungi that cause ringworm are Trichophyton and Microsporum. Symptoms of ringworm include red, itchy, circular patches on the skin and hair loss in the affected areas. These symptoms are a result of the fungal infection affecting the outer layer of the skin, leading to discomfort and potential secondary infections.

Question 14.

Can we use slurry of human excreta instead of cowdung slurry to produce biogas in a typical biogas plant? Support your answer giving reasons.

[2 Marks]

Answer: Yes, human excreta can be used instead of cowdung slurry to produce biogas. Both human and animal waste contain organic matter that can be decomposed by anaerobic bacteria to generate biogas. However, human excreta may require more rigorous treatment to remove pathogens and ensure safety. Furthermore, it has a higher nitrogen content which can enhance biogas production, but monitoring is essential. Overall, while feasible, it requires careful management.

Question 15.

State the mode of action of cocaine on human body. Write the scientific name of the source plant it is obtained from.

[2 Marks]

Answer: Cocaine acts as a powerful stimulant on the human body by inhibiting the reuptake of neurotransmitters like dopamine, norepinephrine, and serotonin in the brain. This leads to increased mood, energy, and alertness, but can also cause harmful effects

such as addiction and cardiovascular issues. Cocaine is derived from the leaves of the coca plant, scientifically known as *Erythroxylum coca*.

Question 16.

Study the given diagram of Sewage Treatment Plant (S.T.P.) and answer the questions that follow :

- (a) Which one of the two 'S.T.P.' (A) or (B) will be more effective in treating the human excreta in the municipal waste?
- (b) Write the steps followed in carrying the treatment of the sewage in step (Z), once the BOD of sewage is reduced significantly till it is passed on to the "anaerobic sludge digesters".

[2 Marks]

Answer: Sewage Treatment Plant B is more effective as it may include advanced processes for breaking down human excreta. In step Z, after the BOD is reduced, the treatment involves aeration to facilitate the growth of bacteria that consume remaining organic matter. Following aeration, the sewage is separated from sludge, and then it undergoes additional filtration to further purify the water. Finally, treated effluent is directed to anaerobic sludge digesters for final decomposition.

Question 17.

Write the best method to measure the population density of a single Banyan tree in comparison to 20 Parthenium weeds in a forest by an ecologist. Explain and justify your answer.

[2 Marks]

Answer: To measure the population density, the ecologist should use a quadrat sampling method. They can place a quadrat of a known area around the Banyan tree and count its biomass, then do the same for 20 Parthenium weeds. Comparing these densities will show the ecological impact and resource competition between the tree and the weeds. This method provides a clear visual representation and quantifiable data on their respective densities, making it easily justifiable.

Question 18.

- (i) Write the observations made at the end of Connell's field experiment on barnacles on the rocky sea coasts of Scotland.
- (ii) Name any two categories of organisms that in general are adversely affected by competition.

[2 Marks]

Answer: In Connell's field experiment, he observed that the distribution of two barnacle species, *Chthamalus* and *Balanus*, was influenced by competition and environmental factors. *Chthamalus* thrived in higher zones, while *Balanus* dominated lower zones. Additionally, the presence of *Balanus* restricted *Chthamalus*'s distribution due to competition for space and resources. As for categories of organisms adversely affected by competition, plants and small vertebrates (like some fish) often suffer from competition for light, nutrients, and habitat resources.

Question 19.

Enumerate four most common warning signs of drug and alcohol abuse amongst the youth.

[2 Marks]

Answer: Four common warning signs of drug and alcohol abuse among youth include: a drop in academic performance, which may indicate a loss of focus; unexplained absences from school or college; withdrawal from family and friends, showing signs of isolation; and a noticeable decline in personal hygiene, reflecting a lack of self-care. These signs can help in identifying adolescents who may be struggling with substance abuse issues.

Question 20.

The graphs (X) and (Y) given below depict the diurnal variations in the solar radiations in the month of June (Summer) and in December (Winters) :

- (i) Which of the two graphs depicts tropical region and temperate regions respectively ?
- (ii) Which of the two regions (X) or (Y) will show high biological diversity and why?

[2 Marks]

Answer: Graph (X) depicts the tropical region, while Graph (Y) represents the temperate regions. The tropics (X) receive more solar energy and have a constant environment, promoting higher biological diversity compared to temperate regions (Y), which experience fluctuations like glaciations. The stability and richness of resources in the tropics allow for greater speciation and niche specialization, contributing to their high diversity.

Section D

Question 21.

'An HIV patient normally doesn't die of 'AIDS', but death is caused due to many other infections.' Do you agree with the statement ? Give explanatory reasons in support of your answer.

[3 Marks]

Answer: I agree with the statement that an HIV patient does not usually die from AIDS directly, but rather from opportunistic infections and complications that arise due to the immunodeficiency caused by HIV. HIV attacks the immune system, particularly CD4 cells, which play a crucial role in fighting infections. As the immune system weakens over time, the patient becomes vulnerable to infections that a healthy immune system could easily combat. Common opportunistic infections include pneumonia, tuberculosis, and certain cancers. Additionally, advanced HIV can lead to conditions such as wasting syndrome and neurological complications, further compromising health. Effective antiretroviral therapy (ART) can significantly increase life expectancy by maintaining immune function and minimizing the risk of these opportunistic infections, thus allowing many HIV-positive individuals to live long lives without progressing to AIDS. Ultimately, it is these secondary infections that are typically the immediate cause of death in people living with HIV.

Question 22.

(a) Why do doctors have to carry many tests for selecting a person to be a suitable donor for someone who is going for an organ transplant and not take the organ from just anybody ? Explain giving reason.

(b) Name the drug a patient who has undergone a successful organ transplant, has to take all his/her life.

[3 Marks]

Answer: Doctors conduct numerous tests to ensure compatibility between the donor and recipient for organ transplants. Compatibility is crucial to minimize the risk of organ rejection, which occurs when the recipient's immune system identifies the new organ as foreign. Tests include blood type matching, tissue typing, and cross-matching to assess immune response. Furthermore, the donor's medical history is examined to avoid transmitting infections. Post-transplant, patients must take immunosuppressants, like ciclosporin, lifelong to prevent rejection.

Question 23.

A cell free method of amplifying DNA first developed in the mid 1980's revolutionized the field of biotechnology. Name the method and explain the basic steps of the technique involved.

[3 Marks]

Answer: The method referred to is the Polymerase Chain Reaction (PCR), which was developed by Kary Mullis in 1983. PCR is a technique that allows for the amplification of specific DNA sequences exponentially. The basic steps involved in PCR include: 1) Denaturation - where the double-stranded DNA is heated to separate it into two single strands. 2) Annealing - where short DNA primers bind to the target DNA sequences at lower temperatures. 3) Extension - where a DNA polymerase enzyme synthesizes new DNA strands by extending from the primers. These steps are repeated for 20-40 cycles, resulting in millions of copies of the target DNA segment.

Question 24.

Given below is an equation describing the Species-Area relationship between species richness and area for a wide variety of taxa as angiosperm plants, birds, bats etc.

$$S = CA^Z$$

(i) Give a graphical representation of the given equation showing Species-Area relationship.

(ii) What does 'S' represent in the given equation ?

(iii) What is the value of 'Z' (regression coefficient) for frugivorous birds and mammals in the tropical forests of different continents ?

[3 Marks]

Answer: The Species-Area relationship is graphically represented by plotting species richness (S) on the y-axis against area (A) on the x-axis. The resulting curve typically demonstrates that as the area increases, the number of species tends to increase exponentially. In this equation, 'S' refers specifically to species richness, which is the total number of different species found in a given area. For frugivorous birds and mammals, the value of 'Z', the regression coefficient, is often around 0.3, indicating a consistent relationship between species richness and area across different tropical forest ecosystems.

Question 25.

(a) How does a gene therapy involving direct modification of the cells, in order to achieve a therapeutic goal is used in the treatment of ADA deficiency ? Explain.

(b) A host cell must be made competent, before it is able to receive an rDNA. Justify.

[3 Marks]

Answer: Gene therapy for ADA deficiency focuses on correcting the underlying genetic defect that prevents the production of the enzyme adenosine deaminase (ADA). This involves direct modification of the patient's own cells, usually by extracting blood cells, genetically altering them to express the ADA enzyme, and reintroducing them into the

patient's body. The modified cells can now produce ADA, restoring normal levels and allowing the immune system to function effectively. To receive recombinant DNA (rDNA), a host cell must be made competent, which means it must be capable of taking up foreign DNA. This is essential for the transformation process, as competent cells can incorporate rDNA into their genome, facilitating the expression of desired traits or proteins.

Question 26.

- (a) Enlist two criteria that are used to identify a region for maximum protection as 'Biodiversity hotspots'.
- (b) Name any two "hotspot" regions in our country.

[3 Marks]

Answer: To identify regions as 'Biodiversity hotspots', two primary criteria are used. First, a region must contain at least 1,500 species of vascular plants as endemics. This ensures that the area has a unique ecological value that supports a wide range of biodiversity. Second, the region must have lost at least 70% of its original habitat. This criterion highlights areas that are significantly threatened and thus require immediate conservation efforts. In India, two recognized biodiversity hotspots are the Western Ghats and the Himalayas. Both of these regions are rich in species diversity and endemism, making them vital for conservation.

Question 27.

Given below is a 'pie chart' representing the global biodiversity : proportionate number of species of major taxa.

- (i) Identify (X) and (Y) in the given 'pie chart'.
- (ii) "Extinction of species across taxa are not random." Which group amongst the vertebrates is more vulnerable to extinction.
- (iii) Give one example each of recent extinctions of species in Russia, Mauritius and Australia.

[3 Marks]

Answer: (i) In the given pie chart, (X) represents amphibians, and (Y) represents reptiles. (ii) Amongst vertebrates, amphibians are the most vulnerable group to extinction, as evidenced by their declining populations and high rates of disappearance. Their sensitivity to environmental changes and habitat loss has made them particularly susceptible. (iii) Recent examples of species extinctions include the Steller's Sea Cow from Russia, the dodo from Mauritius, and the thylacine from Australia. These extinctions highlight the ongoing biodiversity crisis.

Section E

Question 28.

Explain Darwin's theory of natural selection. What are the main postulates and evidences supporting the theory of evolution?

[5 Marks]

Answer: Darwin's theory of natural selection posits that organisms best adapted to their environment have a higher survival rate and thus are more likely to reproduce. This process leads to the gradual evolution of species over time. The main postulates include the existence of variation within populations, the struggle for existence due to limited resources, and the resultant differential survival and reproduction of individuals. Evidence supporting this theory includes the fossil record demonstrating transitional forms, homologous structures among different species indicating common ancestry, and observed instances of natural selection in real-time, such as the peppered moth's color variation in response to industrial pollution. Additionally, the concept of branching descent illustrates how species evolve from common ancestors, leading to biodiversity. The combination of morphological, genetic, and ecological evidence solidifies the foundation of evolution by natural selection, underscoring its role in shaping the diversity of life on Earth.

Question 29.

Describe the steps involved in recombinant DNA technology. What are its applications in medicine and agriculture?

[4 Marks]

Answer: Recombinant DNA technology is a process that allows scientists to manipulate genetic material for various applications. The first step involves the isolation of DNA from an organism. Next, the DNA is fragmented using restriction endonucleases, which cut the DNA at specific sequences. A desired DNA fragment is then isolated, which may contain a gene of interest. The DNA fragment is ligated into a vector, which is a carrier molecule. This recombinant DNA is transferred into a host cell, often bacteria, using methods such as transformation or transfection. After the host cells take up the recombinant DNA, they are cultured in a suitable medium. Finally, the desired product, often a protein, is extracted from the cultured cells. In medicine, this technology has led to the production of therapeutic proteins, such as insulin, monoclonal antibodies, and vaccines, which are more effective and safe compared to those obtained from non-human sources. In agriculture, recombinant DNA technology has enabled the development of genetically

modified crops that are resistant to pests, diseases, and environmental stresses, thus enhancing food security and agricultural productivity.

Question 30.

Describe the structure and function of a neuron. How does the transmission of nerve impulse occur through synapse?

[5 Marks]

Answer: A neuron is the fundamental unit of the nervous system and comprises three main parts: the cell body, dendrites, and axon. The cell body contains the nucleus and cytoplasm, with Nissl's granules playing a crucial role in protein synthesis. Dendrites receive signals from other neurons, while the axon transmits these signals away from the cell body to other neurons or tissues. The transmission of nerve impulses occurs at synapses, where neurotransmitters, which are chemicals stored in vesicles at the axon terminals, are released into the synaptic cleft. These neurotransmitters bind to receptors on the post-synaptic neuron, facilitating the continuation of the nerve impulse. There are two types of synapses: electrical, where impulses transfer directly, and chemical, which relies on neurotransmitter release. This intricate system allows for rapid communication within the nervous system, enabling the body to respond to stimuli effectively.
