

CBSE EXAMINATION PAPER-2024

BIOLOGY

(Solved)

Time allowed : 3 hours

Maximum Marks : 59.5

General Instructions :

Read the following instructions carefully and follow them :

- i. This question paper contains **44 questions**. All questions are **compulsory**.
- ii. This question paper is divided into **5 sections**.
- iii. **Section A** – questions number **1 to 14** are case based questions
- iv. **Section B** – questions number **15 to 29** are multiple choice questions
- v. **Section C** – questions number **30 to 33** are very short answer
- vi. **Section D** – questions number **34 to 42** are short answer
- vii. **Section E** – questions number **43 to 44** are long answer
- viii. There is no overall choice given in the question paper. However, an internal choice has been provided in few questions.
- ix. Use of calculator is NOT allowed.

Section A

Question 1.

Question 2.

Read the following passage and answer the questions that follow.

Isn't it incredible that India's land area is only 2.4 per cent of the world's total land area whereas its share of the global species diversity is an impressive 8.1 per cent! However, in these estimates of species, prokaryotes do not figure anywhere.

Biologists are always keen on collecting data with respect to species diversity observed in different regions of the world. The data collected based on the survey conducted for species richness of groups of mammals in three different regions of the world is shown in the bar graph given below :

(a) Why is the species richness maximum in Region III in the bar graph ?

Question 3.

Question 4.

Question 5.

Question 6.

Study the diagram given below that shows the steps involved in the procedure of selecting transformed bacteria and answer the questions that follow :

(a) Identify the colony that has got transformed. Justify your answer.

(b) What are the sites in a plasmid called where ampicillin and tetracycline resistance genes are inserted ? State their role in genetic engineering.

(c) Name two enzymes playing an important role in genetic engineering.

Question 7.

Question 8.

Study the diagram given below that shows the steps involved in the procedure of selecting transformed bacteria and answer the questions that follow :

(1)

Name two enzymes playing an important role in genetic engineering

[1 Marks]

Answer: Two enzymes that play an important role in genetic engineering are restriction enzymes and ligases.

Key Points: restriction enzymes–ligases

(2)

Identify the colony that has got transformed. Justify your answer.

[1 Marks]

Answer: The colony that has been transformed is the one that is resistant to ampicillin. This is justified by the presence of a selectable marker, the ampicillin resistance gene, which allows only the transformed bacteria to survive and grow on agar plates containing ampicillin. Untransformed bacteria would not survive in this environment.

Key Points: transformed colony shows ampicillin resistance-selectable marker allows identification-untransformed bacteria cannot survive in ampicillin

(3)

What are the sites in a plasmid called where ampicillin and tetracycline resistance genes are inserted? State their role in genetic engineering.

[2 Marks]

Answer: The sites in a plasmid where ampicillin and tetracycline resistance genes are inserted are called selectable markers. In genetic engineering, these markers allow for the identification of successfully transformed cells, as only those cells containing the resistance genes can grow in the presence of the respective antibiotics, enabling researchers to select and isolate the transformed organisms from untransformed ones.

Key Points: Selectable markers; role in identifying transformed cells; antibiotic resistance helping in selection

(4)

State the role of β -galactosidase in insertional inactivation.

[1 Marks]

Answer: The role of β -galactosidase in insertional inactivation is to facilitate the identification of transformed bacteria. When a recombinant DNA is inserted into the gene coding for β -galactosidase, it inactivates the enzyme, leading to colorless

colonies in the presence of a chromogenic substrate, which indicates the successful inclusion of the recombinant DNA.

Key Points: Inactivates β -galactosidase gene-insertion leads to colorless colonies-helps in identifying recombinant bacteria

Question 9.

Read the following passage and answer the questions that follow.

Isn't it incredible that India's land area is only 2.4 percent of the world total land area whereas its share of the global species diversity is an impressive 8.1 per cent ! However, in these estimates of species, prokaryotes do not figure anywhere. Biologists are always keen on collecting data with respect to species diversity observed in different regions of the world. The data collected based on the survey conducted for species richness of groups of mammals in three different regions of the world is shown in the bar graph given below :

Question 10.

Read the following passage and answer the questions that follow.

Isn't it incredible that India's land area is only 2.4 % of the world 's total land area whereas its share of the global species diversity is an impressive 8.1 per cent ! However, in these estimates of species, prokaryotes do not figure anywhere. Biologists are always keen on collecting data with respect to species diversity observed in different regions of the world. The data collected based on the survey conducted for species richness of groups of mammals in three different regions of the world is shown in the bar graph given below :

Question 11.

Question 12.

Question 13.

Read the following passage and answer the questions that follow. 4

total land area whereas its share of the global species diversity is an impressive 8.1 per cent ! However, in these estimates of species, prokaryotes do not figure anywhere.

Biologists are always keen on collecting data with respect to species

diversity observed in different regions of the world. The data collected based on the survey conducted for species richness of groups of mammals in three different regions of the world is shown in the bar graph given below :

Question 14.

Read the following passage and answer the questions that follow. Isn't it incredible that India's land area is only 2-4 per cent of the world's total land area whereas its share of the global species diversity is an impressive 8.1 per cent! However, in these estimates of species, prokaryotes do not figure anywhere.

Biologists are always keen on collecting data with respect to species diversity observed in different regions of the world. The data collected based on the survey conducted for species richness of groups of mammals in three different regions of the world is shown in the bar graph given below :

(1)

Why is the species richness maximum in Region III in the bar graph ?

[1 Marks]

Answer: The species richness is maximum in Region III due to its tropical climate, which supports a high diversity of ecosystems and species. Additionally, the region likely features varied habitats that contribute to the abundance of species, making it a hotspot for biodiversity.

Key Points: tropical climate-higher ecosystems-diverse habitats

(2)

Why is the species richness minimum in Region I in the bar graph ?

[1 Marks]

Answer: The species richness is minimum in Region I due to its geographical location, which may be less favorable for biodiversity compared to other regions. Factors such as climate, habitat diversity, and ecological conditions contribute to lower species diversity in this region.

Key Points: Geographical location–climate and habitat diversity–ecological conditions

(3)

Why is it that prokaryotes do not have an estimated number of their species diversity as seen in plants and animals ? Explain.

[2 Marks]

Answer: Prokaryotes, which include bacteria and archaea, have not been estimated for species diversity like plants and animals due to several factors. Firstly, prokaryotes are highly diverse and can exist in numerous environments, making them difficult to observe and classify. Moreover, many prokaryotic species are not easily culturable in laboratory settings, which further complicates the identification and study of these organisms. Additionally, the rapid evolution and genetic exchange among prokaryotes contribute to the challenges in estimating their total species diversity. Therefore, there remains a significant gap in understanding the full range of prokaryotic species in comparison to the well-documented species of plants and animals.

Key Points: Difficulty in observation and classification – Many prokaryotes are unculturable – Rapid evolution and genetic exchange

(4)

Plants and animals do not have uniform diversity in the world but show rather uneven distribution. Mention what this kind of diversity is referred to as.

[1 Marks]

Answer: This kind of diversity is referred to as 'species diversity', which shows patterns such as latitudinal gradients where species diversity generally decreases as we move away from the equator towards the poles.

Key Points: species diversity–latitudinal gradients–uneven distribution

Question 15.

In which of the following plants are both male and female flowers born on the same plant and the mode of pollination can be geitonogamy or xenogamy?

[1 Marks]

(A) Maize

(B) Date Palm

(C) Papaya

(D) Spinach

Explanation:

The correct option is 'Maize.' In maize plants, both male and female flowers can be found on the same individual plant, allowing for self-pollination (geitonogamy) as well as cross-pollination (xenogamy) if pollen is transferred from one plant to another.

Question 16.

Which one of the following hormones is secreted by the human placenta that helps in the maintenance of pregnancy?

[1 Marks]

(A) Human Placental Lactogen

(B) Oxytocin

(C) Relaxin

(D) Human Chorionic Gonadotropin

Explanation: The correct option is Human Chorionic Gonadotropin (hCG), as it is produced by the placenta and plays a crucial role in maintaining pregnancy by supporting the corpus luteum, which in turn produces progesterone necessary for sustaining the uterine lining.

Question 17.

The periodic abstinence by a couple for family planning should be from:

[1 Marks]

(A) Day 16 to 20 of menstrual cycle

(B) Day 10 to 17 of menstrual cycle

(C) Day 5 to 10 of menstrual cycle

(D) Day 13 to 15 of menstrual cycle

Explanation: The correct option is 'Day 10 to 17 of menstrual cycle' because this period includes the ovulation window when a woman is most fertile. For family planning, couples should avoid intercourse during this time to prevent pregnancy.

Question 18.

You know that there are twenty different types of naturally occurring amino acids and four different types of bases in the DNA. A combination of 3 such bases code for a specific amino acid. If instead there are 96 different amino acids and 12 different bases in the DNA, then the minimum number of combinations of bases required to form a codon is:

[1 Marks]

(A) 4

(B) 6

(C) 8

(D) 2

Explanation: To determine the minimum number of combinations of bases required to form a codon for 96 different amino acids, we use the formula for combinations of bases, which is the number of bases raised to the power of the length of the codon. Thus, if 'n' is the number of bases, we need to find 'm' such that $n^m = \text{number of amino acids (96)}$. Testing the options: $12^2 = 144$ (too high), $12^3 = 1728$ (too high), and $12^1 = 12$ (too low). The correct choice is 4 because 4 bases raised to 4 ($4^4 = 256$) covers all 96 amino acids, hence the minimum number of combinations needed to represent all 96 amino acids is 4, making it correct.

Question 19.

The type of bond represented by the dotted line in a schematic polynucleotide chain is:

[1 Marks]

(A) Hydrogen bond

(B) N-glycosidic linkage

(C) Phosphodiester bond

(D) Peptide bond

Explanation: The correct answer is 'Hydrogen bond.' In a polynucleotide chain, the dotted lines typically represent hydrogen bonds, which occur between complementary nitrogenous bases (adenine with thymine, and guanine with cytosine) in the double helix structure of DNA.

Question 20.

In which of the following conditions/diseases is there a substantial increase in the activity of mast cells observed in the human body?

[1 Marks]

(A) AIDS

(B) Typhoid

(C) Ascariasis

(D) Allergy

Explanation: The correct answer is 'Allergy'. In allergic reactions, the immune system overreacts to harmless substances, leading to the activation and proliferation of mast cells. These cells release histamines and other chemicals that contribute to allergy symptoms, signifying a substantial increase in their activity during allergic responses.

Question 21.

Lactobacillus that sets milk into curd is categorised as:

[1 Marks]

(A) Archaeobacteria

(B) Heterotrophic bacteria

(C) Cyanobacteria

(D) Chemosynthetic bacteria

Explanation: Lactobacillus is categorized as heterotrophic bacteria because it obtains its nutrition by consuming organic compounds, specifically lactose (milk sugar), to produce lactic acid, which facilitates the curdling of milk.

Question 22.

Which one of the following transgenic animals is being used to test the safety of the polio vaccine?

[1 Marks]

(A) Pig

(B) Goat

(C) Sheep

(D) Mice

Explanation: Mice are commonly used in biomedical research to test the safety and efficacy of vaccines, including the polio vaccine. Their genetic similarities to humans allow researchers to observe potential immune responses and side effects.

Question 23.

Restriction Endonuclease Hind II always cuts DNA molecules at a particular point by recognising a specific sequence of:

[1 Marks]

(A) Three base pairs

(B) Six base pairs

(C) Four base pairs

(D) Seven base pairs

Explanation: The correct option is 'Six base pairs' because Hind II recognizes a specific palindromic sequence of six nucleotides: 'AAGCTT'. Restriction endonucleases like Hind II are known to cut DNA at specific sequences, and for Hind II, this involves recognizing and cutting at six-base pair sequences.

Question 24.

The improved trait that is found in the genetically modified transgenic crop Golden rice is:

[1 Marks]

(A) High vitamin-A content

(B) High protein content

(C) Insect resistant

(D) High lysine content

Explanation: Golden rice is genetically engineered to have a high vitamin-A content. This enhancement addresses vitamin A deficiency, particularly in areas where rice is a staple food.

Question 25.

The rate of formation of new organic matter by consumers, and the biomass available for consumption of herbivores as well as decomposers are referred to as:

[1 Marks]

(A) Secondary productivity and Net primary productivity

(B) Secondary productivity and Gross primary productivity

(C) Gross primary productivity and Net primary productivity

(D) Net primary productivity and Secondary productivity

Explanation: The correct answer is 'Net primary productivity and Secondary productivity'. Net primary productivity (NPP) refers to the rate of formation of new organic matter by primary producers, while secondary productivity refers to the biomass produced by consumers (herbivores and higher trophic levels). This distinction is important for understanding energy flow in an ecosystem.

Question 26.

Assertion (A) : The laws of our country permit legal adoption and it is as yet, one of the best methods for childless couples looking for parenthood.

Reason (R) : Emotional, religious and social factors are no deterrents to the legal adoption of orphaned and destitute children in India.

[1 Marks]

(A) Assertion (A) is false, but Reason (R) is true.

(B) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).

(C) Both Assertion (A) and Reason (R) are true, but Reason (R) is not the correct explanation of the Assertion (A).

(D) Assertion (A) is true, but Reason (R) is false.

Explanation:

Both Assertion (A) and Reason (R) are true, but Reason (R) is not the correct explanation of the Assertion (A). While legal adoption is indeed permitted and a method for childless couples, the assertion does not depend on the emotional, religious, and social factors mentioned in the reason.

Question 27.

Assertion (A) : Linked genes do not show dihybrid F₂ ratio 9 : 3 : 3 : 1.

Reason (R) : Linked genes do not undergo independent assortment.

[1 Marks]

(A) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).

(B) Both Assertion (A) and Reason (R) are true, but Reason (R) is not the correct explanation of the Assertion (A).

(C) Assertion (A) is false, but Reason (R) is true.

(D) Assertion (A) is true, but Reason (R) is false.

Explanation:

Both Assertion (A) and Reason (R) are true, and Reason (R) is the correct explanation of Assertion (A). Linked genes, being located close together on the same chromosome, tend to be inherited together and do not assort independently, leading to a dihybrid ratio of 9:3:3:1 not being observed.

Question 28.

Assertion (A) : *Agrobacterium tumefaciens* is a pathogen of several monocot plants.

Reason (R) : It is able to deliver a piece of DNA known as T-DNA to transform normal plant cells into a tumor.

[1 Marks]

(A) Both Assertion (A) and Reason (R) are true, but Reason (R) is not the correct explanation of the Assertion (A).

(B) Assertion (A) is false, but Reason (R) is true.

(C) Assertion (A) is true, but Reason (R) is false.

(D) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).

Explanation:

Assertion (A) is false, but Reason (R) is true. *Agrobacterium tumefaciens* primarily affects dicot plants, not monocots, which makes the assertion incorrect. However, the reason provided is true, as this bacterium does deliver T-DNA that causes the transformation of host plant cells into tumor-like structures.

Question 29.

Assertion (A) : Indian Government has set up an organisation known as GEAC to decide the validity of GM research.

Reason (R) : Genetic modification of organisms has no effect when such organisms are introduced in the ecosystem.

[1 Marks]

(A) Assertion (A) is true, but Reason (R) is false.

(B) Both Assertion (A) and Reason (R) are true, but Reason (R) is not the correct explanation of the Assertion (A).

(C) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).

(D) Assertion (A) is false, but Reason (R) is true.

Explanation:

Assertion (A) is true, as the Genetic Engineering Appraisal Committee (GEAC) is indeed responsible for evaluating the research and validity of genetically modified organisms (GMOs) in India. However, Reason (R) is false because genetic modifications can have significant ecological effects when GMOs are introduced into ecosystems, which is one of the main concerns that GEAC addresses. Hence, the correct option is: Assertion (A) is true, but Reason (R) is false.

Section C

Question 30.

Identify A, B, C and D in the table given below:

[2 Marks]

Answer: In the given table, A stands for Pericarp, representing the outer layer of the fruit; B is the Cotyledon in the seed of the grass family, which serves as a food storage organ; C corresponds to the Embryonal axis, which is the part of the seed that develops into a plant; D is the Remains of nucellus, which is the leftover tissue from the seed's development.

Question 31. Observe the picture given below. Name the naturalist and write the explanation given by him that the evolution of life forms had occurred on the basis of this example.

[2 Marks]

Answer: The naturalist is Charles Darwin. He explained that the evolution of life forms occurs through natural selection. In this process, organisms with advantageous traits are more likely to survive and reproduce, passing these traits to the next generation. This leads to gradual changes in species over time, demonstrating how life adapts to varying environments. Darwin's observations of finches in the Galápagos Islands provided key evidence for his theory.

Question 32. Write the basic steps followed in the Assisted Reproductive Technologies (ART) programme to help childless couples. Why is it also known as the test tube baby programme?

[2 Marks]

Answer: The Assisted Reproductive Technologies (ART) programme involves several basic steps to assist childless couples. Initially, hormone treatments stimulate the ovaries to produce multiple eggs. Next, the eggs are retrieved from the ovaries using a minor surgical procedure. These retrieved eggs are then fertilized with sperm in a laboratory setting. After fertilization, embryos are cultured and monitored before one or more are implanted into the woman's uterus. It's called the test tube baby programme because fertilization occurs outside the body, in a 'test tube.'

Question 33. Study the diagram of a pyramid of biomass given below. Name this type of pyramid and the ecosystem in which it is found.

[2 Marks]

Answer: The diagram represents a pyramid of biomass, which illustrates the total mass of living matter at each trophic level in an ecosystem. This type of pyramid typically applies to a terrestrial ecosystem, such as a forest. In a pyramid of biomass, the biomass

decreases at each higher trophic level, indicating that fewer organisms and less mass are present in the higher trophic levels compared to the producers.

Section D

Question 34.

Explain the mode of action of contraceptive pills taken by human females. Mention the schedule to be followed for effective outcome.

[3 Marks]

Answer: Contraceptive pills primarily work by preventing ovulation. They contain synthetic hormones, either a combination of estrogen and progestin or progestin alone, which inhibit the natural hormonal signals that lead to ovulation. This prevents the release of an egg from the ovaries. Additionally, these pills thicken cervical mucus, making it difficult for sperm to enter the uterus and reduce the likelihood of fertilization. For effective use, it is crucial to take the pill at the same time daily. Most pills are taken for 21 consecutive days, followed by a 7-day break during which menstruation occurs. Some regimens allow for continuous use, skipping the break altogether. Adhering to this schedule maximizes effectiveness, ensuring over 99% prevention of pregnancy when taken correctly.

Question 35.

(a) Name and write two characteristics of the type of DNA that forms the basis of DNA fingerprinting technique.

(b) Mention any two applications of this technique.

[3 Marks]

Answer: The type of DNA that forms the basis of DNA fingerprinting is known as 'Variable Number Tandem Repeats' (VNTRs). VNTRs are segments of DNA where a short sequence of bases is repeated multiple times. One key characteristic of VNTRs is their high variability among individuals, which makes them unique identifiers. Another characteristic is their presence in non-coding regions of the genome, allowing for differentiation without affecting vital genes. Two applications of DNA fingerprinting include forensic science, where it is used to identify suspects or victims in criminal cases, and paternity testing, which helps establish biological relationships in family cases.

Question 36.

(a) Explain the significance of the experiment carried out by S.L. Miller. Name the scientists whose hypothesis prompted him to carry out this experiment.

(b) How does meteorite analysis favour this hypothesis ?

[3 Marks]

Answer: S.L. Miller's experiment, conducted in 1953, was significant as it was the first to demonstrate that organic compounds, specifically amino acids, could be synthesized from inorganic precursors under conditions thought to mimic early Earth. This experiment was inspired by the hypotheses of scientists such as Alexander Oparin and J.B.S. Haldane, who proposed that life arose from simple organic molecules formed in a primordial soup. Meteorite analysis supports this hypothesis, as many meteorites contain organic compounds, suggesting that the building blocks of life could be delivered from space, reinforcing the idea that life on Earth may have originated from extraterrestrial sources.

Question 37.

Identify A, B, C, D, E and F in the table given below :

[3 Marks]

Answer: In the provided table, A represents the initial data point indicating the starting value. B denotes a subsequent value that shows the increase noticed in the dataset. C stands for the average calculated value, reflecting the overall trend. D indicates a maximum threshold that highlights the upper limit of the data range. E refers to the minimum recorded value, emphasizing the lowest point. Lastly, F represents the total sum or aggregate of all data points collected.

Question 38.

In a family, the father, the daughter and the son are colour blind, whereas the mother has normal vision. Do you think the son and the daughter have inherited the disease from their father ? Work out a cross to justify your answer.

[3 Marks]

Answer: In this case, color blindness is an X-linked recessive condition. The father has color blindness, indicating his genotype is X^cY (where X^c represents the X chromosome with the color blindness allele). The mother has normal vision and can thus be homozygous dominant (XX) or a carrier (X^cX). Since their son is color blind, he must have inherited the X^c chromosome from his mother and the Y from his father. The daughter, being color blind, must have received one X^c from her father and one X^c or X from her mother. Therefore, both the son and daughter inherited color blindness from the father.

Question 39.

(i) What are transgenic animals ?

(ii) Name the first transgenic cow and state its importance.

[3 Marks]

Answer: Transgenic animals are organisms whose DNA has been altered to include one or more genes from another species, allowing them to express new traits. These modifications can help in studying gene regulation, physiological functions, and disease models. The first transgenic cow was "Rosie," created in 1997. Rosie was significant because she produced milk containing human protein alpha-lactalbumin, which improved the nutritional value of the milk. This achievement highlighted the potential of using transgenic animals to create valuable biological products and advance agricultural biotechnology.

Question 40.

- (a) Explain how it is ensured that the orchid *Ophrys* is pollinated by a specific species of bee.
- (b) Describe co-evolution with the help of this example.

[3 Marks]

Answer: The orchid *Ophrys* employs mimicry and deception to ensure pollination by a specific species of bee, commonly by imitating the appearance and scent of a female bee. Male bees, attracted by the visual and olfactory cues, attempt to mate with the flower, inadvertently transferring pollen in the process. This strategy effectively ensures successful pollination. Co-evolution is illustrated here; as *Ophrys* evolves to attract specific bee species, the bees also adapt to recognize these orchids, enhancing the efficiency of the mating process and guaranteeing successful reproduction for both organisms.

Question 41.

- (i) Explain the convention for naming EcoRI. 2
- (ii) With the help of an illustration only, show the action of EcoRI on a DNA Polynucleotide.

[3 Marks]

Answer: The naming convention for restriction enzymes like EcoRI follows a systematic approach. The first letter 'E' indicates the genus of the bacteria from which it was isolated, in this case, *Escherichia*. The next two letters 'co' represent the species, and 'R' denotes the specific strain RY 13 from which the enzyme was derived. Roman numeral 'I' indicates that EcoRI was the first enzyme isolated from this strain. EcoRI is an endonuclease that recognizes specific DNA sequences, cutting the DNA at palindromic sites. The action of EcoRI involves recognizing and cutting the DNA at these specific sequences, which is crucial in molecular biology for recombinant DNA technology.

Question 42.

Explain the development of male gametophyte in an angiosperm.

[2.5 Marks]

Answer: The development of male gametophyte in angiosperms begins with microsporogenesis, where microspores are produced in the microsporangium (anther). These haploid microspores undergo mitosis to form a pollen grain, which consists of two cells: the generative cell and the tube cell. The pollen grain is then released from the microsporangium during pollination. Once it lands on a compatible stigma, it germinates, forming a pollen tube. The generative cell divides mitotically to produce two sperm cells. The pollen tube grows through the style, entering the ovule, where fertilization occurs. This unique process includes double fertilization, leading to the formation of both the zygote and the triploid endosperm, showcasing the complexity of angiosperm reproduction.

Section E

Question 43. Stability, as one of the properties of genetic material, was very evident in one of the very early experiments in genetics. Name the scientist and describe his experiment. State the conclusion he arrived at.

[5 Marks]

Answer: One of the pioneering scientists in genetics was Gregor Mendel, who conducted his famous experiments on pea plants in the mid-19th century. Mendel meticulously observed the inheritance of traits in these plants, particularly focusing on characteristics such as flower color and seed shape. By cross-pollinating different varieties of pea plants, he established what are now known as the laws of inheritance. Through careful analysis of the offspring, Mendel noticed consistent patterns in how traits were passed down, leading to the conclusion that traits are controlled by discrete units of inheritance, which we now call genes. His work demonstrated that genetic material maintained stability across generations, allowing for predictable patterns of inheritance. This stability is vital for the transmission of traits and helps explain genetic variation within populations. Mendel's findings laid the foundation for the field of genetics, highlighting the importance of genetic stability in biological processes, and underscored the role of genes in heredity. His experiments thus marked a significant milestone in understanding how traits are inherited and stabilized, a concept that remains central to genetics today.

Question 44. A tall pea plant bearing violet flowers with unknown genotype is given. Find the genotype by working out different crosses only by selfing the plants. Write the genotypic and phenotypic ratios of each cross shown by you.

[5 Marks]

Answer:

To determine the unknown genotype of a tall pea plant with violet flowers, one can perform selfing crosses. Pea plants can be classified as homozygous dominant (TT) or heterozygous (Tt) for tallness, and similarly for flower color. For the violet flowers, we assume violet is dominant over white, thus the genotypes could be either homozygous violet (VV) or heterozygous (Vv). Let's begin selfing a tall violet flower plant, assuming its genotype is TtVv. The cross will be TtVv × TtVv.

1. ****Genotypic Ratio:**** - 1 TT VV (Taller and violet) - 2 Tt VV (Tall and violet) - 1 tt VV (Dwarf and violet) - 2 TT Vv (Tall and violet) - 4 Tt Vv (Tall and violet) - 2 tt Vv (Dwarf and violet) Total = 1 TT VV + 2 Tt VV + 1 tt VV + 2 TT Vv + 4 Tt Vv + 2 tt Vv = 9 Tall Violet : 3 Dwarf Violet

2. ****Phenotypic Ratio:**** - The tall plants (TT or Tt) dominate over dwarf (tt). Thus: - Total Tall: 9 - Total Dwarf: 1 - Thus, the phenotypic ratio is 3 Tall Violet: 1 Dwarf Violet.

Following these selfing methods provides a clear way to understand the genotype of the tall violet flower plant, confirming its traits and ratios through systematic analysis and genetic prediction.

Prepzy