

# CBSE EXAMINATION PAPER-2025

## SCIENCE

(Solved)

Time allowed : 3 hours

Maximum Marks : 76

### General Instructions :

Read the following instructions carefully and follow them :

- i. This question paper contains **35 questions**. All questions are **compulsory**.
- ii. This question paper is divided into **5 sections**.
- iii. **Section A** – questions number **1 to 14** are multiple choice questions Each question carries **1 marks**.
- iv. **Section B** – questions number **15 to 21** are very short answer Each question carries **2 marks**.
- v. **Section C** – questions number **22 to 27** are short answer Each question carries **3 marks**.
- vi. **Section D** – questions number **28 to 29** are case based questions
- vii. **Section E** – questions number **30 to 35** are long answer Each question carries **5 marks**.
- viii. There is no overall choice given in the question paper. However, an internal choice has been provided in few questions.
- ix. Use of calculator is NOT allowed.

## Section A

### Question 1.

You have three aqueous solutions A, B and C as given below:

A – Potassium nitrate

B – Ammonium chloride

C – Sodium carbonate

The ascending order of the pH of these solutions is:

[1 Marks]

(A)  $B < A < C$

(B)  $B < C < A$

(C)  $C < A < B$

(D)  $A < B < C$

**Explanation:** The correct option is  $B < A < C$ . Ammonium chloride (B) is a salt derived from a weak base ( $\text{NH}_4\text{OH}$ ) and strong acid ( $\text{HCl}$ ), thus it has a lower pH. Potassium nitrate (A) is neutral and has a mid-range pH. Sodium carbonate (C), being a salt derived from a strong base ( $\text{NaOH}$ ) and weak acid ( $\text{H}_2\text{CO}_3$ ), has a higher pH, making it more alkaline. Therefore, the ascending order of pH is  $B < A < C$ .

### Question 2.

Select from the following a statement which is not true about burning of magnesium ribbon in air :

[1 Marks]

(A) A white powder is formed on burning.

(B) It is an example of a combination reaction.

(C) It is an endothermic reaction.

(D) It burns with a dazzling white flame.

**Explanation:** The statement 'It is an endothermic reaction.' is not true because burning magnesium in air is an exothermic reaction. It releases heat and light, and the burning magnesium produces a dazzling white flame, forming magnesium oxide. The other statements accurately describe the reaction.

### Question 3.

The colour of the solution observed after about 1 hour of placing iron nails in copper sulphate solution is

[1 Marks]

(A) Blue

(B) Yellow

(C) Pale green

(D) Reddish brown

**Explanation:** The correct answer is Pale green. This is because the blue copper sulphate solution changes to pale green due to the formation of iron sulphate, which is a new substance. The reaction involves iron displacing copper in the solution, leading to the observed colour change.

#### Question 4.

Juice of tamarind turns blue litmus to red. It is because of the presence of a chemical compound called

[1 Marks]

(A) Tartaric acid

(B) Acetic acid

(C) Oxalic acid

(D) Methanoic acid

**Explanation:** The correct option is 'Tartaric acid' because tamarind juice contains tartaric acid, which is an acidic compound that can change the color of blue litmus paper to red, indicating its acidic nature.

#### Question 5.

The water of crystallization is present in

(i) Bleaching Powder (ii) Plaster of Paris (iii) Washing Soda (iv) Baking Soda

[1 Marks]

(A) (ii) and (iii)

(B) (ii) and (iv)

(C) (i) and (iv)

(D) (i) and (iii)

**Explanation:** Water of crystallization refers to water molecules that are chemically bound within a crystal structure of a compound. According to the context, Plaster of Paris ( $\text{CaSO}_4 \cdot \frac{1}{2}\text{H}_2\text{O}$ ) and Washing Soda ( $\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$ ) both contain water of crystallization. Bleaching Powder and Baking Soda do not have water of crystallization in their chemical formula. Therefore, the correct option is (ii) and (iii).

### Question 6.

A tall pea plant with round seeds (TTRR) is crossed with a short pea plant with wrinkled seeds (ttrr). The  $F_1$  generation will be:

[1 Marks]

- (A) 100% tall with round seeds
- (B) 50% tall with wrinkled seeds
- (C) 25% tall with round seeds
- (D) 75% tall with wrinkled seeds

**Explanation:** The  $F_1$  generation will be 100% tall with round seeds because tallness and round seeds are dominant traits. Therefore, all offspring from the cross (TTRR x ttrr) will exhibit the dominant phenotypes.

### Question 7.

A pair of endocrine glands located in the human brain is

[1 Marks]

- (A) Parathyroid and Pituitary
- (B) Pineal and Thymus
- (C) Hypothalamus and Thymus
- (D) Hypothalamus and Pineal

**Explanation:** The correct answer is 'Hypothalamus and Pineal' because the hypothalamus is a crucial endocrine gland that links the nervous system to the endocrine system and is located in the brain. The pineal gland, also located in the brain, regulates sleep-wake cycles through the secretion of melatonin. The context provided mentions the pituitary gland but does not include it as a pair with another gland that is also located in the brain.

### Question 8.

The basic filtration unit of the excretory system in human beings is :

[1 Marks]

(A) Nephron

(B) Urethra

(C) Neuron

(D) Urinary bladder

**Explanation:** The correct answer is Nephron. The nephron is the basic functional and structural unit of the kidney, responsible for the filtration of blood and the formation of urine, as indicated in the context where it describes the role of kidneys in excretion.

### Question 9.

In human alimentary canal, the digestive juice secreted by the gastric glands are

[1 Marks]

(A) Hydrochloric acid, Pepsin, Mucus

(B) Bile, Trypsin, Pepsin

(C) Salivary amylase, Pepsin, Bile

(D) Lipase, Bile, Mucus

**Explanation:** The correct answer is 'Hydrochloric acid, Pepsin, Mucus' as these are the substances secreted by the gastric glands in the stomach. Hydrochloric acid creates an acidic environment that facilitates enzyme action, particularly that of pepsin, which digests proteins. Mucus protects the stomach lining from the corrosive effects of the acid.

### Question 10.

The part of human eye which controls the amount of light entering into it.

[1 Marks]

(A) Iris

(B) Ciliary muscles

(C) Cornea

(D) Pupil

**Explanation:** The correct answer is 'Iris' because the iris is the dark muscular structure behind the cornea that contains the pupil. The iris controls the size of the pupil, which in turn regulates the amount of light entering the eye.

### Question 11.

Consider the following food chain:

Grass → Grasshopper → Frog → Snake → Eagle

If the amount of energy available at third trophic level is 50 kJ, the available energy at the producer level was:

[1 Marks]

(A) 500 kJ

(B) 5 kJ

(C) 5000 kJ

(D) 0.5 kJ

**Explanation:** The energy available at each trophic level is generally about 10% of the energy from the level below it. Therefore, if the third trophic level has 50 kJ, the second trophic level (which is the primary consumer) would have approximately 500 kJ (10 times 50 kJ). This means the energy at the producer level (first trophic level) would be about 5000 kJ (10 times 500 kJ). Thus, the correct answer is 5000 kJ.

### Question 12.

Assertion (A) : Carbon and its compounds are our major sources of fuels.

Reason (R) : Most of the carbon compounds on burning release a large amount of heat and light.

[1 Marks]

(A) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).

(B) Assertion (A) is false, but Reason (R) is true.

(C) Assertion (A) is true, but Reason (R) is false.

(D) Both Assertion (A) and Reason (R) are true and Reason (R) is not the correct

explanation of the Assertion (A).

**Explanation:** Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A). The context indicates that carbon and its compounds are indeed major fuels, and they release significant heat and light upon combustion, confirming that the reason explains why carbon compounds serve as fuel.

### Question 13.

Assertion (A): In the common domestic circuits the earth wire is connected to a metallic plate buried deep inside the earth.

Reason (R) : Earth wire ensures that any leakage of current to the metallic body of the appliance keeps its potential to that of the earth, so the user may not get a severe electric shock.

[1 Marks]

(A) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).

(B) Assertion (A) is true, but Reason (R) is false.

(C) Both Assertion (A) and Reason (R) are true and Reason (R) is not the correct explanation of the Assertion (A).

(D) Assertion (A) is false, but Reason (R) is true.

**Explanation:** Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A). The earth wire is indeed connected to a metal plate buried deep in the earth, which serves as a safety measure to ensure that if there's any leakage of current, it directs it safely to the ground, reducing the risk of electric shock to users.

### Question 14.

Assertion (A) : Food web is a network of several food chains operating in an ecosystem.

Reason (R) : Food web decreases the stability of an ecosystem.

[1 Marks]

(A) Assertion (A) is false, but Reason (R) is true.

(B) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).

(C) Both Assertion (A) and Reason (R) are true and Reason (R) is not the correct explanation of the Assertion (A).

**(D) Assertion (A) is true, but Reason (R) is false.**

**Explanation:** Assertion (A) is true, but Reason (R) is false. The food web indeed comprises multiple interconnected food chains, which enhances the stability of an ecosystem, as it allows for greater resilience to changes or disturbances compared to isolated food chains.

---

## Section B

### Question 15.

A light green coloured solution of sulphate salt of metal 'P' is taken in a beaker, a rod of another metal 'Q' is put in this solution as shown the following figures :

Identify the metals 'P' and 'Q' and write its chemical equation for the reaction that occurs. State the conclusion of this reaction in terms of reactivity series of metals.

[2 Marks]

**Answer:** In the given scenario, metal 'P' is iron (Fe), and metal 'Q' is copper (Cu). The reaction that occurs when a copper rod is placed in iron(II) sulphate solution is:  $\text{Cu} + \text{FeSO}_4 \rightarrow \text{Fe} + \text{CuSO}_4$ . The conclusion from this reaction is that iron is more reactive than copper, as it displaces copper from its salt solution, thereby confirming the position of metals in the reactivity series.

### Question 16.

(a) How is brain protected in our body ?

(b) A doctor finds in one of his patients that he is not maintaining a proper posture and balance of his body. State the region of brain and also the part of brain which is responsible for it.

[2 Marks]

**Answer:** The brain is protected by being enclosed in a hard bony structure known as the skull, which acts as a shield against physical damage. Additionally, it is surrounded by fluid that absorbs shocks. If a patient struggles with posture and balance, it indicates an issue with the cerebellum, which is part of the hindbrain. The cerebellum is crucial for coordinating voluntary movements and helps maintain stability.

### Question 17.

“Proteins control the expression of various characters.” Explain this statement by taking an example of “tallness” as a characteristic in plants.

[2 Marks]

**Answer:** Proteins play a crucial role in determining traits in plants. For example, in pea plants, tallness is influenced by the gene that codes for an enzyme involved in hormone production. When the gene is functional, it produces sufficient hormones for growth, leading to tall plants. Conversely, if the gene is mutated and results in a less effective enzyme, hormone production decreases, resulting in shorter plants. Thus, proteins govern plant characteristics like tallness.

### Question 18.

Explain the mechanism of inheritance used by sexually reproducing organisms to ensure the stability of DNA of the species.

[2 Marks]

**Answer:** Sexually reproducing organisms inherit DNA from both parents, combining genetic materials from germ cells. This restores the normal chromosome number, preserving DNA stability. Variations arise from this combination, which can lead to traits that may enhance survival. Mendelian principles illustrate how dominant and recessive traits function in these organisms, ensuring continuity and subtle changes over generations. This process not only maintains DNA integrity but also allows adaptation through gradual variations.

### Question 19.

Study the figure in which the path of a ray of light going from Medium 1 to Medium 2 is shown.

- (a) Out of the two Media – Medium 1 and Medium 2, in which is the speed of light more ?
- (b) State reason of bending of the refracted ray away from the normal.
- (c) Express refractive index of Medium 2 with respect to Medium 1 in terms of speed of light in two media.

[2 Marks]

**Answer:** (a) The speed of light is more in Medium 1 compared to Medium 2 because the light ray bends away from the normal while entering Medium 2.

(b) The refracted ray bends away from the normal because the speed of light increases as it moves from Medium 1 to Medium 2. This change in speed causes bending due to

refraction.

(c) The refractive index of Medium 2 with respect to Medium 1 is given by  $n = v_1 / v_2$ , where  $v_1$  is the speed of light in Medium 1 and  $v_2$  is the speed of light in Medium 2.

**Question 20.** What is a rainbow? "We see a rainbow in the sky only after the rainfall." Why? [2 Marks]

**Answer:** A rainbow is a natural spectrum that appears in the sky when sunlight is refracted and dispersed by tiny water droplets in the atmosphere, typically after rainfall. The sunlight, which is white light, is broken into seven colors as it enters, reflects internally, and exits the droplets. This phenomenon only occurs when the Sun is at a low angle, and the observer is positioned with their back to the Sun.

**Question 21.** We do not clean natural ponds or lakes whereas an aquarium or a swimming pool needs to be cleaned regularly. Why? [2 Marks]

**Answer:** Natural ponds and lakes are self-sustaining ecosystems that have their own natural processes for waste decomposition, mainly through microorganisms and decomposers. In contrast, aquariums and swimming pools are artificial ecosystems that lack such natural recycling systems, leading to the accumulation of waste. Regular cleaning is essential in aquariums and pools to maintain water quality and ensure the health of the aquatic life within, as they cannot naturally balance themselves like ponds and lakes do.

---

## Section C

**Question 22.**

State the chemical property in each case on which the following uses of baking soda are based upon:

- (i) as an anti-acid,
- (ii) as a constituent in making baking powder,
- (iii) in soda-acid fire extinguishers.

[3 Marks]

**Answer:** Baking soda, or sodium hydrogencarbonate, has several applications based on its chemical properties. (i) As an anti-acid, it is alkaline and effectively neutralizes excess stomach acid, offering relief from acidity. (ii) In baking powder, baking soda reacts with acids to produce carbon dioxide gas when heated or dissolved in water, causing dough to rise and become light. (iii) In soda-acid fire extinguishers, it releases carbon dioxide when heated, which helps suffocate fires by displacing oxygen.

### Question 23.

Write chemical equations to show what happens when an acid reacts with

(i) metal,

(ii) base,

(iii) carbonate.

Write the name of the main product formed in each case.

[3 Marks]

#### Answer: (i) Acid + Metal:

When an acid reacts with a metal, it forms a salt and hydrogen gas.

Example:  $2\text{HCl} + \text{Zn} \rightarrow \text{ZnCl}_2 + \text{H}_2$

The main product formed is a salt.

#### (ii) Acid + Base:

When an acid reacts with a base, it gives a salt and water. This is called neutralization.

Example:  $\text{HCl} + \text{NaOH} \rightarrow \text{NaCl} + \text{H}_2\text{O}$

The main product formed is a salt.

#### (iii) Acid + Carbonate:

When an acid reacts with a carbonate, it produces a salt, carbon dioxide, and water.

Example:  $2\text{HCl} + \text{Na}_2\text{CO}_3 \rightarrow 2\text{NaCl} + \text{CO}_2 + \text{H}_2\text{O}$

The main product formed is a salt.

**Question 24.** Name the blood vessel that brings (i) oxygenated blood, (ii) deoxygenated blood, to the human heart. Also, name the chamber of the heart which receives deoxygenated blood and state how deoxygenated blood from this chamber is sent to lungs for oxygenation.

[3 Marks]

**Answer:** The blood vessel that brings oxygenated blood to the human heart is the pulmonary vein, which transports oxygen-rich blood from the lungs to the left atrium. Conversely, the blood vessel that carries deoxygenated blood to the heart is the superior or inferior vena cava, which delivers oxygen-poor blood from the body to the right atrium. Deoxygenated blood enters the right atrium and is subsequently pumped into the right ventricle, which sends it to the lungs for oxygenation via the pulmonary arteries.

### Question 25.

A student placed a candle flame at different distances from a convex lens and focused its image on a screen. He recorded his observation in tabular form as given below :

Analyse the observation table and on the basis of your analysis only, answer the following questions (without doing any calculations) :

- (a) What is the focal length of the convex lens used ? Give reason to justify your answer.
- (b) Which one of the sets of observations is not correct and why ?
- (c) Draw ray diagram to show image formation for any correct set of observation.

[3 Marks]

**Answer:** (a) The focal length of the convex lens is the distance at which the image formed is highly magnified or when the object is at the focal point  $F$ . In the observations, the focal length corresponds to the distance where the image is very large or cannot be formed on the screen clearly, indicating this distance as the focal length.

(b) Any set of observations where image characteristics contradict the properties of convex lens images is not correct. For example, if an image is described as virtual and formed on the screen, it is incorrect because virtual images cannot be projected on a screen. Also, if magnification or position does not follow the lens formula's logical pattern, that set is wrong.

(c) Ray diagram for object placed beyond  $2F$  (twice the focal length):

- Draw the convex lens vertical line with focal points  $F$  on both sides.
- Place the candle flame beyond  $2F$ .
- Draw one ray parallel to principal axis which after refraction passes through the focal point on other side.
- Draw second ray passing through the optical centre which goes straight without deviation.
- The rays converge at a point between  $F$  and  $2F$  on the other side forming a real, inverted and smaller image on the screen.

This ray diagram corresponds to a correct observation set with object beyond  $2F$ .

### Question 26.

A person uses lenses of  $+2.0$  D power in his spectacles for the correction of his vision.

- (a) Name the defect of vision the person is suffering from.
- (b) List two causes of this defect.
- (c) Determine the focal length of the lenses used in the spectacles.

[3 Marks]

**Answer:** (a) The person is suffering from hypermetropia, also called farsightedness.

- (b) Two causes of hypermetropia are: (i) The eyeball may be too small from front to back.
- (ii) The eye lens may have a focal length that is too long.

(c) The power  $P$  of a lens is related to its focal length  $f$  by the formula  $P = 100 / f$  where  $f$  is in cm. Given power  $P = +2.0$  D, so focal length  $f = 100 / 2 = 50$  cm = 0.50 m. Hence, the focal length of the lens used is +0.50 meter.

### Question 27.

- (a) Explain the statement "Potential difference between two points is 1 volt".
- (b) What do the symbols given below represent in an electric circuit ? Write one function of each.

[3 Marks]

### Answer:

(a) The statement "Potential difference between two points is 1 volt" means that 1 joule of work is done to move 1 coulomb of electric charge from one point to the other in the circuit. Essentially, this means the electric potential energy difference between these two points is equivalent to 1 volt. It indicates how much energy each unit charge gains or loses while moving between those points.

(b) In an electric circuit, different symbols represent various components:

**Voltmeter (V):** This instrument measures the voltage or potential difference between two points in the circuit. It helps us know how much electric potential energy per unit charge is available between those points.

**Key (K):** A key is a type of switch that can open or close the circuit. When closed, it allows current to flow; when opened, it stops the current, controlling the working of the circuit.

---

## Section D

### Question 28.

Many pure metals like copper, iron and gold are very soft and as such are considered unsuitable for certain uses. Metallic objects around us such as cooking utensils, statues, ornaments, guns etc. are actually not made up of pure metals. Instead of pure metals, alloys are used in the design of most of the useful objects. Making alloys enhances the basic properties of a metal which is the primary constituent (metal) of an alloy.

- (1) Name an alloy used for welding two wires together in an electric circuit. Write its major constituents.

[1 Marks]

**Answer:** The alloy used for welding two wires together in an electric circuit is called solder. Its major constituents are lead (Pb) and tin (Sn). Solder has a low melting point, making it suitable for joining electrical components without damaging them.

**Key Points:** Solder is an alloy; major constituents are lead and tin; used for welding wires; low melting point.

(2) How does electrical conductivity and melting point of a metal change when it is converted to its alloy by mixing a small amount of an element in it?

[1 Marks]

**Answer:** When a pure metal is converted to its alloy by mixing it with a small amount of another element, both the electrical conductivity and the melting point are affected. Generally, alloys exhibit lower electrical conductivity compared to their pure metal constituents. This decrease is due to the presence of additional elements that disrupt the uniform arrangement of metal atoms, hindering the flow of electrical current. Additionally, the melting point of an alloy is typically lower than that of the pure metal. This alteration occurs because the introduction of other elements results in changes to the bonding and structure of the metallic lattice, leading to a reduced energy requirement for melting. For instance, brass, which is an alloy of copper and zinc, demonstrates these changes in properties when compared to pure copper.

**Key Points:** Alloys have lower electrical conductivity compared to pure metals; Alloys have a lower melting point than pure metals; Mixing a pure metal with another element alters its physical properties.

(3)

What is stainless steel? How is it prepared? Write one important property which makes it more useful in making cooking utensils as compared to its primary metal.

[2 Marks]

**Answer:** Stainless steel is an alloy of iron that contains chromium and often nickel. It is prepared by mixing iron with about 10.5% chromium and sometimes additional elements like nickel. This combination enhances the strength and resistance to corrosion. One important property of stainless steel is its resistance to rusting; unlike

pure iron, which rusts easily, stainless steel maintains its appearance and structural integrity even in moist environments, making it more suitable for cooking utensils.

**Key Points: Definition of stainless steel – Alloy of iron with chromium; Preparation using iron, chromium, and possibly nickel; Important property – Rust resistance compared to pure iron**

(4)

**What are alloys ? How is 'Brass' (an alloy) prepared ?**

[2 Marks]

**Answer:** Alloys are homogeneous mixtures of two or more metals, or a metal and a non-metal, which are created to enhance the properties of the primary metal. They are not easily separable by physical methods but display the characteristics of their components. Brass is a well-known alloy that is typically composed of approximately 70% copper and 30% zinc. To prepare brass, the primary metal, copper, is first melted. Once liquefied, zinc is added to the molten copper, allowing the two metals to mix thoroughly and produce an alloy with improved properties, such as increased strength and resistance to corrosion.

**Key Points: Definition of alloys; Mixture of metals or metal and non-metal; Properties enhanced by alloying; Preparation method of brass; Composition of brass (70% copper, 30% zinc)**

**Question 29.** The growth movements of plant parts in which the direction of the stimulus determines the direction of the response is known as tropic movements or tropism. Plants also have non-directional movements which may not be growth dependent.

(1)

**Name the movement which causes 'X' and 'Y' to grow downwards and upwards respectively. (Refer above figure)**

[1 Marks]

**Answer:** The movement that causes 'X' (the roots) to grow downwards is called geotropism, while the movement that causes 'Y' (the shoots) to grow upwards is called phototropism. Geotropism directs the root growth towards gravity, thereby enhancing

stability and nutrient absorption, while phototropism allows the shoot to grow towards light, maximizing photosynthesis.

**Key Points: geotropism - downward growth of roots; phototropism - upward growth of shoots; responses to gravity and light**

(2)

Write the name of a hormone that plays a major role in (i) falling of leaves (ii) rapid cell division

[1 Marks]

**Answer:** The hormone that plays a major role in the falling of leaves is Abscisic Acid (ABA), which promotes leaf senescence and abscission. For rapid cell division, the hormone involved is Cytokinins, which stimulate cell division and growth in plants.

**Key Points: Abscisic Acid promotes leaf abscission-Cytokinins stimulate cell division-Plant hormones regulate growth and responses**

(3)

Leaves of the sensitive plant move very quickly in response to 'touch'. How is this stimulus of touch communicated and explain how the movement takes place.

[2 Marks]

**Answer:** The sensitive plant, known scientifically as *Mimosa pudica*, exhibits rapid leaf movement in response to touch. This quick response is a result of a complex process involving specialized cells and water movement. When the leaves of the sensitive plant are touched, the stimulus is communicated through electrical signals that travel rapidly along nerve-like structures in the plant. The electrical impulse causes the cells at the base of the leaflets, known as pulvini, to lose water quickly, leading to a reduction in turgor pressure. As a result, the leaflets fold and droop downwards as well as the petiole bends. This mechanism is thought to serve as a defense response against herbivores by making the plant appear less palatable or difficult to eat. Thus, the movement in response to touch showcases how plants can use mechanical stimulation to initiate rapid locomotion, which is distinct from growth-dependent movements seen in tropism.

**Key Points:** Sensitive plant, Mimosa pudica, rapid movement, electrical signals, pulvini, turgor pressure, leaflets folding, defense mechanism

(4)

Name the plant hormone which is synthesized at the shoot tip. How does this hormone helps the plant to bend towards light ?

[2 Marks]

**Answer:** The plant hormone synthesized at the shoot tip is called auxin. Auxin plays a crucial role in phototropism, which is the growth of plant parts toward light. When light shines on a plant from one side, auxin is distributed unevenly, accumulating more on the shaded side of the shoot. This causes the cells on the shaded side to elongate more than those on the light-exposed side, resulting in the shoot bending towards the light source. This growth towards light enhances the plant's ability to photosynthesize effectively, thus supporting its growth and survival.

**Key Points:** Auxin is the hormone synthesized at the shoot tip - Auxin distribution is uneven in response to light - Uneven growth causes bending towards light - This helps the plant in photosynthesis

## Section E

Question 30.

Name an alcohol and a carboxylic acid having two carbon atoms in their structures. Draw their structures and state how this alcohol can be converted into a carboxylic acid. What happens when these two compounds react in the presence of an acid ? Write chemical equations for the reactions involved in the two cases mentioned above.

[5 Marks]

**Answer:** (a) Alcohol with two carbon atoms: Ethanol ( $\text{CH}_3\text{CH}_2\text{OH}$ )

Structure of Ethanol:



Carboxylic acid with two carbon atoms: Ethanoic acid (Acetic acid) ( $\text{CH}_3\text{COOH}$ )


Structure of Ethanoic acid:



(b) Conversion of ethanol into ethanoic acid:

Ethanol can be oxidized to ethanoic acid using an oxidizing agent such as potassium dichromate ( $\text{K}_2\text{Cr}_2\text{O}_7$ ) in acidic medium (dilute  $\text{H}_2\text{SO}_4$ ). This is an oxidation reaction.

Chemical equation:



(c) Reaction between ethanol and ethanoic acid in presence of acid catalyst:

When ethanol reacts with ethanoic acid in presence of acid catalyst (usually concentrated  $\text{H}_2\text{SO}_4$ ), an esterification reaction occurs forming an ester called ethyl ethanoate and water.

Chemical equation:



This reaction is reversible and acid catalyst helps in increasing the rate of reaction.

**Summary:**

- Ethanol is an alcohol with two carbon atoms.
- Ethanoic acid is a carboxylic acid with two carbon atoms.
- Ethanol can be oxidized to ethanoic acid.
- Ethanol and ethanoic acid react in presence of acid to form ester (ethyl ethanoate) and water.

**Question 31.**

- (a) Define Puberty. List any two changes seen in boys at the time of puberty.
- (b) Why are testes in human males located outside the abdominal cavity in scrotum ?
- (c) List any three techniques of contraception used by humans. Which one of these is not meant for males ?

[5 Marks]

**Answer:** (a) **Puberty** is the period during which a child's body develops into an adult body capable of reproduction. During puberty in boys, two changes seen are the growth of facial and pubic hair and the deepening of the voice due to the production of the hormone testosterone.

(b) The testes in human males are located outside the abdominal cavity in the scrotum because sperm formation requires a temperature slightly lower than the normal body temperature. The scrotum keeps the testes cooler, which helps in the production of

healthy sperm.

(c) Three techniques of contraception used by humans are condoms, oral contraceptive pills, and copper-T (intrauterine device). Among these, oral contraceptive pills are not meant for males; they are used by females to prevent pregnancy.

### Question 32.

(a) Name the part performing following functions in human female reproductive system :

- (i) production of eggs
- (ii) site of fertilization
- (iii) site of implantation
- (iv) entry of the sperms

(b) What changes are observed in the uterus :

- (i) subsequent to implantation of zygote and
- (ii) if an egg does not get fertilized ?

[5 Marks]

**Answer: (a) Parts performing the given functions in human female reproductive system:**

- (i) Production of eggs: The **ovary** is responsible for producing eggs or ova.
- (ii) Site of fertilization: Fertilization occurs in the **fallopian tube (oviduct)** where the sperm meets the egg.
- (iii) Site of implantation: The fertilized egg implants itself in the **lining of the uterus** called the endometrium.
- (iv) Entry of sperms: Sperms enter the female reproductive system through the **vagina**.

**(b) Changes observed in the uterus:**

- (i) Subsequent to implantation of zygote: The uterine lining thickens and becomes enriched with blood vessels to nourish the developing embryo. The uterus prepares to support pregnancy by becoming thick and spongy.
- (ii) If an egg does not get fertilized: The thickened uterine lining breaks down and is shed from the body as menstrual blood. This process is called menstruation. The uterus returns to its normal state waiting for the next cycle.

### Question 33.

What are soaps ? Write the structure of a soap molecule. Explain the cleansing action of a soap. Why are soaps not considered suitable for washing clothes in a region where water is hard ? How is this problem overcome ?

**Answer: (a) Soaps :** Soaps are sodium or potassium salts of long chain fatty acids used as cleansing agents.

**(b) Structure of Soap Molecule :** A soap molecule has a long hydrocarbon chain which is hydrophobic (water repelling) and an ionic carboxylate group ( $-\text{COO}^-\text{Na}^+$ ) which is hydrophilic (water loving).

**(c) Cleansing Action :** Soap molecules have two different ends: the hydrophobic tail dissolves in grease and oil, while the hydrophilic head remains in water. When soap is added to water containing dirt, the hydrophobic tails attach to the oil and grease, while the hydrophilic heads remain in water. This forms spherical structures called micelles where the dirt is trapped inside. These micelles are suspended in water and can be washed away, cleaning the clothes.

**(d) Soap in Hard Water :** Hard water contains  $\text{Ca}^{2+}$  and  $\text{Mg}^{2+}$  ions which react with soap to form insoluble compounds called scum. This scum reduces the cleaning ability of soaps and makes washing ineffective.

**(e) Solution :** This problem is overcome by using synthetic detergents instead of soaps. Detergents do not form scum in hard water and clean effectively.

#### Question 34.

What are magnetic field lines ? How is the direction of magnetic field at a point determined ? Draw the pattern of magnetic field lines of the magnetic field produced by a current carrying circular loop. Mark on it the direction of (i) current and (ii) magnetic field lines.

Name the two factors on which the magnitude of the magnetic field due to a current carrying coil depends.

[5 Marks]

**Answer: (a) What are magnetic field lines?**

Magnetic field lines are imaginary lines used to represent the magnetic field around a magnet or a current carrying conductor. These lines show the direction of the magnetic force and help visualize the strength and shape of the magnetic field. The magnetic field is stronger where the lines are closer and weaker where they are farther apart.

**(b) How is the direction of magnetic field at a point determined?**

The direction of the magnetic field at any point is given by the tangent to the magnetic field line at that point. Around a current carrying conductor, the magnetic field direction can be found by using the right-hand thumb rule. If you curl the fingers of your right hand in the direction of the current, your thumb points the direction of the magnetic field.

**(c) Pattern of magnetic field lines produced by a current carrying circular loop:**

The magnetic field lines form concentric closed loops around the wire. Inside the circular

loop, the field lines are almost straight and parallel, showing a uniform magnetic field. Outside the loop, the lines spread out and loop back to the other side. On the diagram, the direction of current is marked as arrows along the circular wire (usually anticlockwise or clockwise), and the direction of magnetic field lines is shown by arrows forming loops around and inside the coil.

**(d) Two factors on which the magnitude of magnetic field due to a current carrying coil depends:**

1. Magnitude of the current flowing through the coil.
2. Number of turns in the coil.

More current or more turns will increase the magnetic field produced by the coil.

### Question 35.

Why can't two magnetic field lines cross each other? Draw magnetic field lines showing the direction of the magnetic field due to a current carrying long straight solenoid. State the conclusion which can be drawn from the pattern of magnetic field lines inside the solenoid.

Name any two factors on which the magnitude of the magnetic field due to this solenoid depends.

[5 Marks]

**Answer:** (a) Two magnetic field lines cannot cross each other because if they did, at the point of crossing there would be two different directions of the magnetic field which is not possible. The magnetic field at any point has only one direction.

(b) The magnetic field lines due to a current carrying long straight solenoid are shown as closely spaced, nearly parallel lines inside the solenoid indicating a strong and uniform magnetic field. Outside the solenoid, the field lines spread out and loop from one end to the other, similar to the field of a bar magnet.

(c) The conclusion drawn from the pattern of magnetic field lines inside the solenoid is that the magnetic field inside the solenoid is strong and uniform. The solenoid behaves like a bar magnet with a north and south pole.

(d) Two factors on which the magnitude of the magnetic field due to the solenoid depends are:

1. The number of turns of the coil ( $N$ ) in the solenoid.
2. The current ( $I$ ) passing through the solenoid.

Other factors include the length of the solenoid and the presence of a magnetic core.

---