

# CBSE EXAMINATION PAPER-2025

## CHEMISTRY

(Solved)

Time allowed : 3 hours

Maximum Marks : 71

### General Instructions :

Read the following instructions carefully and follow them :

- i. This question paper contains **39 questions**. All questions are **compulsory**.
- ii. This question paper is divided into **5 sections**.
- iii. **Section A** – questions number **1 to 13** are multiple choice questions Each question carries **1 marks**.
- iv. **Section B** – questions number **14 to 18** are very short answer Each question carries **2 marks**.
- v. **Section C** – questions number **19 to 24** are short answer Each question carries **3 marks**.
- vi. **Section D** – questions number **25 to 33** are case based questions
- vii. **Section E** – questions number **34 to 39** are long answer Each question carries **5 marks**.
- viii. There is no overall choice given in the question paper. However, an internal choice has been provided in few questions.
- ix. Use of calculator is NOT allowed.

## Section A

### Question 1.

In case of association, abnormal molar mass of solute will

[1 Marks]

(A) increase

(B) decrease

(C) remain same

(D) first increase and then decrease

### Question 2.

The magnetic moment is associated with its spin angular momentum and orbital angular momentum. Spin only magnetic moment value of  $\text{Cr}^{3+}$  ion (Atomic no. : Cr=24) is\_\_\_\_\_.

[1 Marks]

(A) 3.47 B.M.

(B) 2.87 B.M.

(C) 3.87 B.M.

(D) 3.57 B.M.

### Question 3.

Acidified  $\text{KMnO}_4$  oxidises sulphite to

[1 Marks]

(A)  $\text{SO}_4^{2-}$

(B)  $\text{SO}_2(\text{g})$

(C)  $\text{S}_2\text{O}_8^{2-}$

(D)  $\text{S}_2\text{O}_3^{2-}$

### Question 4.

The correct IUPAC name of  $[\text{Pt}(\text{NH}_3)_2\text{Cl}_2]^{2+}$  is

[1 Marks]

(A) Diamminedichloridoplatinum (O)

(B) Diamminedichloridoplatinum (IV)

(C) Diamminedichloridoplatinate (II)

(D) Diamminedichloridoplatinate (IV)

**Question 5.**

Arrange the following compounds in increasing order of their boiling points:

[1 Marks]

(A) (ii) < (i) < (iii)

(B) (iii) < (ii) < (i)

(C) (iii) < (i) < (ii)

(D) (i) < (ii) < (iii)

**Question 6.**

Alkyl halides undergoing nucleophilic bimolecular substitution reaction involve

[1 Marks]

(A) formation of racemic mixture

(B) inversion of configuration

(C) formation of carbocation

(D) retention of configuration

**Question 7.**

Which is the correct order of acid strength from the following?

[1 Marks]

(A)  $C_6H_5OH > ROH > H_2O$

(B)  $H_2O > C_6H_5OH > ROH$

(C)  $C_6H_5OH > H_2O > ROH$

(D)  $ROH > C_6H_5OH > H_2O$

### Question 8.

The acid formed when propyl magnesium bromide is treated with  $\text{CO}_2$  followed by acid hydrolysis is

[1 Marks]

- (A)  $\text{CH}_3\text{COOH}$
- (B)  $\text{C}_3\text{H}_7\text{COOH}$
- (C)  $\text{C}_3\text{H}_7\text{OH}$
- (D)  $\text{C}_2\text{H}_5\text{COOH}$

### Question 9.

The best reagent for converting propanamide into propanamine is

-----.

[1 Marks]

- (A) excess  $\text{H}_2$
- (B) iodine in the presence of red phosphorus
- (C)  $\text{Br}_2$  in aqueous  $\text{NaOH}$
- (D)  $\text{LiAlH}_4$  in ether

### Question 10.

Which of the following statements is not true about glucose?

[1 Marks]

- (A) On heating with  $\text{HI}$  it forms n-hexane.
- (B) It does not give Schiff's test.
- (C) It exists in furanose form.
- (D) It is an aldohexose.

### Question 11.

An unripe mango placed in a concentrated salt solution to prepare pickle, shrivels because -----.

[1 Marks]

(A) it gains water due to reverse osmosis

(B) it loses water due to osmosis

(C) it loses water due to reverse osmosis

(D) it gains water due to osmosis

### Question 12.

Assertion (A):  $[\text{Cr}(\text{H}_2\text{O})_6]\text{Cl}_2$  and  $[\text{Fe}(\text{H}_2\text{O})_6]\text{Cl}_2$  are examples of homoleptic complexes.

Reason (R) : All the ligands attached to the metal are the same.

[1 Marks]

(A) Both Assertion (A) and Reason (R) are true, but Reason (R) is not the correct explanation of the Assertion (A).

(B) Assertion (A) is false, but Reason (R) is true

(C) Assertion (A) is true, but Reason (R) is false.

(D) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).

### Question 13.

Assertion (A) :	The boiling points of alkyl halides decrease in the order : $\text{RI} > \text{RBr} > \text{RCl} > \text{RF}$ .
Reason (R) :	The boiling points of alkyl chlorides, bromides and iodides are considerably higher than that of the hydrocarbon of comparable molecular mass.

[1 Marks]

(A) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).

(B) Assertion (A) is false, but Reason (R) is true

(C) Assertion (A) is true, but Reason (R) is false.

(D) Both Assertion (A) and Reason (R) are true, but Reason (R) is not the correct explanation of the Assertion (A).


## Section B

**Question 14.** Define Azeotrope. What type of Azeotrope is formed by negative deviation from Raoult's law? Give an example.

[2 Marks]

**Question 15.**



Complete and balance the following chemical equations:



[2 Marks]

**Question 16.**

Write the reactions involved when D-glucose is treated with following reagents:



[2 Marks]

**Question 17.**

Give reasons :

(a) Cooking is faster in pressure cooker than in an open pan.

(b) on mixing liquid X and Y , volume of the resulting solution decreases . what type of deviation from raoult's law is shown by the resulting solution ? what change in temperature would you observe after mixing liquids X and Y?

[2 Marks]

### Question 18.

Would you expect benzaldehyde to be more reactive or less reactive in nucleophilic addition reactions than propanal? Justify your answer.

[2 Marks]

## Section C

### Question 19.

A solution of glucose (molar mass =  $180 \text{ g mol}^{-1}$ ) in water has a boiling point of  $100.20 \text{ }^\circ\text{C}$ . Calculate the freezing point of the same solution. Molal constants for water  $K_f$  and  $K_b$  are  $1.86 \text{ K kg mol}^{-1}$  and  $0.512 \text{ K kg mol}^{-1}$  respectively.

[3 Marks]

### Question 20.

A certain reaction is 50% complete in 20 minutes at 300 K and the same reaction is 50% complete in 5 minutes at 350 K. Calculate the activation energy if it is a first order reaction.

[ $R = 8.314 \text{ J K}^{-1} \text{ mol}^{-1}$ ;  $\log 4 = 0.602$ ]

[3 Marks]

### Question 21.

The elements of 3d transition series are given as :

Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn

Answer the following :

- Copper has exceptionally positive  $E^\circ_{\text{M}^{2+}/\text{M}}$  value, why?
- Which element is a strong reducing agent in +2 oxidation state and why?
- $\text{Zn}^{2+}$  salts are colourless. Why?

[3 Marks]

### Question 22.

How do you convert :

- Chlorobenzene to biphenyl

(b) Propene to I-Iodopropane

(c) 2-bromobutane to but-2-ene.

[3 Marks]

**Question 23.**

(a) Arrange the following compounds in increasing order of their boiling point :

$(\text{CH}_3)_2\text{NH}$ ,  $\text{CH}_3\text{CH}_2\text{NH}_2$ ,  $\text{CH}_3\text{CH}_2\text{OH}$ .

(b) Give plausible explanation for each of the following :

(i) Aromatic primary amines cannot be prepared by Gabriel Phthalimide synthesis.

(ii) Amides are less basic than amines.

[3 Marks]

**Question 24.**

(a) What is the difference between native protein and denatured protein ?

(b) Which one of the following is a disaccharide ? Glucose, Lactose, Amylose, Fructose

(c) Which vitamin is responsible for the coagulation of blood ?

[3 Marks]

---

## Section D

**Question 25.** Phenols undergo electrophilic substitution reactions readily due to the strong activating effect of OH group attached to the benzene ring. Since the OH group increases the electron density more to o- and p- positions, therefore the OH group is ortho, para-directing. Reimer-Tiemann reaction is one of the examples of aldehyde group being introduced on the aromatic ring of phenol, ortho to the hydroxyl group.

**Question 26.**

The following questions are case based questions. Read the passage carefully and answer the questions that follow.

The rate of a chemical reaction is expressed either in terms of decrease in the concentration of reactants or increase in the concentration of a product per unit time. Rate of the reaction depends upon the nature of reactants, concentration of reactants, temperature, presence of catalyst, surface area of the reactants and presence of light.

Rate of reaction is directly related to the concentration of reactant. Rate law states that the rate of reaction depends upon the concentration terms on which the rate of reaction actually depends, as observed experimentally. The sum of powers of the concentration of the reactants in the Rate law expression is called order of reaction while the number of reacting species taking part in an elementary reaction which must collide simultaneously in order to bring about a chemical reaction is called molecularity of the reaction.

### Question 27.

The following questions are case based questions. Read the passage carefully and answer the questions that follow.

The rate of a chemical reaction is expressed either in terms of decrease in the concentration of reactants or increase in the concentration of a product per unit time. Rate of the reaction depends upon the nature of reactants, concentration of reactants, temperature, presence of catalyst, surface area of the reactants and presence of light. Rate of reaction is directly related to the concentration of reactant. Rate law states that the rate of reaction depends upon the concentration terms on which the rate of reaction actually depends, as observed experimentally. The sum of powers of the concentration of the reactants in the Rate law expression is called order of reaction while the number of reacting species taking part in an elementary reaction which must collide simultaneously in order to bring about a chemical reaction is called molecularity of the reaction.

### Question 28.

The following questions are case based questions. Read the passage carefully and answer the questions that follow.

The rate of a chemical reaction is expressed either in terms of decrease in the concentration of reactants or increase in the concentration of a product per unit time. Rate of the reaction depends upon the nature of reactants, concentration of reactants, temperature, presence of catalyst, surface area of the reactants and presence of light. Rate of reaction is directly related to the concentration of reactant. Rate law states that the rate of reaction depends upon the concentration terms on which the rate of reaction actually depends, as observed experimentally. The sum of powers of the concentration of the reactants in the Rate law expression is called order of reaction while the number of reacting species taking part in an elementary reaction which must collide simultaneously in order to bring about a chemical reaction is called molecularity of the reaction.

### Question 29.

The following questions are case based questions. Read the passage carefully and answer the questions that follow.

The rate of a chemical reaction is expressed either in terms of decrease in the concentration of reactants or increase in the concentration of a product per unit time. Rate of the reaction depends upon the nature of reactants, concentration of reactants, temperature, presence of catalyst, surface area of the reactants and presence of light. Rate of reaction is directly related to the concentration of reactant. Rate law states that the rate of reaction depends upon the concentration terms on which the rate of reaction actually depends, as observed experimentally. The sum of powers of the concentration of the reactants in the Rate law expression is called order of reaction while the number of reacting species taking part in an elementary reaction which must collide simultaneously in order to bring about a chemical reaction is called molecularity of the reaction.

### Question 30.

The following questions are case based questions. Read the passage carefully and answer the questions that follow.

The rate of a chemical reaction is expressed either in terms of decrease in the concentration of reactants or increase in the concentration of a product per unit time. Rate of the reaction depends upon the nature of reactants, concentration of reactants, temperature, presence of catalyst, surface area of the reactants and presence of light. Rate of reaction is directly related to the concentration of reactant. Rate law states that the rate of reaction depends upon the concentration terms on which the rate of reaction actually depends, as observed experimentally. The sum of powers of the concentration of the reactants in the Rate law expression is called order of reaction while the number of reacting species taking part in an elementary reaction which must collide simultaneously in order to bring about a chemical reaction is called molecularity of the reaction.

### Question 31.

### Question 32.

The following questions are case based questions. Read the passage carefully and answer the questions that follow.

The rate of a chemical reaction is expressed either in terms of decrease in the concentration of reactants or increase in the concentration of a product per unit time. Rate of the reaction depends upon the nature of reactants, concentration of reactants, temperature, presence of catalyst, surface area of the reactants and presence of light. Rate of reaction is directly related to the concentration of reactant. Rate law states that the rate of reaction depends upon the concentration terms on which the rate of reaction actually depends, as observed experimentally. The sum of powers of the concentration of the reactants in the Rate law expression is called order of reaction while the number of reacting species taking part in an elementary reaction which must collide simultaneously in order to bring about a chemical reaction is called molecularity of the reaction.

Answer the following questions :

(1)

(i) What is a rate determining step ?

(ii) Define complex reaction.

[2 Marks]

(2)

What is the effect of temperature on the rate constant of a reaction ?

[1 Marks]

(3)

The conversion of molecule X to Y follows second order kinetics. If concentration of X is increased 3 times, how will it affect the rate of formation of Y ?

[1 Marks]

(4)

Why is molecularity applicable only for elementary reactions whereas order is applicable for elementary as well as complex reactions ?

[1 Marks]

### Question 33.

Phenols undergo electrophilic substitution reactions readily due to the strong activating effect of OH group attached to the benzene ring. Since, the OH group increases the electron density more to O— and — positions therefore OH group is ortho, para-directing. Reimer-Tiemann reaction is one of the examples of aldehyde group being introduced on the aromatic ring of phenol, ortho to the hydroxyl group. This is a general method used for the ortho-formylation of phenols.

Answer the following questions :

(1)

Why phenol does not undergo protonation readily ?

[1 Marks]

(2)

Which is a stronger acid — phenol or cresol ? Give reason.

[1 Marks]

(3)

What happens when phenol reacts with

(i)  $\text{Br}_2/\text{CS}_2$

(ii) Conc.  $\text{HNO}_3$

[2 Marks]


(4)

Write the IUPAC name of the product formed in the Reimer-Tiemann reaction.

[1 Marks]

**Question 34.**

(a) Write the cell reaction and calculate the e.m.f. of the following cell at 298 K:



(Given:  $E^\circ_{\text{Sn}^{2+}/\text{Sn}} = -0.14\text{ V}$ ,  $E^\circ_{\text{H}^+|\text{H}_2(\text{g})|\text{Pt}} = 0.00\text{ V}$ )

(b) Account for the following observations:

(i) On the basis of  $E^\circ$  values,  $\text{O}_2$  gas should be liberated at anode but it is  $\text{Cl}_2$  gas which is liberated in the electrolysis of aqueous  $\text{NaCl}$ ;

(ii) Conductivity of  $\text{CH}_3\text{COOH}$  decreases on dilution.

[5 Marks]

**Question 35.**

(a) Write the anode and cathode reactions and the overall cell reaction occurring in a lead storage battery during its use.

(b) Calculate the potential for half-cell containing  $0.01\text{ M K}_2\text{Cr}_2\text{O}_7(\text{aq})$ ,  $0.01\text{ M Cr}^{3+}(\text{aq})$  and  $1.0 \times 10^{-4}\text{ M H}^+(\text{aq})$ .

The half cell reaction is



and the standard electrode potential is given as  $E^\circ = 1.33\text{ V}$ .

[Given :  $\log 10 = 1$ ].

[5 Marks]

**Question 36.**

Answer the following :

(a) Low spin tetrahedral complexes are not known.

(b)  $\text{Co}^{2+}$  is easily oxidised to  $\text{Co}^{3+}$  in the presence of a strong ligand [At. No. of  $\text{Co} = 27$ ]

(c) What type of isomerism is shown by the complex  $[\text{Co}(\text{NH}_3)_6][\text{Cr}(\text{CN})_6]$ ?

(d) Why a solution  $[\text{Ni}(\text{H}_2\text{O})_6]^{2+}$  is green while a solution of  $[\text{Ni}(\text{CN})_4]^{2-}$  is colourless.

(At. No. of  $\text{Ni} = 28$ )

(e) Write the IUPAC name of the following complex :  $[\text{Co}(\text{NH}_3)_5(\text{CO}_3)]\text{Cl}$

**Question 37.**

- (a) What is meant by 'Chelate effect' ? Give an example.
- (b) Write the hybridization and magnetic behaviour of  $[\text{Fe}(\text{CN})_6]^{4-}$  (Atomic number : Fe = 26)
- (c) If  $\text{PtCl}_2 \cdot 2\text{NH}_3$  does not react with  $\text{AgNO}_3$ , what will be its formula ?

[5 Marks]

**Question 38.**

(a) Carry out the following conversions:

- (i) Ethanal to But-2-enal;
- (ii) Propanoic acid to ethane.

(b) An alkene A with molecular formula  $\text{C}_5\text{H}_{10}$  on ozonolysis gives a mixture of two compounds B and C. Compound B gives positive Fehling test and also reacts with iodine and NaOH solution. Compound C does not give Fehling solution test but forms iodoform. Identify the compounds A, B and C.

[5 Marks]

**Question 39.** An organic compound (A) (molecular formula  $\text{C}_8\text{H}_{18}\text{O}_2$ ) was hydrolyzed with dilute sulfuric acid to get a carboxylic acid (B) and an alcohol (C). Oxidation of (C) with chromic acid produced (B). (C) on dehydration gives But-1-ene. Identify (A), (B), and (C) and write chemical equations for the reactions involved.

[5 Marks]