JOHN WIELAND HOMES

MAINTENANCE CHECKLIST

This checklist covers some basic, necessary maintenance items for most homes. It is by no means all-inclusive. Some items may not be applicable for the type of home and home features you have. For full details, please consult all guides, warranties, and literature provided by John Wieland Homes and Neighborhoods®, as well as the specific warranties and manuals for your home's various appliances.

Check or write the date of the month of each maintenance item below. Remember to use a pencil so that this list may be used again or photocopied.

MONTHLY (on or around the first day of the month)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC
· Test and clean/dust smoke and carbon monoxide detectors												
· Test GFCI/GFI receptacle/breaker and outlets												
· Replace/clean heating, ventilation, air conditioning (HVAC) air return filters												
 Check grout/caulking in tile and marble in wet areas (showers, sinks, etc.); repair as needed 												
QUARTERLY (on or around the first day of January, April, July, and October)									JAN	APR	JUL	ост
· Check range hood charcoal filter; replace/clean as necessary; repair as necessary;	eded											
 Check range hood charcoal filter; replace/clean as necessary; repair as necessar		s; repa	air as	neede	ed							
	urfaces					ain air	tightn	ness				
Check caulk seals between countertops and walls and on any laminated su	urfaces	exter	ior dod	ors to	mainta							
 Check caulk seals between countertops and walls and on any laminated su Check, and adjust as necessary, thresholds, door sweeps, and weatherstripp 	urfaces	exter	ior dod	ors to	mainta							
 Check caulk seals between countertops and walls and on any laminated st Check, and adjust as necessary, thresholds, door sweeps, and weatherstripp Oil all moving parts and tighten nuts and bolts on garage door(s) and track 	urfaces	exter	ior dod	ors to	mainta							

PERFORM ALL MONTHLY AND QUARTERLY MAINTENANCE IN ADDITION TO THE FOLLOWING (WHERE APPLICABLE):

SPRING AND FALL MAINTENANCE (on or around the first day of April and October)	PR	ОСТ
· Clean gutters, downspouts, and roof eaves to remove leaves and debris		
· Check connection between dryer and vent exhaust; repair as needed		
· Check washing machine hoses and connections for cracks and leaks; repair or replace as necessary per manufacturer		
· Have an HVAC professional inspect and calibrate your heating and cooling system (start of heating and cooling season)		
Vacuum/clean window and sliding door tracks; lubricate with silicone spray		
· Assess all exterior paint and caulk; check exterior caulk seals around windows, doors, etc.; repair as needed		
• Drain and flush out hot water heater and verify that pressure relief valve is working (carefully follow manufacturer's instructions)		
· Inspect and maintain the flow of all swales, and culvert and drainage inlets and outlets		
· Verify no standing water in crawl spaces, all insulation is intact, and heating/cooling supply lines are secure		
· Before the first freeze, disconnect exterior hoses and devices from hose bibs; if possible, shut off water to bib and drain		
· Inspect foundation as directed by John Wieland Homes and Neighborhoods® Customer Care Team		
Verify sprinkler system is functioning properly and adjust/repair as needed		
• Flush out the sprinkler system in spring; prior to winter, flush out and drain the sprinkler system		
SUMMER (on or around the first day of July)		JUL
· Verify HVAC condensate drain is flowing freely while air conditioning is running		
· Verify the float switch or overflow pan on a second-floor air handling unit is clear of obstructions and functioning properly		
Verify main water cutoff valve is accessible and functioning properly		
· Have professional chimney sweep inspect and clean fireplace flue/chimney; check caulk around fireplace facing and repair as needed		
· Apply water-seal treatment to all outdoor exposed wood (power-washing wood first may be necessary)		
Inspect roof for loose or missing shingles or flashing		
Clear/clean weep holes in brick siding		
Service septic system		
WINTER (on or around the first day of January)		JAN
· Remove ice buildup, snow, or any debris from roof when needed to prevent leaking		
 During extreme cold, leave indoor faucets located on exterior walls dripping to prevent pipe freezing 		

MAINTENANCE NOTES

ii.	
<u>.</u>	
	
ii-	
The state of the s	
-	

jwhomes.com

