Material Safety Data Sheet



Zep Inc. 1310 Seaboard Industrial Blvd. Atlanta, GA 30318 1-877-I-BUY-ZEP (428-9937) www.zep.com Section 1. Chemical Product and Company Identification

Product name FLOOR FINISH

(GreenLink)

Product use

Product code 1917

Date of issue 07/22/08 Supersedes 01/18/06

Emergency Telephone Numbers

For MSDS Information:

Compliance Services 1-877-I-BUY-ZEP (428-9937)

For Medical Emergency

INFOTRAC: (877) 541-2016 Toll Free - All Calls

Recorded

For Transportation Emergency

CHEMTREC: (800) 424-9300 - All Calls Recorded

In the District of Columbia (202) 483-7616

Printing date: 07/22/08

Prepared By

Compliance Services

1420 Seaboard Industrial Blvd.

Atlanta, GA 30318

Section 2. Hazards Identification

Emergency overview

WARNING!

*Hazard Determination System (HDS): Health, Flammability, Reactivity

1 1 0

CAUSES EYE IRRITATION.

NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

Acute Effects Routes of Entry Dermal contact. Eye contact. Inhalation.

Eyes Causes eye irritation. Inflammation of the eye is characterized by redness, watering and itching.

Skin Direct contact may cause irritation and redness. Prolonged or repeated contact may dry skin and

cause irritation. Skin inflammation is characterized by itching, scaling, or reddening.

Inhalation Over-exposure by inhalation may cause respiratory irritation. Can cause central nervous system

(CNS) depression.

Ingestion May be harmful if swallowed. Can cause gastrointestinal disturbances. Ingestion may cause

nausea, weakness and central nervous system effects.

Chronic effects Overexposure of this product by inhalation or absorption can produce central nervous system

depression resulting in headache, nausea and/or dizziness. Repeated or prolonged exposure to

the substance can produce damage to kidneys and liver.

Carcinogenicity Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

Additional Information: See Toxicological Information (Section 11)

Section 3. Composition/Information on Ingredients

Name of Hazardous IngredientsCAS number% by Weight2-(2-ETHOXYETHOXY)-ETHANOL; diethylene glycol monoethyl ether, ethoxydiglycol111-90-05 - 15TRIBUTOXYETHYL PHOSPHATE; Tris (2-butoxyethyl) phosphate78-51-3<5</td>

Section 4. First Aid Measures

Eye Contact Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes,

keeping eyelids open. Get medical attention if irritation develops.

Skin Contact In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash

clothing before reuse. Get medical attention if irritation develops.

Inhalation If inhaled, remove to fresh air. If irritation persists, get medical attention.

Ingestion Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an

unconscious person. If affected person is conscious, give plenty of water to drink. Get medical attention

immediately.

Page: 1/3

Product code 1917 Material Safety Data Sheet Product Name FLOOR FINISH
(GreenLink)

Section 5. Fire Fighting Measures

National Fire Protection Association (U.S.A.)



Flash Point Closed cup: >93.33°C

(>200°F).

Flammable Limits Not available.
Flammability Non-combustible.

Fire hazard Material can splatter above 100°C/212°F. Dried product can burn.

Fire-Fighting Use dry chemical, CO₂, water spray (fog) or foam. Cool closed containers exposed to fire with

Procedures water

Section 6. Accidental Release Measures

Spill Clean up Put on appropriate personal protective equipment (see section 8). Dilute with water and mop up if water-soluble

or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by

spreading water on the contaminated surface and dispose of according to local and regional authority

requirements.

Section 7. Handling and Storage

Handling Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep container closed. Use only with

adequate ventilation. Wash thoroughly after handling.

Storage Keep container tightly closed. Keep container in a cool, well-ventilated area. Store between the following temperatures:

40°F - 120°F (4.4°C - 49°C). Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children.

Section 8. Exposure Controls/Personal Protection

Product name Exposure limits

No exposure limit value known.

Personal Protective Equipment (PPE)

Eyes Safety glasses.

Body Recommended: Neoprene gloves. PVC gloves.

Respiratory Provide general ventilation. A respirator is not needed under normal and intended

conditions of product use.

Section 9. Physical and Chemical Properties

Physical State Liquid. Color Milky-white pH 7.0 - 9.5 Odor Characteristic.

Boiling Point Not determined. Vapor Pressure >2.3 kPa (>17 mm Hg) (at 20°C)

Specific Gravity 1 (Water = 1) Vapor Density <1 (Air = 1)

Solubility Partially soluble in cold water, hot water. **Evaporation Rate** <1 compared with Butyl acetate.

VOC (Consumer) 0%

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.

Incompatibility Slightly reactive to reactive with oxidizing agents.

Hazardous Polymerization Will not occur.

Hazardous Decomposition Products carbon oxides (CO, CO₂) phosphates, and acrylic monomers.

Section 11. Toxicological Information

Acute Toxicity

Exposure Product/ingredient name Result **Species** Dose Diethylene Glycol Monoethyl Ether LD50 Dermal Rabbit 9143 mg/kg LD50 Oral Rat 10502 mg/kg LD50 Oral Mouse 6301 mg/kg LC50 Inhalation Vapor Rat >200 mg/L 1 hours

Page: 2/3

Product code 1917	Material Safety Data Sheet	Product Name FLOOR FINISH
		(GreenLink)

Section 12. Ecological Information

Environmental Effects

No known significant effects or critical hazards.

Aquatic Ecotoxicity

Product/ingredient name Test Result Species Exposure

Not determined.

Section 13. Disposal Considerations

Waste Information

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

Waste Stream Non-hazardous waste

Section 14. Transport Information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label
DOT Classification	Not regulated.	None.			
IMDG Class					

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

PG*: Packing group

Section 15. Regulatory Information

U.S. Federal Regulations

SARA 313 toxic chemical notification and release reporting:

Product name

Diethylene Glycol Monoethyl Ether

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: Diethylene Glycol Monoethyl Ether

All Components of this product are listed or exempt from listing on TSCA Inventory.

State Regulations

California Prop 65 WARNING: This product contains a chemical or chemicals known to the state

of California to cause cancer, birth defects or other reproductive harm.:

Diethylene Glycol Monoethyl Ether

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.