

Mechanical Gas Valves



P/N: 87-100001-00X

FEATURES

- **For Use in:**
 - **WHDR™ Commercial Cooking Fire Suppression Systems**
 - **IND™ Industrial Fire Suppression Systems**
- **For Use with XV™ Control System and KRS-50 Control Box**
- **UL & ULC Listed**
- **FM Approved for IND™ Systems**

DESCRIPTION

A Mechanical Gas Valve (Figure 1) is required on systems used to protect gas-fueled equipment (e.g., appliances). Upon system actuation, tension on the control stem is released, closing the valve and stopping gas flow to the equipment.

All Mechanical Gas Valves include an optional cable block (see Figure 2) which can be used to prevent over-extending the valve stem in the open position.

ORDERING INFORMATION

Gas Valves:	
Valve Size	Part Number
3/4 in. (19 mm)	87-100001-001
1 in. (25.4 mm)	87-100001-002
1-1/4 in. (32 mm)	87-100001-003
1-1/2 in. (38 mm)	87-100001-004
2 in. (51 mm)	87-100001-005
2-1/2 in. (64 mm)	87-100001-006
3 in. (76 mm)	87-100001-007
Pulley:	
Double Tee Pulley	83-843792-000




Figure 1. Mechanical Gas Valve, P/N 87-100001-001




Figure 2. Typical Mechanical Gas Valve Installation

DIMENSIONS

Mechanical Gas Valves can be mounted in any orientation. Refer to Figure 3 and Table 1 below for dimension values.

Table 1: Dimensions for Mechanical Gas Valves

Part Number	NPT	Dimensions (inches)							
		A	B	C	D	E	F (Max.)	G	H
87-100001-001	3/4	3 5/16	1 21/32	3 3/4	4	4 13/16	3/16	1 9/64	2 11/32
87-100001-002	1	5	2 3/8	5 19/32	5 27/32	7 5/32	17/32	2 11/16	5 3/8
87-100001-003	1 1/4								
87-100001-004	1 1/2			5 21/32	5 51/64				
87-100001-005	2	6 3/32	2 13/16	6	6 1/4	7 3/4	39/64	3 5/32	6 5/16
87-100001-006	2 1/2	7 51/64	3 29/32	7 3/8	7 5/8	9 61/64	29/32	4 1/8	7 61/64
87-100001-007	3	7 25/32	3 57/64						




Figure 3. Dimensions of the Mechanical Gas Valve

USE WITH DOUBLE TEE PULLEY

Two mechanical gas valves can be simultaneously operated from a single XV Control System connection when used in conjunction with the Double Tee Pulley, P/N 83-843792-000. (See Figure 4.)




Figure 4. Double Tee Pulley with Two Mechanical Gas Valves (XV Control System only)

Kidde Fire Systems, Kidde Fire Protection and Fenwal Controls branded products are created exclusively by Kidde-Fenwal, LLC, 400 Main St, Ashland, MA 01721, USA. All other trademarks are the property of their respective owners.

This literature is provided for informational purposes only. Kidde-Fenwal, LLC believes this data to be accurate, but it is published and presented without any guarantee or warranty whatsoever. Kidde-Fenwal, LLC assumes no responsibility for the product's suitability for a particular application. The fire suppression system design, installation, maintenance, service and troubleshooting must be performed by trained, authorized Kidde Fire Systems distributors for the product to work correctly. If you need more information on this product, or if you have a particular problem or question, contact: Kidde-Fenwal, LLC, Ashland, MA 01721 USA, Tel: +1 (508) 881-2000.