MEP Hire

Mechanical, Electrical & Low Level Access Specialists



Access Equipment


0800 587 5121
hire@mephire.co.uk
www.mephire.co.uk



MEP Hire

Mechanical, Electrical & Low Level Access Specialists

Access Equipment Specialists




Hire With Us...

We provide low-level access products to the UK's specialist building services trades.

As a member of Vp plc, we are part of a multi-national group with nine operating divisions, providing the rental and sale of specialist products and associated services within the UK and overseas.

With a rich history spanning over 65 years, MEP Hire is uniquely positioned to ensure continued investment in our fleet and network. This allows us to offer our customers the most innovative and quality hire solutions available.





Improving Safety & Increasing Productivity

The Working at Height Regulations 2005 aims to prevent death or injury caused by falls from height. However, since the regulations were brought in, falls from height in the construction sector continue to be a big issue...

We understand that safety is paramount to the prosperity of your business and so we have developed a Low Level Access range that will do more than support your compliance and improve safety, it will increase your productivity too!

MEP Hire has one of the largest, widest ranging and well-maintained Low Level Access fleets available in the UK. We work with some of the largest construction firms in the UK, delivering for some of the biggest building and fit-out projects in Europe.

A Significant Risk to Site Safety

Construction worker fatalities in the UK are

70% higher

than before the Covid pandemic, according to the annual statistics from the Health and Safety Executive (HSE)

CONSTRUCTION NEWS JULY 2024

The estimated cost of **work-related ill-health** and **injury** in the construction sector was over

1.4 million in 2022/23

HSE, CONSTRUCTION STATISTICS IN GB 2024

OVER **2.5 million**

working days were lost during 2023/4 in the construction industry due to **workplace illness** and **injury**

HSE, CONSTRUCTION STATISTICS IN GB 2024

Falls from height

remain the highest kind of fatal accident for workers in the construction sector at

52%

HSE, CONSTRUCTION STATISTICS IN GB 2024

Falls from height accounted for

33%

of work related injuries during 2023/4

HSE, CONSTRUCTION STATISTICS IN GB 2024

The 2023/24 figure for fatal falls from height now sits at an unacceptable

35% above

the five-year average

CONSTRUCTION NEWS JULY 2024

The Benefits of Low Level Access (LLA)

Safe

Designed to be the safest possible way of working at heights. Features include fail-safe mechanisms, 'anti-surf' locking wheels, auto-brakes, safety gates and guards, as well as MEWP tags.

Quick & Simple

Much faster than ladders or podiums to erect. The Pecolift for example takes just 11 seconds to reach full elevation.

Reliable

Fully tested and calibrated machines mean you only receive equipment that is ready for the job. Our non-powered machines are battery and electric free so avoid any downtime.

Efficient

Proven to reduce the time it takes to complete tasks; increasing your productivity.

Versatile

Wide range of machines to suit multiple applications and working heights up to 6.5 metres.

Cost Effective

Designed for versatility and use across multiple applications, helping you to manage your costs and maximise usage.

Sustainable

Our non-powered, self-propelled machines are the sustainable and environmentally friendly choice.



Choose **MEP Hire...**

We've put safety at the heart of our offering.

With specialist knowledge of the Low Level Access market, we have worked with suppliers to develop products that better address your safety needs when working at height.

Our team of dedicated engineers receive enhanced training to ensure our fleet of machines only enters the market when it is fully safe to do so and compliant with all associated regulations.

See the benefits of...

- One of the largest access fleets in the UK, with capacity to support the largest demands
- Innovative CORE RFID process for LOLER certification and compliance
- Support to prevent unauthorised use through our range of accessories, ensuring only competent and experienced staff can access our machinery
- Thorough and fully independent inspections to meet LEEA and IPAF obligations
- Support with access to training, certifications and machine familiarisation
- Dedicated team of engineers across the UK, reducing downtime for faults and servicing
- Additional safety features such as MEWP tags, anti-climb side guards, tool tethering, telematics and secondary guarding devices.

The Complete Solution...

We can offer you a complete range of access solutions, suitable for a wide range of applications, including, fit-out, mechanical, electrical and HVAC environments.



Non-Powered Access

These access machines are powered with the simple rotation of a handle – no batteries mean no downtime when charging!

See pages 10 - 12



Powered Access

Our range of powered access machines help you to reach heights of up to 7m in a matter of seconds.

See pages 13 - 19



Alloy Towers

Suitable for use indoors or outdoors, these towers will allow you to access heights from 3.2 - 32.2m.

See pages 20 - 22



Podiums & Platforms

Certified to BS8620 standards and suitable for lower level work from 2.2 – 8m.

See pages 23 - 25



Tool Tethering

Save lives and improve your productivity with our robust, tried and tested range of tool tethering options.

See pages 26 - 27

Working at Height Overview

OVER 8m WORKING HEIGHT



EIGER & SAFE QUICK (AGR) TOWERS



Available in working heights of **2-8m**.

MI-TOWER & MI-TOWER PLUS

MAX 7m WORKING HEIGHT



Wind-rated

Maximum **7m*** working height

*When using step that provides additional 500mm of height

DINGLI 0707DC-XD SCISSOR LIFT



Maximum **6.7m** working height

MI-STAIRS TOWER



Wind-rated

Maximum **6.57m** working height

JLG 1530L MICRO SCISSOR LIFT



Wind-rated

Maximum **6.3m** working height

GENIE 1432 MICRO SCISSOR LIFT

MAX 6m WORKING HEIGHT



Maximum **5.9m** working height

DINGLI 0607C SCISSOR LIFT



Wind-rated option available

Confined Space Guard Rail Available

Maximum **5.4m** working height

BOSS PA SCISSOR LIFT



Maximum **5.1m** working height

POWER TOWER LIFT



Maximum **5.05m** working height

DINGLI 0507PA MINI SCISSOR LIFT



Maximum **5m** working height

DINGLI 0507C MICRO SCISSOR LIFT



Maximum **5m** working height

IQ PRO 10 SCISSOR LIFT



Maximum **5m** working height

SNORKEL 3010P SCISSOR LIFT

MAX 4.5m WORKING HEIGHT



Maximum **4.5m** working height

NANO LIFT



Maximum **4.5m** working height

NANO SP LIFT



Wind-rated options available

Maximum **4.2m** working height

ECOLIFT



Maximum **4.1m** working height

IQ PRO 7 ACTIVE



Maximum **3.9m** working height

DESK SURFER

MAX 3.8m WORKING HEIGHT



3.8m platform height

FOLDING PLATFORM



Maximum **3.5m** working height

PECOLIFT



BS:8620 compliant

Available in **3.5m**, **3.2m** & **3m** working heights

PODIUM



2.87m working height

DELTADECK



Available in various sizes

EXTRA WIDE PLATFORM STEPS

Additional Safety Features



Tool Trays With Integrated Tool Tethering



MEWP Tags



Safe Rack MHA



Track Unit



Secondary Guarding



Anti-climb Guard Rails

MEP Hire

Mechanical, Electrical & Low Level Access Specialists

Non-Powered Access

These access machines are powered with the simple rotation of a handle – no batteries mean no downtime when charging!

Working height 3.5m

Pecolift

Hire Code: 020029 / 020030 (Vertical Handrail)

Compact and lightweight with a working range of 360º, allowing the operator to reach awkward positions easily as both hands are kept free.

- Suitable for use across site, indoors
- Lightweight and compact for easy manoeuvrability
- Self-propelled - elevated by simple rotation of a handle.

Working Envelope




Image shows Peco with vertical handrail and additional side guard added.



Working height	3.5m
Platform height	1.5m
Width	0.7m
Length	0.98m
Height	1.55m
Weight	180kg
Max load	150kg
Outdoor / indoor	Indoor
Wind rated	No

Additional Safety Features



Anti-climb Guard Rails



Tool Trays With Integrated Tool Tethering



MEWP Tags

Working height 3.9m


Monkey Tower Desk Surfer


Hire Code: 010235

An innovative, unfolding scaffolding system ideal for accessing Low Level Access heights in a live environment.

- Simple, push around podium for accessing low level heights
- Suitable for use indoors or outdoors
- Easy and safe to use by one person - no qualifications required
- Lightweight and self-powered.

Working Envelope





Working height	3.9m
Maximum outreach	0.8m
Width	0.7m
Length	1.32m
Height	2.9m
Weight	90kg
Max load	90kg (min) – 150kg (max)
Outdoor / indoor	Both
Wind rated	No

Working height 4.1m


IQ Pro 7 Active Platform Lift

Hire Code: 020056

Hydraulic and battery-free push around lift to safely and efficiently reach heights of up to 4.1m.

- Lightweight and easy to manoeuvre - fits through standard doorways and lifts
- Fast and smooth elevation
- No hydraulic or batteries needed - increases up time and reduces running costs.

Working Envelope





Working height	4.1m
Platform height	2.1m
Width	0.7m
Length	1.2m
Height	1.68m
Weight	275kg
Max load	125kg
Outdoor / indoor	Indoor
Wind rated	No

Additional Safety Features



MEWP Tags

Working height 4.2m

Ecolift

Hire Code: 020036 / 020037 (Wind Rated) / 020038 (Wind & Atex)

Simple and effective Low Level Access solution. Reach heights of up to 4.2 metres with this battery and electric power-free access machine.

- Suitable for use across site, indoors
- Lightweight and compact for easy manoeuvrability
- Self-propelled - elevated by simple rotation of a handle.

Working Envelope




Image shows Eco with vertical handrail and additional side guard added.



Working height	4.2m
Platform height	2.2m
Width	0.7m
Length	1.28m
Height	1.94m
Weight	305kg
Max load	150kg
Outdoor / indoor	Indoor
Wind rated	Options available

Additional Safety Features



Anti-climb Guard Rails



Tool Trays With Integrated Tool Tethering



MEWP Tags



Working height 4.5m


Nano & Nano SP Lifts

Hire Code: 020018 Nano / 020019 Nano SP

A compact footprint with a large platform area. Reach Low Level Access heights of up to 4.5 metres with this simple to use battery operated access machine.

- Improves safety, whilst supporting increased productivity
- Suitable for use across site, indoors and outdoors (SP indoors only)
- Maximum load 200kg
- Choose the Nano SP for a larger platform size.

Working Envelope





	Nano	Nano SP
Hire Code	020018	020019
Working height	4.5m	4.5m
Platform height	2.5m	2.5m
Width	0.75m	0.75m
Length	1.20m	1.20m
Height	1.56m	1.59m
Weight	285kg	478kg
Max load	200kg	200kg
Outdoor / indoor	Both	Indoor
Wind rated	No	No

Additional Safety Features



Tool Trays With Integrated Tool Tethering | MEWP Tags | Track Unit

Working height 5m


IQ Pro 10 Scissor Lift

Hire Code: 020012

A push around scissor lift with intelligent safety features for all your Low Level Access needs.

- Reach up to 5m working heights in just 20 seconds
- Ideal for access to small and awkward spaces due to its compact size
- Long battery life for improved efficiency.


Working Envelope





Working height	5m
Platform height	3m
Width	0.75m
Length	1.20m
Height	1.8m
Weight	394kg
Max load	240kg
Outdoor / indoor	Indoor
Wind rated	No

Additional Safety Features



MEWP Tags | Track Unit

Working height 5m


Dingli 0507C Micro Scissor Lift

Hire Code: 020020

Reach heights of up to 5m with this electric, compact and versatile PAV - it's easy to use and fits through standard doorways and lifts.


- Non-marking tyres
- For use indoors, by one operator
- Super lightweight at just 398 kg.

Working Envelope



Working height	5m
Platform height	3m
Width	0.75m
Length	1.31m
Height	1.8m
Weight	398kg
Max load	240kg
Outdoor / indoor	Indoor
Wind rated	No

Additional Safety Features



MEWP Tags | Track Unit



Working height 5m


Snorkel 3010P Scissor Lift

Hire Code: 020070

A push-around scissor lift, perfect for sites with space restrictions.

- Compact, lightweight and easy to manoeuvre
- Fits through standard doorways and passenger lifts
- Non-marking tyres ensure suitability to decked-out environments.

Working Envelope





Working height	5m
Platform height	3m
Width	0.75m
Length	1.2m
Height	1.8m
Weight	370kg
Max load	240kg
Outdoor / indoor	Indoor
Wind rated	No

Additional Safety Features


MEWP Tags


Track Unit

Working height 5.05m


Dingli 0507PA Mini Scissor Lift

Hire Code: 020053

A self-propelled, oil free mini scissor lift eliminating the chance of leaks, whilst reducing power consumption.

- Reaches working heights of up to 5.05m
- Highly versatile scissor lift that can be used by one person both indoors and outdoors
- Easy to use proportional joystick controls
- Self-locking gates provide additional safety
- Drivable at full height, allowing you to be more efficient with certain on-site tasks.

Working Envelope



Working height	5.05m
Platform height	3.05m
Width	0.77m
Length	1.16m
Height	1.60m
Weight	570kg
Max load	230kg
Outdoor / indoor	Both
Wind rated	No

Additional Safety Features


MEWP Tags


Track Unit


Secondary Guarding



Working height 5.1m

Power Tower Lift

Hire Code: 020009

A safe and efficient way to reach Low Level Access working heights of up to 5.1m.

- Reach heights of up to 5.1m in just 30 seconds
- Compact and highly versatile, making it suitable for multiple tasks
- Simple to use and battery operated makes this machine a practical and environmentally sustainable choice.

Working Envelope





Working height	5.1m
Platform height	3.1m
Width	0.78m
Length	1.6m
Height	1.85m
Weight	342kg
Max load	250kg
Outdoor / indoor	Indoor
Wind rated	No

Additional Safety Features


MEWP Tags


Track Unit

Working height 5.4m


BOSS PA Scissor Lift

Hire Code: 020039

A versatile scissor lift, reaching heights of up to 5.4m indoors and 4.6m outdoors.

- Compact and easy to manoeuvre
- Indoor and outdoor capability
- Fits through standard doorways and passenger lifts.

Working Envelope





Confined Space Guard Rail Available

Hire Code: 020060



Wind-rated option available

Working height	5.4m indoors / 4.6m outdoors
Platform height	3.4m indoors / 2.6m outdoors
Width	0.76m
Length	1.28m
Height	1.76m
Weight	375kg
Max load	250kg
Outdoor / indoor	Both
Wind rated	Yes, available on request

Additional Safety Features


MEWP Tags


Track Unit


Secondary Guarding fitted as standard

Working height 5.9m

Dingli 0607C Scissor Lift

Hire Code: 020021

Both compact and lightweight, this Battery PAV Scissor Lift can reach working heights up to 5.9m.

- Fully electric scissor lift ideal for finished areas due to its non-marking tyres
- Operators can use with a PAV license cutting the cost of extra training
- Compact and lightweight at just 460 kg.


Working Envelope





Working height	5.9m
Platform height	3.9m
Width	0.75m
Length	1.31m
Height	1.88m
Weight	460kg
Max load	240kg
Outdoor / indoor	Indoor
Wind rated	No

Additional Safety Features



MEWP Tags

Track Unit

Working height 6.3m

Genie 1432 Micro Scissor Lift

Hire Code: 020054

A compact, sustainable and efficient way to reach heights of up to 6.3m indoors and 5.66m outdoors.


- Versatile, electric scissor lift for multiple access jobs
- Compact and versatile; fits through standard doorways and in personnel lifts
- Long life battery powered machine ensures increased up time and reduced leaks.




Panel Attachment Available

Hire Code: 020098

Working Envelope



Wind-rated



Working height	6.3m indoors / 5.66m outdoors
Platform height	4.3m indoors / 3.66m outdoors
Width	0.77m
Length	1.4m
Height	1.9m
Weight	900kg
Max load	227kg
Outdoor / indoor	Both
Wind rated	Yes

Additional Safety Features



Safe Rack MHA



Track Unit



Secondary Guarding

Working height 6.57m


JLG 1530L Micro Scissor Lift

Hire Code: 020055

Lightweight, compact and efficient scissor lift to safely reach Low Level Access working heights of up to 6.57m.

- Highly efficient electric, battery operated machine suitable for use across multiple applications
- Access working heights of up to 6.57m in just 19 seconds
- Suitable for use indoors or outdoors.

Working Envelope



Wind-rated



Working height	6.57m indoors / 5m outdoors
Platform height	4.57m indoors / 3m outdoors
Width	0.76m
Length	1.4m
Height	1.9m
Weight	880kg
Max load	227kg
Outdoor / indoor	Both
Wind rated	Yes

Additional Safety Features



Track Unit

Working height 7m*

Dingli 0707DC-XD Scissor Lift

Hire Code: 020057

Reaching maximum working heights of up to 7m*, the 0707DC-XD is highly adaptable to a wide range of tasks.

- Maximum working height of 6.5m - extending by another 500mm when using built-in confined space handrail and step
- One-way 600mm platform extension deck offers access to hard to reach places
- Drivable at full height, making repetitive tasks at height more efficient
- Can be used both indoors and outdoors by up to two operators

Working Envelope



Wind-rated



Working height	7m* indoors / 5m outdoors
Platform height	4.5m indoors / 3m outdoors
Width	0.76m
Length	1.44m
Height	1.99m
Weight	980kg
Max load	227kg
Outdoor / indoor	Both
Wind rated	Yes

*When using step that provides additional 500mm of height

Additional Safety Features




MEWP Tags



Track Unit



Secondary Guarding



Working height up to 6.7m

MiStairs Alloy Access Tower

For Hire Codes, please contact an MEP Advisor or visit our website.

A safe, quick and easy to assemble alloy tower, providing a strong and robust access option around staircases. Suitable for one-person operation.

- Easy to assemble in just 20 minutes
- Available in a range of working heights from 4.2 - 6.7m
- Compact design means it is the ideal scaffold to move into a narrow stairwell
- Circular welded and pinched claw-brace connections make it the strongest, most stable scaffolding of its kind.



Working height up to 6.7m

Bridge Quick Access Tower

For Hire Codes, please contact an MEP Advisor or visit our website.

A versatile and high quality mobile tower, offering a safe, yet speedy build. Provides an incredibly stable working platform with a generous working area.

- Fast assembly
- Six options to choose from depending on your desired working height
- Provides platform heights between 1.7 - 4.7m
- Choose working heights of 3.7 - 6.7m
- Suitable for both internal and external use
- Tower components compliant with BS EN 1004-1, bridging components compliant with BS 1139.



Working height up to 8m

MiTower Alloy Access Tower

For Hire Codes, please contact an MEP Advisor or visit our website.

This quick assembly alloy access tower provides a safe and convenient platform for working at Low Level Access heights for up to two people.

- Reach heights of up to 8m
- 6m supplied as standard, 8m achieved when using 2m extension pack
- Assemble in less than 15 minutes by one person
- Available in two compact platform sizes
- EN1004 Class 3 compliant
- Suitable for both internal and external use.



Working height up to 14.2m

Eiger 250 and Safe Quick (AGR) Alloy Access Towers

For Hire Codes, please contact an MEP Advisor or visit our website.

A versatile and EN1004 compliant LLA scaffold tower, suitable for both internal and external use by up to two people. **Choose our Safe Quick AGR option for added safety features, in a new lighter and easier to assemble construction.**

- Quick and easy to assemble
- Reaches working heights of up to 14.2m
- Compact advanced guardrail system
- Single and double width options
- Easy to use and assemble
- Lightweight and strong
- No ladder frame required
- Suitable for use by up to two people
- EN1004 Class 3 compliant.

Working height up to 32.2m

MiTower LiftShaft Alloy Access Tower

For Hire Codes, please contact an MEP Advisor or visit our website.

Reach heights in lift spaces and confined areas safely and quickly. Easy one person build and operation. Multiple size options available from 4.2 - 32.2m.

- Fast and easy set up
- Suitable for one or two people
- Stable, strong and robust
- Small footprint
- EN 1004 Class 3 and EN 1139-6 compliant.



Vp plc

MEP Hire

Mechanical, Electrical & Low Level Access Specialists

Podiums and Platforms

Certified to BS8620 standard and suitable for lower level work from 2.45 – 3.8m.

Working height up to 1.45m



Euro Towers Stepfold Podium with Swing Gate

Hire Code: 010233 (1-1.2m) / 010234 (1.2-1.45m)

These Stepfold podiums are BS 8620 certified steps - a great solution for working safely at low-level heights.

- Available in two sizes for a range of working heights
- Telescopic guardrails ensure easy access to working platform
- Battery free and BS 8620 certified.

Working height up to 2.87m



DELTADECK® Low Level Work Platform

Hire Code: 010221

The DELTADECK® Low Level Access work platform is an innovative access solution, ideal for those needing flexibility when working at heights. Offers multiple working heights from 2.45 - 2.87m.

- Quick, easy and safe to use
- Compact, lightweight and easy to transport
- Suitable for multiple applications
- Battery free folding platform.

Working height up to 3.32m



Rolguard Telescopic Work Platform

Hire Code: 010284 (4 rung) / 010288 (5 rung) / 010286 (6 rung)

A Low Level Access platform ladder with all-round guard protection, saloon-bar gate style entry and an extra-large working platform. Allows the user to work comfortably with both hands free.

- Reaches heights of up to 3.32m
- Easy to move folding work platform
- Telescopic quick-lock stabilisers
- Variable height
- Optimal standing comfort
- Handy tool tray.

Working height up to 3.5m



Podium Step

Hire Code: 010224 (1m) / 010226 (1.2m) / 010227 (1.5m)

Reach Low Level Access heights with this set of podium steps available in three heights from 1 - 1.5m. Certified to BS 8620 standard.

- Choose from three platform heights - 1m, 1.2m and 1.5m
- Stabilisers and anti-surf functionality provided for added safety and security
- BS 8620 certified.

Working height up to 3.52m



Stair Podium

Hire Code: 010231

Ideal podium for use on different surface levels such as stairways, as well as narrow spaces.

- Reaches working heights of 3.52m
- Fast and easy assembly
- One person operation
- Maximum load of 150kg.

Working height up to 3.8m



Euro Towers Eurofold Work Platform

Hire Code: 010208

Quick and easy to use work platform suitable for multiple applications.

- Reaches working heights of up to 3.8m
- Maximise efficiency with 'snap open' design that assembles in minutes
- Lightweight and compact
- Easy to transport and store.



Tool Tethering

Dropped Objects Rank in the UK's Top 3 for Workplace Killers!*

Save lives and improve your productivity with our robust, tried and tested range of tool tethering options.

Clever Tool Tethering That Stops Drops!

Adding tool tethering solutions direct to the access machine is the safest possible way of ensuring tools aren't dropped. MEP Hire offers a full range of tethering solutions from NLG; who engineer the safest tool lanyards available. We have also worked with suppliers to allow tools to be fixed direct to the machine via innovations like tool trays.

Just follow these three simple steps to ensure your site is a safe one...

1. **Create a Tether Point** - a load rated point that allows you to connect your lanyard to your tool.
2. **Create a Lanyard** - depending on your environment choose either coil, bungee, fixed webbing or retractable.
3. **Select an Anchor Point** - attach your lanyard to a suitable anchor point, such as a wrist band, workbelt or harness.

*HSE Riddor Report, 2022/23









Find our full range at:
www.mephire.co.uk











Consumables

MEP Hire offer a wide range of consumables and PPE that will support you to be compliant with your safety obligations and protect workers. Simply visit: **www.mephire.co.uk** to view our full range.


Safety Comes First...

All users must have the appropriate training to operate LLA machines and we can help you to access this training if you need it. Our staff hold IPAF Demonstrator Licences and can provide a Machine Familiarisation Service.

Each of the machines in our fleet goes through rigorous safety checks, including the LOLER examination. This ensures our machines are always compliant to the latest regulations and will keep your operators safe.

MEP Hire offer additional safety features for many of our access machines, making them the safest in the market. These include MEWP tags, anti-climb side guards, tool tethering, telematics and secondary guarding devices.


IPAF Rental+ L.O.L.E.R.



> The team at MEP Hire clearly understand the challenges we face and provided practical, safe, and innovative solutions that our operatives could get to grips with easily and quickly. It's refreshing to see a hire partner so focused on compliance and proactive problem solving – exactly what's needed on projects of scale and complexity.
>
> **Mike Loughnane,**
> **H&S Consultant at QSC Safety**

National Coverage

With 12 locations spread across the UK, we have truly national coverage.



MEP HIRE ABERDEEN

Unit C6, Kintore Business Park,
Kintore, Aberdeen AB51 0YQ
T: 01224 444 195
E: mephireaberdeen@vpplc.com

MEP HIRE BIRMINGHAM

Unit 1 Alpha Park, Bevan Way,
Smethwick B66 1BZ
T: 01216 618 001
E: mephirebirmingham@vpplc.com

MEP HIRE BRISTOL

Unit B, St Vincents Trading Estate,
Feeder Road, St Philips, Bristol
BS2 0UY
T: 01173 380 160
E: mephirebristol@vpplc.com

MEP HIRE BURTON

Unit A, Rolleston Trading Estate,
Hawkins Lane, Burton-on-Trent
DE14 1PT
T: 01283 530 777
E: mephireburton@vpplc.com

MEP HIRE CARDIFF

Unit 5 Riverside, Treforest
Industrial Estate, Pontypridd
CF37 5TG
T: 02921 507 810
E: mephirecardiff@vpplc.com

MEP HIRE DURHAM

Greta House, Unit 36,
Belmont Industrial Estate,
Durham DH1 1TT
T: 01913 841 384
E: mephiredurham@vpplc.com

MEP HIRE EDINBURGH

Unit 6A, Pitreavie Business Park,
Pitreavie Way, Dunfermline,
Fife KY11 8UX
T: 01383 452 020
E: mephireedinburgh@vpplc.com

MEP HIRE GLASGOW

Unit K, Ashley Drive, Bothwell,
Glasgow G71 8BS
T: 01698 802 990
E: mephireglasgow@vpplc.com

MEP HIRE LEEDS

Cross Point, A1 Business Park,
Knottingley WF11 0BU
T: 01132 211 190
E: mephireleeds@vpplc.com

MEP HIRE MANCHESTER

Unit 2000, Fifth Street,
Trafford Park, Manchester M17 1JX
T: 01619 046 200
E: mephiremanchester@vpplc.com

MEP HIRE RAINHAM

Unit 5, Consul Avenue,
Segro Industrial Park, Rainham,
Essex RM13 8HY
T: 020 8104 3140
E: mephirerainham@vpplc.com

MEP HIRE STAINES

Apex 30, 233-269 London Road,
Staines TW18 4JU
T: 01784 608 960
E: mephirestaines@vpplc.com

MEP Hire Head Office
Suite 7, Avondale House,
Phoenix Crescent
Strathclyde Business Park,
Bellshill ML4 3NJ
T: 0800 587 5121
E: hire@mephire.co.uk

MEP Hire

Mechanical, Electrical & Low Level Access Specialists

0800 587 5121
hire@mephire.co.uk
www.mephire.co.uk

MEP Hire
Suite 7, Avondale House, Phoenix Crescent
Strathclyde Business Park, Bellshill ML4 3NJ

Hire Desk open Monday to Friday, 7.30am - 5pm.

Registered company number: 3428037

SCAN TO VISIT OUR WEBSITE

WORLD LAND TRUST™
www.carbonbalancedpaper.com

Printed on carbon balanced and sustainably sourced paper

MEP Hire a trusted and recognised hire partner...