

TECHNICAL DATA SHEET

Gorilla Tube™ Clear Vinyl Tubing

PRODUCT

Gorilla Tube™ Clear Vinyl Tubing

APPLICATION

Air conditioning and refrigeration condensate drains, condensate pump discharge lines and humidifier overflows.

ADVANTAGES

Made of high-quality vinyl with smooth interior and exterior that allows easy flow and flushing prevents sediment accumulation. Its walls are thick enough to prevent kinks but are lightweight, flexible, can withstand rough handling and multiple usage while maintaining dimensional stability. Our plastic tubes are easy to use, shape, and bend and can be easily cut by any cutting tool.

Select Gorilla Tube over standard clear vinyl tube because the extra rigid design resists crimping and kinking due to durometer value of 80 (Shore A) and thicker wall. The maximum service temperature of this is product 140 F (60 C). Overall, this product is a better performer in the colder weather climates.

GENERAL CHARACTERISTICS

- Seven sizes from 1/4" to 1" diameters
- Clear vinyl chloride (PVC)
- Resists crimping and kinking with a thicker wall and durometer value of 80 (Shore A)
- Service temperature 140° F (60° C)



ITEM #	Nominal Size (in)	Weight (lbs)	Length (ft)	Inner Diameter (in)	Outer Diameter (in)	Wall Thickness (in)
7-14P	1/4	2.80	100	0.250	0.360	0.055
7-38P	3/8	4.58	100	0.368	0.495	0.064
7-12P	1/2	6.99	100	0.482	0.632	0.075
7-58P	5/8	10.38	100	0.588	0.771	0.092
7-34P	3/4	14.50	100	0.699	0.914	0.108
7-78P	7/8	9.95	50	0.793	1.051	0.129
7-10P	1	13.38	50	0.915	1.216	0.150

TDSGTCVT Date: October 2021