

No Lead Brass PEX F1960 × Male Sweat Adapters Submittal - Page 1 of 1

Dimension, in/(mm)

Job or Customer :				
Location :				
Engineer:				
☐ Complies with Spec☐ Alternate	Notes:			
Contractor:				
HeatLink Rep :				
Submitted By :		Date :		
Approved By :		Date :		
P.O. Number :		Date :		

Description

Solid no lead (Eco) Brass PEX F1960 × male sweat adapters for PEX-a potable water expansion systems.

The use of PEX tubing in a potable hot-water plumbing system with an operating temperature above 140°F (60° C) or system pressure above 80 psig (550 kPaG) or highly aggressive water quality or any combination thereof can significantly reduce the service life of the tubing.


HeatLink requires following the guidelines described in Plastics Pipe Institute TN-53, Guide to Chlorine Resistance Ratings of PEX Pipes and Tubing for Potable Water Applications and HeatLink INFO 37, Domestic Hot Water Recirculation Systems.

			Difficusion, my (mm)						
Qty	Stk. #	Size	Α	В	С	D	ID1	ID2	Weight, lb/(kg)
	EX27105NL	½" PEX × ½" M/Sweat	0.71 (18.0)	0.63 (16.0)	0.57 (14.5)	0.63 (15.9)	0.38 (9.7)	0.51 (13.0)	0.050 (0.023)
	EX27122NL	3/4" PEX × 3/4" M/Sweat	0.94 (24.0)	0.87 (22.0)	0.79 (20.0)	0.88 (22.3)	0.60 (15.2)	0.75 (19.0)	0.095 (0.043)
	EX27128NL	1" PEX × 1" M/Sweat	1.18 (30.0)	1.02 (26.0)	0.94 (24.0)	1.13 (28.6)	0.80 (20.3)	0.96 (24.5)	0.187 (0.085)
	EX27135NL	11/4" PEX × 11/4" M/Sweat	1.44 (36.5)	1.18 (30.0)	1.08 (27.5)	1.38 (34.95)	0.96 (24.4)	1.20 (30.5)	0.298 (0.135)
	EX27141NL	1½" PEX × 1½" M/Sweat	1.69 (43.0)	1.18 (30.0)	1.04 (26.5)	1.63 (41.3)	1.09 (27.6)	1.44 (36.5)	0.428 (0.194)
	EX27154NL	2" PEX × 2" M/Sweat	2.15 (54.5)	1.57 (40.0)	1.44 (36.5)	2.13 (54.0)	1.37 (34 9)	1.91 (48.5)	0.948

Technical Data

Specifications

Material	No Lead (Eco) Brass - C69300
Operating pressure rating	180°F @ 100 psi (82.2°C @ 0.69 MPa)



Installation

Installation must follow all of HeatLink's instructions and guidelines.

Related Documents

- F1960 PEX-a Potable Water Expansion System Installation Guide (L3240)
- · HeatLink Limited Plumbing Warranty

		Standards
	Codes	ASTM E84
	IMC	ASTM F877
	IPC	ASTM F2159
Listings	IRC	CSA B137.5
ICC-ES PMG 1087	NPC of Canada	NSF/ANSI 14
cNSFus-pw	NSPC	NSF/ANSI 61
cQAlus P371	UMC	NSF/ANSI 372
U.P. Code	UPC	ULC S102.2