Datey®

SAFETY DATA SHEET

1. Identification

Product identifier Oatey H2O 5 Paste Flux

Other means of identification

SDS number 1613E

Synonyms Part Numbers: 30130, 30131, 30132, 30133, 50691, 53067, 48362

Recommended use Joining Copper Pipes.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Oatey Co.

Address 4700 West 160th St.

Cleveland, OH 44135

Telephone 216-267-7100
E-mail info@oatey.com

Transport Emergency Chemtrec 1-800-424-9300 (Outside the US 1-703-527-3887)

Emergency First Aid 1-877-740-5015

Contact person MSDS Coordinator

2. Hazard identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage.

Precautionary statement

Prevention Wash thoroughly after handling. Wear protective gloves/eye protection/face protection.

Response IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation occurs: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Glycerol		56-81-5	7-13
Triethanolamine hydrochloride		637-39-8	7-13
Zinc chloride		7646-85-7	3-7

Oatey H2O 5 Paste Flux SDS Canada

922588 Version #: 01 Revision date: - Issue date: 22-May-2019

Ammonium chloride 12125-02-9 1-5

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. Components not listed are either non-hazardous or are below reportable limits.

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Foam. Dry chemical powder. Carbon dioxide (CO2). Water fog. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed such as: Carbon oxides (COx). Acrolein. Nitrogen Oxides (NOx). Zinc oxides. Hydrogen chloride.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

Specific methods
General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Avoid contact with skin and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

Oatey H2O 5 Paste Flux SDS Canada

8. Exposure controls/personal protection

Occupational exposure limits

cupational exposure limits			
US. ACGIH Threshold Limit Value Components	s Type	Value	Form
Ammonium chloride (CAS	STEL	20 mg/m3	Fume.
12125-02-9)	OILL	20 mg/m3	i dille.
	TWA	10 mg/m3	Fume.
Zinc chloride (CAS 7646-85-7)	STEL	2 mg/m3	Fume.
7010 00 7)	TWA	1 mg/m3	Fume.
Canada. Alberta OELs (Occupation	onal Health & Safety Code, So	chedule 1, Table 2)	
Components	Туре	Value	Form
Ammonium chloride (CAS 12125-02-9)	STEL	20 mg/m3	Fume.
	TWA	10 mg/m3	Fume.
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.
Zinc chloride (CAS 7646-85-7)	STEL	2 mg/m3	Fume.
7010 30 17	TWA	1 mg/m3	Fume.
Canada. British Columbia OELs. (ts for Chemical Substances, Oc	cupational Health and
Safety Regulation 296/97, as ame Components	Туре	Value	Form
Ammonium chloride (CAS 12125-02-9)	STEL	20 mg/m3	Fume.
	TWA	10 mg/m3	Fume.
Glycerol (CAS 56-81-5)	TWA	3 mg/m3	Respirable mist.
		10 mg/m3	Mist.
Zinc chloride (CAS 7646-85-7)	STEL	2 mg/m3	Fume.
	TWA	1 mg/m3	Fume.
Canada. Manitoba OELs (Reg. 21)			-
Components	Туре	Value	Form
Ammonium chloride (CAS 12125-02-9)	STEL	20 mg/m3	Fume.
	TWA	10 mg/m3	Fume.
Zinc chloride (CAS 7646-85-7)	STEL	2 mg/m3	Fume.
7040 00 7)	TWA	1 mg/m3	Fume.
Canada. Ontario OELs. (Control o	of Exposure to Biological or (Chemical Agents)	
Components	Туре	Value	Form
Ammonium chloride (CAS 12125-02-9)	STEL	20 mg/m3	Fume.
	TWA	10 mg/m3	Fume.
Zinc chloride (CAS 7646-85-7)	STEL	2 mg/m3	Fume.
	TWA	1 mg/m3	Fume.
Canada. Quebec OELs. (Ministry Components	of Labor - Regulation respec Type	ting occupational health and sa Value	fety) Form
Ammonium chloride (CAS 12125-02-9)	STEL	20 mg/m3	Fume.
,	TWA	10 mg/m3	Fume.
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.

Oatey H2O 5 Paste Flux SDS Canada

922588 Version #: 01 Revision date: - Issue date: 22-May-2019

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components

Type

Value

Form

Zinc chloride (CAS

TWA

1 mg/m3

Fume.
7646-85-7)

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components	Туре	Value	Form
Ammonium chloride (CAS 12125-02-9)	15 minute	20 mg/m3	Fume.
	8 hour	10 mg/m3	Fume.
Glycerol (CAS 56-81-5)	15 minute	20 mg/m3	Mist.
	8 hour	10 mg/m3	Mist.
Zinc chloride (CAS 7646-85-7)	15 minute	2 mg/m3	Fume.
	8 hour	1 mg/m3	Fume.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelinesOccupational Exposure Limits are not relevant to the current physical form of the product.

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Paste. Colour Light yellow. Slight. Odour **Odour threshold** Not available. Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not applicable range

Flash point

Evaporation rate

Not applicable

Not available.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Oatey H2O 5 Paste Flux SDS Canada

Explosive limit - upper

(%)

Not available.

> 1

Not available. Vapour pressure

Vapour density

Relative density 1.1 (Water=1)

Solubility(ies)

Soluble Solubility (water)

Partition coefficient

Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** 30000 - 50000 Viscosity

Other information

VOC 8 g/l <1% by weight

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Conditions to avoid

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

May cause irritation to the respiratory system. Prolonged inhalation may be harmful. Inhalation

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause

redness and pain.

Information on toxicological effects

Not expected to be acutely toxic. **Acute toxicity**

Components **Species Test Results**

Ammonium chloride (CAS 12125-02-9)

Acute Oral

LD50 Rat 1650 mg/kg

Glycerol (CAS 56-81-5)

Acute

Dermal

LD50 Rabbit > 18700 mg/kg

Oral

LD50 Rat 27200 mg/kg

Zinc chloride (CAS 7646-85-7)

Acute Oral

LD50 Rat 350 mg/kg

Skin corrosion/irritation Causes skin irritation.

Oatey H2O 5 Paste Flux SDS Canada Irritation Corrosion - Skin

Oatey H2O 5 Paste Flux Result: Irritating to skin

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Canada - Alberta OELs: Irritant

Ammonium chloride (CAS 12125-02-9) Irritant Glycerol (CAS 56-81-5) Irritant Zinc chloride (CAS 7646-85-7) Irritant

Respiratory sensitisation Not a re

Not a respiratory sensitiser.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Components Species Test Results

Glycerol (CAS 56-81-5)

Aquatic

Acute

Crustacea EC50 Daphnia magna > 10000 mg/l, 24 Hours

Zinc chloride (CAS 7646-85-7)

Aquatic

Crustacea EC50 American or virginia oyster (Crassostrea 0.1511 - 0.2782 mg/l, 48 hours

virginica)

Fish LC50 Rainbow trout, donaldson trout 0.101 - 0.197 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

Glycerol (CAS 56-81-5) -1.76

Mobility in soil The product is soluble in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Oatey H2O 5 Paste Flux SDS Canada

922588 Version #: 01 Revision date: - Issue date: 22-May-2019

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Ontario. Toxic Substances. Toxic Reduction Act, 2009. Regulation 455/09 (July 1, 2011)

Zinc chloride (CAS 7646-85-7)

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

Taiwan Chemical Substance Inventory (TCSI) Taiwan Yes Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico Yes

16. Other information

22-May-2019 Issue date

Revision date Version No. 01

Oatey H2O 5 Paste Flux SDS Canada

922588 Version #: 01 Revision date: -Issue date: 22-May-2019 7/8

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Disclaimer

Oatey Co. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Oatey H2O 5 Paste Flux SDS Canada