



TheraPro HR90

Effortless efficiency and comfort.
The easy choice for radiator controllers.



A new angle on home heating

The TheraPro HR90 radiator controller comes with a backlit, adjustable screen that gives you a clear view of temperature and other settings. The controller will regulate the ambient temperature at the ideal level for the homeowner, or it can be programmed to match the homeowner's schedule. Homeowners will therefore have the desired temperature all the time.



USER-FRIENDLY

Adjustable display

The flip-up display can be easily read in nearly any location, even hard to reach locations such as under a window sill.

Temperature limits

Minimum and maximum temperature limits can be set to help control energy consumption.

Easy programming

The TheraPro HR90 radiator controller can be removed for easy programming.

Frost-proof function

If the temperature drops below 41°F, the TheraPro HR90 radiator controller opens until the temperature rises to 43°F again, and can prevent the radiator from freezing.

Child/Safety lock

The TheraPro HR90 radiator controller can be locked to prevent unauthorized access.

ECO saver mode

In ECO saver mode, the ambient temperature is lowered by 5°F.



Adjustable display

ECO saver mode

Convenient programming

EASY TO PROGRAM


The TheraPro HR90 radiator controller. Automatically regulates the heating valve via electronic time programs and can be programmed according to a daily routine.

Additional operating modes

Easily set different operating modes, such as "Dinner Party", "Game Night" and "Vacation".

Convenient programming

Up to six switchpoints can be set per day and three different temperatures (7 days a week).



EASY TO INSTALL

The TheraPro HR90 radiator controller can be easily installed on most standard radiator valves with an M30 x 1.5 connection, without causing any soiling or water stains. Ready to go in a few steps:

- 1** Insert battery
- 2** Set language, time and date
- 3** Remove old thermostat cap
- 4** Mount adapter if necessary
- 5** Mount valve attachment
- 6** Mount TheraPro HR90



Preset time programs

Once installed, the TheraPro HR90 radiator controller operates immediately with the default settings. You can change them easily to suit your needs.

Copying time programs

It's easy to program multiple thermostats to run on the same schedule. Simply program the schedule into one thermostat, and transfer, via cable, to any additional thermostats in the home.

The Honeywell Home ACC90 cable must be used to copy programs; use of any other cable will damage the device.



TECHNICAL DATA	THERAPRO HR90
Applications	Hot water systems only
Protection class	IP30
Supply voltage (batteries included, life span approximately two years)	Battery type LR6, AA, AM3 Alkaline: 2 x 1.5 V Lithium: 2 x 1.5 V NiMH: 2 x 1.2 V
Connection to the radiator valve	Fits most standard radiator valves M30 x 1.5
Ambient temperature	32-122 °F
Dimensions	3.77 x 2.12 x 2.36 inches
Humidity	10 ... 90% relative humidity



For more information

resideo.com/pro



resideo

Resideo Technologies, Inc.

1985 Douglas Drive North
Golden Valley, MN 55422
800.468.1502
resideo.com

03-00209 | VN | 04/21
© 2021 Resideo Technologies, Inc. All rights reserved. The Honeywell Home trademark is used under license from Honeywell International, Inc. This product is manufactured by Resideo Technologies, Inc., and its affiliates.

Honeywell Home