

CLEAN DESIGN

COMPATIBLE FIXTURES
FOR GEBERIT INSTALLATION SYSTEMS

DESIGN
MEETS
FUNCTION

THE POSSIBILITIES...

WALL-HUNG TOILET MODELS

Axent

AxentOne Plus
Italica

Blu Bathworks

Coco
Metrix

Devon & Devon

Blues
Etoile
New Etoile
Rose
Classica
Westminster

Duravit

Darling New
D-Code
DuraStyle
DuraStyle Basic
Happy D.2
P3 Comforts
Starck 2
Starck 3
Starck 3 compact
Vero
Vero Air
ME by Starck
Viu

DXV

Belshire
Cossu
Modulus

Icera

Clarity
Karo
Piano
Vista

Kallista

Pleó

Kohler

Veil

Lacava

Giulia
Navi
Suave

Laufen

IlBagnoAlessi One
Kartell
Laufen Pro
Laufen Pro S
Palace
Palomba
The New Classic
Val

Neo-Metro

Euro-Urban
Metaal
miniLOO

TOTO

AP
EP
MH
RP
SP


Villeroy & Boch

Architectura
La Belle
Memento
Strada
Subway

Axent	www.axentbath.us
Blu Bathworks	www.blubathworks.com
Devon & Devon	www.devon-devon.com
Duravit	www.duravit.com
DXV	www.dxv.com
Icera	www.icerausa.com
Kallista	www.kallista.com
Kohler	www.us.kohler.com
Lacava	www.lacava.com
Laufen	www.us.laufen.com
Neo-Metro	www.neo-metro.com
TOTO	www.totousa.com
Villeroy & Boch	www.villeroy-boch.com

...ARE **GROWING**

UNLOCK YOUR IMAGINATION LIKE NEVER BEFORE



Geberit 2x4 in-wall system
with Sigma50 flush plate and
Villeroy & Boch Subway toilet

FREEDOM TO CREATE

CHOOSE ANY BOWL

When you install the Geberit system, you're not just getting the best in-wall tank and carrier available. You get the design freedom that only Geberit offers: compatibility with all wall-hung toilets made by every major ceramic manufacturer. Beware of "proprietary" claims and dedicated bowl/carrier combinations. No other carrier gives you the flexibility of the Geberit system.

For a complete listing of wall-hung toilets compatible with the Geberit system — including WaterSense listed models — visit www.geberit.us. If you're looking for more ideas and inspiration, use your smartphone to scan the code below or point your web browser to geberitnorthamerica.com/inspiration.



↑
Geberit 2x6 in-wall
system with Duravit
Happy D.2 toilet



WHY BUY **GEBERIT**

For over 125 years, Geberit has focused on innovation, quality, and reliability. More than 50 years ago, Geberit introduced the first in-wall system. Ever since, the Geberit system has enabled designers and homeowners to create unique spaces by lifting the toilet off the floor.

GEBERIT SYSTEMS:

- achieve a clean, modern look
- have a greater flexibility of toilet placement in a bathroom
- improve accessibility, more open space and better hygiene

When you buy Geberit, you buy from the company that invented the in-wall toilet system.

Go ahead and choose the perfect toilet for your new bathroom. Then, make sure Geberit is behind the wall.




↑
Geberit 2x6 in-wall system with
Sigma50 flush plate and Duravit toilet

COMPATIBLE WALL-HUNG WASHDOWN TOILETS

1.28/0.8 GPF (4.8/3 LPF)

Geberit Installation Systems and wall-hung toilet combinations marked with this symbol (■) in the table are compatible.
Please note that all dimensions are approximations.

All toilet dimensions are shown as follows:



Brand Name	Model Number*	Model Name	111.902 Toilet Carrier 2x6 Stud Wall	111.597 Toilet Carrier 2x4 Stud Wall	111.018 Toilet Carrier Pre-Wall	Length (Toilet dimensions in inches)	Width (Toilet dimensions in inches)	Depth (Toilet dimensions in inches)	Style
Axent	E310	AxentOne Plus	■	■	■	23-1/3	14-1/2	15-2/3	Elongated
	W718	Italica	■	■	■	21-4/5	14	15-1/2	Elongated
Duravit	251009	ME by Starck	■	■	■	18-7/8	14-1/8	15-3/4	Elongated
	252909	ME by Starck	■***	■	■**	17-3/8	14-1/8	15-3/4	Round Front
	252959	ME by Starck	■	■	■	21-1/4	14-5/8	15-3/4	Elongated
	253009	ME by Starck	■	■	■**	18-7/8	14-5/8	13-3/4	Round Front
	251109	Viu	■	■	■**	22-1/2	14-5/8	14-1/4	Rectangular
	251159	Viu	■	■	■**	22-1/2	14-5/8	14-1/4	Rectangular
Laufen	8.2033.9	Kartell	■	■	■	21-1/2	14-9/16	15	Round Front
	8.2085.8	The New Classic	■	■	■	20-7/8	14-5/8	13-3/4	Round Front
	8.2028.8	Val	■	■	■	20-7/8	15-3/8	13-1/2	Round Front
TOTO	CT426CFG#01	AP	■	■	■	21-1/4	15	13-1/4	Elongated
	CT426CFG40#01	AP	■	■	■	21-1/4	15	13-1/4	Elongated
	CT428CFG#01	EP	■**	■**	■**	21-1/4	15	13-1/4	Elongated
	CT428CFG40#01	EP	■**	■**	■**	21-1/4	15	13-1/4	Elongated
	CT437FG#01	MH	■**	■**	■**	20-7/8	15-1/2	13-3/8	Elongated
	CT437FGT20#01	MH	■**	■**	■**	20-7/8	15-1/2	13-3/8	Elongated
	CT447CFG#01	RP	■	■	■	22-7/8	15	13-1/8	Elongated
	CT447CFG60#01	RP	■	■	■	22-7/8	15	13-1/8	Elongated
	CT449CFG#01	SP	■	■	■	22-7/8	15	13-1/4	Rectangular
	CT449CFG60#01	SP	■	■	■	22-7/8	15	13-1/4	Rectangular

* Consult toilet manufacturers for up-to-date model numbers and availability.

** Meets 600 grams MaP performance score.


*** Meets 800 grams MaP performance score.

COMPATIBLE WALL-HUNG WASHDOWN TOILETS

1.28/0.8 GPF (4.8/3 LPF) WaterSense Listed

Geberit Installation Systems and wall-hung toilet combinations marked with this symbol (■) in the table are compatible. Please note that all dimensions are approximations.

All toilet dimensions are shown as follows:




Brand Name	Model Number*	Model Name	111.902 Toilet Carrier 2x6 Stud Wall	111.597 Toilet Carrier 2x4 Stud Wall	111.018 Toilet Carrier Pre-Wall	Length (Toilet dimensions in inches)	Width	Depth	Style
Axent	E310	AxentOne Plus	■	■	■	23-1/3	14-1/2	15-2/3	Elongated
	W718	Italica	■	■	■	21-4/5	14	15-1/2	Elongated
Duravit	251009	ME by Starck	■	■	■	18-7/8	14-1/8	15-3/4	Elongated
	252909	ME by Starck	■***	■		17-3/8	14-1/8	15-3/4	Round Front
	252959	ME by Starck	■	■		21-1/4	14-5/8	15-3/4	Elongated
	253009	ME by Starck	■	■	■**	18-7/8	14-5/8	13-3/4	Round Front
	251109	Viu	■	■	■**	22-1/2	14-5/8	14-1/4	Rectangular
	251159	Viu	■	■	■**	22-1/2	14-5/8	14-1/4	Rectangular
Laufen	8.2033.9	Kartell	■	■		21-1/2	14-9/16	15	Round Front
	8.2085.8	The New Classic	■	■		20-7/8	14-5/8	13-3/4	Round Front
	8.2028.8	Val	■	■		20-7/8	15-3/8	13-1/2	Round Front
TOTO	CT426CFG#01	AP	■	■		21-1/4	15	13-1/4	Elongated
	CT426CFG40#01	AP	■	■		21-1/4	15	13-1/4	Elongated
	CT428CFG#01	EP	■**	■**	■**	21-1/4	15	13-1/4	Elongated
	CT428CFG40#01	EP	■**	■**	■**	21-1/4	15	13-1/4	Elongated
	CT437FG#01	MH	■**	■**	■**	20-7/8	15-1/2	13-3/8	Elongated
	CT437FGT20#01	MH	■**	■**	■**	20-7/8	15-1/2	13-3/8	Elongated
	CT447CFG#01	RP	■	■	■	22-7/8	15	13-1/8	Elongated
	CT447CFG60#01	RP	■	■	■	22-7/8	15	13-1/8	Elongated
	CT449CFG#01	SP		■	■	22-7/8	15	13-1/4	Rectangular
	CT449CFG60#01	SP		■	■	22-7/8	15	13-1/4	Rectangular

COMPATIBLE WALL-HUNG WASHDOWN TOILETS

1.6/0.8 GPF (6/3 LPF)

Geberit Installation Systems and wall-hung toilet combinations marked with this symbol (■) in the table are compatible.
Please note that all dimensions are approximations.

All toilet dimensions are shown as follows:



Brand Name	Model Number*	Model Name	111.335 Toilet Carrier 2x6 Stud Wall	111.798 Toilet Carrier 2x4 Stud Wall	111.012 Toilet Carrier Pre-Wall	Length (Toilet dimensions in inches)	Width (Toilet dimensions in inches)	Depth (Toilet dimensions in inches)	Style
Blu Bathworks	LW6008	Coco	■	■	■	22	14	14-1/4	Elongated
	LW6030A	Coco	■	■	■	21-1/4	14-1/4	12-1/4	Elongated
	LW6020A	Metrix	■	■	■	21-1/2	14-1/4	13	Elongated
Devon & Devon	WCSBLU	Blues	■	■	■	21-7/8	14	14-3/8	Round Front
	WCSNET	Etoile	■	■	■	21-1/2	15-3/16	14	Round Front
	WCSET	New Etoile	■	■	■	21-1/2	15-3/16	14	Round Front
	WCSRO	Rose	■	■	■	21-5/8	14	14-3/4	Round Front
Duravit	253509	D-Code	■***	■	■	21-1/2	14	13-3/8	Round Front
	254409	Darling New	■**	■	■	24-5/8	14-3/8	13-5/8	Elongated
	254459	Darling New	■**	■	■	24-5/8	14-3/8	13-5/8	Elongated
	254509	Darling New	■	■	■	21-1/4	14-3/8	13-5/8	Round Front
	256309	Darling New	■***	■	■	22-1/2	14-3/8	14-3/4	Round Front
	256359	Darling New	■***	■	■	22-1/2	14-3/8	13-5/8	Round Front
	253609	DuraStyle	■	■	■	21-1/4	14-1/8	13-5/8	Rectangular
	253709	DuraStyle	■**	■	■**	24-3/8	14-5/8	13-5/8	Elongated
	253759	DuraStyle	■**	■	■**	24-3/8	14-3/4	13-5/8	Elongated
	253809	DuraStyle	■	■	■	21-1/4	14-5/8	13-3/4	Rectangular
	253909	DuraStyle	■***	■	■	18-7/8	14-5/8	13-3/4	Rectangular
	254209	DuraStyle	■***	■	■	24-3/8	14-5/8	13-3/4	Elongated
	254259	DuraStyle	■***	■	■	24-3/8	14-3/4	13-3/4	Elongated
	255109	DuraStyle	■	■	■	21-1/4	14-5/8	14	Rectangular
	257109	DuraStyle	■***	■	■	18-7/8	14-5/8	14	Rectangular
	256209	DuraStyle Basic	■***	■	■	21-1/4	14-3/8	13-3/4	Round Front
	222209	Happy D.2	■	■	■	21-1/4	14-3/8	13-1/8	Rectangular
	255009	Happy D.2	■	■	■	24-3/8	14-3/8	13-5/8	Elongated
	255059	Happy D.2	■***	■	■	24-3/8	14-5/8	13-5/8	Elongated
	256109	P3 Comforts	■***	■	■	22-1/2	15	14	Rectangular
	256159	P3 Comforts	■***	■	■	22-1/2	15	14	Rectangular
	253309	Starck 2	■	■	■	24-3/8	14-3/4	13-1/4	Elongated
	253359	Starck 2	■	■	■	24-3/8	14-3/4	13-1/4	Elongated
	253409	Starck 2	■	■	■	21-1/4	14-5/8	13	Round Front
	222509	Starck 3	■***	■	■	21-1/4	14-1/8	12	Round Front
	222609	Starck 3	■	■	■	24-3/8	14-5/8	13-5/8	Elongated
	222659	Starck 3	■	■	■	24-3/8	14-5/8	13-5/8	Elongated
	252709	Starck 3	■***	■	■	21-1/4	14-1/8	13-3/8	Round Front
	222709	Starck 3 compact	■	■	■	19-1/8	14-1/8	13-3/8	Round Front
	221709	Vero	■	■	■	21-1/2	14	13-5/8	Rectangular
	252509	Vero Air	■***	■	■	22-1/2	14-5/8	14	Rectangular
	252559	Vero Air	■***	■	■	22-1/2	14-5/8	14	Rectangular
DXV	D23050A000	Belshire	■	■	■	18-3/8	13-7/8	13-3/4	Round Front
	D23010S000	Cossu	■	■	■	17-1/2	14-1/2	13-3/4	Round Front
	D23040A000	Modulus	■	■	■	18-1/2	14-3/16	13-3/4	Rectangular
Icera	C-6610	Clarity	■	■	■	22-1/4	14-5/8	14-1/2	Elongated
	C-5170	Karo	■	■	■	18-1/8	14-1/8	14-1/8	Elongated
	C-2370	Piano	■	■	■	21-1/8	14-5/8	14-3/4	Round Front
	C-5530	Vista	■	■	■	17-3/4	14	14-3/8	Elongated
Kallista	P70360-00-0	Pleó	■	■	■	21	14-1/4	13	Elongated
Kohler	K-6299	Veil	■	■	■	21	15-1/8	13-3/4	Elongated
	K-6300	Veil	■	■	■	21	15-1/8	13-3/4	Elongated
Lacava	5051WC	Giulia	■	■	■	22	14	14	Round Front
	5051WC-MB	Navi	■	■	■	19-3/4	14	13	Round Front
	6058.1	Suave	■	■	■	22	15-1/2	14-1/4	Round Front



The information contained in this document is subject to change without notice.

COMPATIBLE WALL-HUNG WASHDOWN TOILETS

1.6/0.8 GPF (6/3 LPF) (continued)

Geberit Installation Systems and wall-hung toilet combinations marked with this symbol (■) in the table are compatible. Please note that all dimensions are approximations.

All toilet dimensions are shown as follows:



Brand Name	Model Number*	Model Name	111.335 Toilet Carrier 2x6 Stud Wall	111.798 Toilet Carrier 2x4 Stud Wall	111.012 Toilet Carrier Pre-Wall	Length (Toilet dimensions in inches)	Width (Toilet dimensions in inches)	Depth (Toilet dimensions in inches)	Style
Laufen	820338	Kartell	■**	■**	■	21-1/2	14-9/16	15	Round Front
	820978	IlBagnoAlessi One	■	■**	■	23	15-3/8	14	Elongated
	820950	Laufen Pro	■***	■	■	22-1/16	14-3/16	15-3/4	Round Front
	820968	Laufen Pro	■	■	■	20-7/8	14-3/16	13-5/8	Round Front
	820969	Laufen Pro	■	■	■	20-7/8	14-3/16	13-5/8	Round Front
	820963	Laufen Pro S	■**	■**	■	20-7/8	14-3/8	13-3/4	Rectangular
	820708	Palace	■	■	■	22-1/16	14-3/16	15	Rectangular
	820808	Palomba	■**	■	■	21-1/4	14-3/16	15	Round Front
Neo-Metro	8951-W-1	Euro-Urban	■	■	■	23	13-3/4	14	Elongated
	8957	Metaal	■	■	■	29-1/4	15	14	Elongated
	8952	miniLOO	■	■	■	20-1/2	13-3/4	14-1/8	Round Front
Villeroy & Boch	4688 UR XX	Architectura	■**	■	■	22-13/16	16-1/8	13-3/8	Elongated
	5864 U1 XX	Architectura	■	■	■	20-7/8	14-5/8	13	Round Front
	5627 U1 XX	La Belle	■	■	■	23	15-1/8	16-1/2	Rectangular
	5628 U1 XX	Memento	■	■	■	22	14-3/4	16-1/8	Rectangular
	6661 U0 XX	Strada	■	■	■	23-5/8	14-5/8	13-3/4	Round Front
	4609 UR XX	Subway	■**	■	■	22-7/8	16-1/8	13-1/8	Round Front
	5600 U0 XX	Subway	■	■	■	22-1/4	14-3/4	14-1/8	Round Front
	5614 UR XX	Subway	■	■	■	22	14-5/8	14-3/8	Round Front



The information contained in this document is subject to change without notice.

COMPATIBLE WALL-HUNG WASHDOWN TOILETS

1.6/0.8 GPF (6/3 LPF) WaterSense Listed

Geberit Installation Systems and wall-hung toilet combinations marked with this symbol (■) in the table are compatible. Please note that all dimensions are approximations.

All toilet dimensions are shown as follows:



Brand Name	Model Number*	Model Name	111.335 Toilet Carrier 2x6 Stud Wall	111.798 Toilet Carrier 2x4 Stud Wall	111.012 Toilet Carrier Pre-Wall	Length (Toilet dimensions in inches)	Width (Toilet dimensions in inches)	Depth (Toilet dimensions in inches)	Style
Duravit	253509	D-Code	■			21-1/2	14	13-3/8	Round Front
	254409	Darling New	■**			24-5/8	14-3/8	13-5/8	Elongated
	254459	Darling New	■**			24-5/8	14-3/8	13-5/8	Elongated
	254509	Darling New	■***			21-1/4	14-3/8	13-5/8	Round Front
	253609	DuraStyle	■			21-1/4	14-1/8	13-5/8	Rectangular
	253709	DuraStyle	■**			24-3/8	14-5/8	13-5/8	Elongated
	253809	DuraStyle	■			21-1/4	14-5/8	13-3/4	Rectangular
	254209	DuraStyle	■***			24-3/8	14-5/8	13-3/4	Elongated
	254259	DuraStyle	■***			24-3/8	14-3/4	13-3/4	Elongated
	255109	DuraStyle	■			21-1/4	14-5/8	14	Rectangular
	256209	DuraStyle Basic	■***			21-1/4	14-3/8	13-3/4	Round Front
	222209	Happy D.2	■			21-1/4	14-3/8	13-1/8	Rectangular
	255009	Happy D.2	■			24-3/8	14-3/8	13-5/8	Elongated
	255059	Happy D.2	■***			24-3/8	14-5/8	13-5/8	Elongated
	256109	P3 Comforts	■***			22-1/2	15	14	Rectangular
	256159	P3 Comforts	■***			22-1/2	15	14	Rectangular
	253309	Starck 2	■			24-3/8	14-3/4	13-1/4	Elongated
	253359	Starck 2	■			24-3/8	14-3/4	13-1/4	Elongated
	253409	Starck 2	■			21-1/4	14-5/8	13	Round Front
	222509	Starck 3	■***			21-1/4	14-1/8	12	Round Front
	222609	Starck 3	■	■		24-3/8	14-5/8	13-5/8	Elongated
	222659	Starck 3	■			24-3/8	14-5/8	13-5/8	Elongated
	252709	Starck 3	■***			21-1/4	14-1/8	13-3/8	Round Front
DXV	222709	Starck 3 compact	■			19-1/8	14-1/8	13-3/8	Round Front
	221709	Vero	■			21-1/2	14	13-5/8	Rectangular
	D23050A000	Belshire	■	■	■	18-3/8	13-7/8	13-3/4	Round Front
	D23010S000	Cossu	■	■	■	17-1/2	14-1/2	13-3/4	Round Front
Icera	D23040A000	Modulus	■	■	■	18-1/2	14-3/16	13-3/4	Rectangular
	C-5170	Karo	■			18-1/8	14-1/8	14-1/8	Elongated
	C-5530	Vista	■			17-3/4	14	14-3/8	Elongated
Kohler	K-6299	Veil	■	■		21	15-1/8	13-3/4	Elongated
	K-6300	Veil	■	■		21	15-1/8	13-3/4	Elongated
Lacava	5051WC	Giulia	■			22	14	14	Round Front
	6058.1	Suave	■			22	15-1/2	14-1/4	Round Front
Laufen	820338	Kartell	■**	■**		21-1/2	14-9/16	15	Round Front
	820978	IlBagnoAlessi One	■	■**		23	15-3/8	14	Elongated
	820950	Laufen Pro	■***	■		22-1/16	14-3/16	15-3/4	Round Front
	820968	Laufen Pro	■	■		20-7/8	14-3/16	13-5/8	Round Front
	820969	Laufen Pro	■	■		20-7/8	14-3/16	13-5/8	Round Front
	820963	Laufen Pro S	■**	■**		20-7/8	14-3/8	13-3/4	Rectangular
	820708	Palace	■	■		22-1/16	14-3/16	15	Rectangular
	820808	Palomba	■**	■		21-1/4	14-3/16	15	Round Front
Villeroy & Boch	4688 UR XX	Architectura	■**			22-13/16	16-1/8	13-3/8	Elongated
	5864 U1 XX	Architectura	■			20-7/8	14-5/8	13	Round Front
	5627 U1 XX	La Belle	■			23	15-1/8	16-1/2	Rectangular
	5628 U1 XX	Memento	■			22	14-3/4	16-1/8	Rectangular
	4609 UR XX	Subway	■**			22-7/8	16-1/8	13-1/8	Round Front
	5600 U0 XX	Subway	■			22-1/4	14-3/4	14-1/8	Round Front
	5614 UR XX	Subway	■			22	14-5/8	14-3/8	Round Front

The information contained in this document is subject to change without notice.

HOW CAN I TELL IF A WALL-HUNG TOILET IS COMPATIBLE?

With Geberit in-wall systems 111.335, 111.902, 111.798, 111.597, 111.012 or 111.018

1 Check water consumption.

Washdown style bowls must flush with 1.28 GPF (4.8 LPF) or 1.6 GPF (6 LPF) single flush, 1.28/0.8 GPF (4.8/3 LPF) or 1.6/0.8 GPF (6/3 LPF) dual-flush. If you do not know your water consumption, go to Step 5.

KNOW YOUR WATER CONSUMPTION? GO TO STEP 2.


2 How many mounting holes?

Wall-hung bowls come with several mounting hole styles – 4 hole, 3 hole and 2 hole.


Bowls compatible with Geberit systems have 2 mounting holes.

HAVE 2 MOUNTING HOLES? GO TO STEP 3.


Syphonic bowl (four holes)



Blowout bowl (three holes)



Washdown bowl (two holes)




3 Where does water go into bowl?

Typically from above (exposed) or from behind (hidden) for wall-hung bowls.

Bowls compatible with Geberit systems have a hidden water supply from behind.

HAVE CONCEALED WATER SUPPLY FROM BEHIND? GO TO STEP 4.




4 Check dimensions.

If you get to this point, the final step is to check the following dimensions:


- a) Mounting dimensions
- b) Water supply inlet dimensions
- c) Waste outlet dimensions

IF YOU END HERE WITHOUT A MATCH, GO TO STEP 5.


a) Mounting dimensions



b) Water supply inlet dimensions



c) Waste outlet dimensions



5 Contact us.


800/TEC-TRUE
techsupport.us@geberit.com

COMPATIBLE FLOOR-MOUNT WASHDOWN TOILETS

Geberit Installation Systems and wall-hung toilet combinations marked with this symbol (■) in the table are compatible. Please note that all dimensions are approximations.


1.28/0.8 GPF (4.8/3 LPF)

All toilet dimensions are shown as follows:

							
Brand Name	Model Number*	Model Name	109.307	Length	Width	Depth	Style
Duravit	216909	ME by Starck	■	(Toilet dimensions in inches)			Round Front
	216959	ME by Starck	■	17-3/8	14-1/8	15-3/4	Round Front
				21-1/4	14-5/8	15-3/4	Elongated


1.28/0.8 GPF (4.8/3 LPF) WaterSense Listed

All toilet dimensions are shown as follows:

									
				Length	Width	Depth			
Brand Name	Model Number*	Model Name	109.307	(Toilet dimensions in inches)					
Duravit	216909	ME by Starck	■	17-3/8	14-1/8	15-3/4	Round Front		
	216959	ME by Starck	■	21-1/4	14-5/8	15-3/4	Elongated		

1.6/0.8 GPF (6/3 LPF)

All toilet dimensions are shown as follows:

								
Brand Name	Model Number*	Model Name	109.304	109.797	Length (Toilet dimensions in inches)	Width	Depth	Style
Devon & Devon	WCBTWBLU	Blues	■	■	20-3/8	14	15-3/4	Round Front
	WCBTWCLA	Classica	■	■	20-5/8	14-1/4	15-1/2	Round Front
	WCBTWET	Etoile	■	■	19-1/4	15-3/8	15-3/4	Round Front
	WCBTWNET	New Etoile	■	■	20-1/4	14	15-3/4	Round Front
	WCBTWROS	Rose	■	■	20-1/4	14-3/16	15-3/16	Round Front
	WCBTWWES	Westminster	■	■	21-1/2	14-3/8	15-1/2	Round Front
Laufen	823338	Kartell	■	■	22-1/8	14-5/8	16-15/16	Round Front
Neo-Metro	8951-W-2	Euro-Urban	■	■	23	13-3/4	14	Elongated
Villeroy & Boch	6607 U1 XX	Subway	■	■	22-1/2	14-5/8	15-3/4	Round Front

1.6/0.8 GPF (6/3 LPF) WaterSense Listed

All toilet dimensions are shown as follows:

								
	Depth from rim				Length	Width	Depth	
Brand Name	Model Number*	Model Name	109.304	109.797	(Toilet dimensions in inches)			Style
Laufen	823338	Kartell	■	■	22-1/8	14-5/8	16-15/16	Round Front

* Consult toilet manufacturers for up-to-date model numbers and availability.

**Meets 800 grams MaP performance score.

The information contained in this document is subject to change without notice.

HOW CAN I TELL IF A FLOOR-MOUNT TOILET IS COMPATIBLE?

With Geberit in-wall flushing system 109.304, 109.307 or 109.797

1 Check water consumption.


Washdown style bowls must flush with 1.6 GPF (6 LPF) single flush or 1.6/0.8 GPF (6/3 LPF) dual-flush. If you do not know your water consumption, go to Step 5.

KNOW YOUR WATER CONSUMPTION? GO TO STEP 2.

2 Where does water go into bowl?

Typically from above (exposed) or from behind (hidden). Bowls compatible with Geberit systems have a hidden water supply from behind.

HAVE CONCEALED WATER SUPPLY FROM BEHIND AND WITHOUT FLUSHOMETER SPUD? GO TO STEP 3.




3 Check dimensions.


- a) Connection orientation
- b) Water supply inlet dimensions
- c) Waste outlet dimensions

IF YOU END HERE WITHOUT A MATCH, GO TO STEP 4.


a) Connection orientation



b) Water supply inlet dimensions



c) Waste outlet dimensions



4 Contact us.

800/TEC-TRUE
techsupport.us@geberit.com

COMPATIBLE WALL-HUNG URINALS

0.5 GPF (2 LPF) WaterSense Listed

Geberit Installation Systems and wall-hung urinal combinations marked with this symbol (■) in the table are compatible. Please note that all dimensions are approximations.

All urinal dimensions are shown as follows:



Brand Name	Model Number*	Model Name	111.625 Urinal Carrier	Projection (Urinal dimensions in inches)	Length	Width
Duravit	082135	Starck 3	■	13-3/4	22-5/8	13
	280930	ME by Starck	■	13-3/4	23	11-3/4
	280032	Vero	■	12-5/8	21-7/8	11-5/8
	280132	Vero	■	12-5/8	21-7/8	11-5/8

*Consult urinal manufacturers for up-to-date model numbers and availability.

The information contained in this document is subject to change without notice.

HOW CAN I TELL IF A WALL-HUNG URINAL IS COMPATIBLE?

With Geberit in-wall system 111.625

1 Check water consumption.


Syphonic style urinals must flush with 0.5 GPF (2 LPF) or less. If you do not know your water consumption, go to Step 4.

KNOW YOUR WATER CONSUMPTION? GO TO STEP 2.


2 Check physical features of urinal for compatibility with the Geberit in-wall urinal system.

- a) Urinals do not have integral traps or flushometers
 - b) Urinals are not mounted with wall hangers
 - c) Urinal water supply does not enter through top
- If urinal features are compatible, go to Step 3.


a) Urinals do not have integral traps or flushometers



b) Urinals are not mounted with wall hangers



c) Urinal water supply does not enter through top.




3 Check dimensions.

Check the following hole locations and verify they fall within the dimensions in the drawing below.


- a) Mounting dimensions
- b) Water supply inlet dimensions
- c) Waste outlet dimensions
- d) Must accept accessory plastic trap dimensions indicated below

IF YOU END HERE WITHOUT A MATCH, GO TO STEP 4.


a) Mounting dimensions




b) Water supply inlet dimensions



c) Waste outlet dimensions



d) Accessory trap dimensions



4 Contact us.

800/TEC-TRUE
techsupport.us@geberit.com

Geberit

2100 S. Clearwater Drive
Des Plaines, IL 60018
USA

P 800-566-2100

F 847-849-1845

www.geberit.us

Geberit North America is part of the Geberit Group, a European market leader and global provider of sanitary technology. Located in Des Plaines, Illinois, Geberit North America provides concealed tank and carrier systems for wall-hung and floor-mounted toilets and fixtures. Geberit systems improve the look of any bathroom by hiding the unsightly toilet tank. Replacing a standard tank and toilet with the Geberit system results in more usable space, improved hygiene and better accessibility. The unique dual-flush valve saves water and is practically maintenance free. Geberit also offers cable-controlled bath waste and overflows in a variety of designer finishes. Critical working parts are outside the waterway, ensuring years of trouble-free operation.

For more information, contact your Geberit sales representative, call 800/566-2100 or go to **geberit.us**

